



# Price List Index - April 1, 2024 (Updated)

Page	Series	Product Type	Page	Series	Product Type
38	BEKOTEC	Modular Screed System	44	KERDI-LINE STRAINER	Shower System
1	DECO	Floors	45	KERDI-LINE-VARIO	Shower System
5	DECO-DE	Walls & Countertops	44	KERDI-LINE-FC	Shower System
5	DECO-SG	Walls & Countertops/Shower System	44	KERDI-LINE-STYLE	Shower System
5	DECO-SGC	Walls & Countertops/Shower System	40	KERDI-SEAL-MV	Membranes
6	DESIGNBASE-SL	Walls & Countertops	40	KERDI-SEAL-PS	Membranes
6-7	DESIGNBASE-SL-E	Walls & Countertops	42	KERDI-SHOWER-CB	Shower System
7	DESIGNLINE	Walls & Countertops	46	KERDI-SHOWER-KIT	Shower System
28-29	DILEX-AHK	Movement Joint & Cove-Shaped	45	KERDI-SHOWER-LT/-LTS	Shower System
29-30	DILEX-AHKA	Movement Joint & Cove-Shaped	45	KERDI-SHOWER-R	Shower System
30	DILEX-AKWS	Movement Joint & Cove-Shaped	45	KERDI-SHOWER-T/-TS/-TT	Shower System
30	DILEX-AS	Movement Joint & Cove-Shaped	46	KERDI-TUBKIT	Shower System
31 31	DILEX-BT DILEX-BTO	Movement Joint & Cove-Shaped  Movement Joint & Cove-Shaped	38 38	PRIMER-PS PRIMER-U	Primer (Peel & Stick Membranes) Universal Primer
31	DILEX-BTS	Movement Joint & Cove-Shaped	49	PROCUT-TSM	Accessories
31	DILEX-BWA	Movement Joint & Cove-Shaped	13-15	QUADEC	Walls & Countertops
31	DILEX-BWB	Movement Joint & Cove-Shaped	15	QUADEC-FS	Walls & Countertops
31	DILEX-BWS	Movement Joint & Cove-Shaped	15	QUADEC-K	Walls & Countertops
31	DILEX-EDP	Movement Joint & Cove-Shaped	15	REMA	Walls & Countertops
32	DILEX-EHK	Movement Joint & Cove-Shaped	1	RENO-RAMP	Floors
32	DILEX-EKE	Movement Joint & Cove-Shaped	1	RENO-RAMP-K	Floors
32	DILEX-EKSB	Movement Joint & Cove-Shaped	1	RENO-T	Floors
32	DILEX-EZ 6 + 9	Movement Joint & Cove-Shaped	1-2	RENO-TK	Floors
32	DILEX-F	Movement Joint & Cove-Shaped	2	RENO-U	Floors
33	DILEX-HK	Movement Joint & Cove-Shaped	2-3	RENO-V	Floors
33	DILEX-HKS	Movement Joint & Cove-Shaped	15-20	RONDEC	Walls & Countertops
33-34	DILEX-HKU	Movement Joint & Cove-Shaped	21-22	RONDEC-CT	Walls & Countertops
34	DILEX-HKW	Movement Joint & Cove-Shaped	22	RONDEC-DB	Walls & Countertops
34	DILEX-KSA	Movement Joint & Cove-Shaped	22-23	RONDEC-STEP	Walls & Countertops
34-35	DILEX-KSN	Movement Joint & Cove-Shaped	3-4	SCHIENE	Floors
35	DILEX-MOP	Movement Joint & Cove-Shaped	24	SCHIENE	Walls & Countertops
35	DILEX-MP/-MPV	Movement Joint & Cove-Shaped	4-5	SCHIENE-RADIUS	Floors
35 38	DILEX-PHK DITRA/-DITRA-XL	Movement Joint & Cove-Shaped	24-25	SCHIENE-STEP	Stairs, Walls & Countertops
38	DITRA-PS	Membranes Membranes (Peel & Stick)	40 38	SCHLUTER-REFLEECE SET / ALL-SET / FAST-SET	Removable Fleece Thinset Mortars
38,49	DITRA/KERDI Trowels	Accessories	46-47	SHELF-E	Shower System
38	DITRA-DRAIN	Membranes	47	SHELF-N	Shower System
7	ECK-E	Walls & Countertops	47	SHELF-W	Shower System
7-8	ECK-K	Walls & Countertops	48	SHOWERPROFILE-R	Shower System
8	ECK-KHK	Walls & Countertops	48	SHOWERPROFILE-S (-SA/-SB)	Shower System
8	ECK-KI	Walls & Countertops	48	SHOWERPROFILE-WS	Shower System
8	FINEC	Walls & Countertops	48	SHOWERPROFILE-WSK	Shower System
9	FINEC-SQ	Walls & Countertops	49	SNIPS	Accessories
9	INDEC	Walls & Countertops	25	TREP-B	Stair-Nosing
9-12	JOLLY	Walls & Countertops	25	TREP-E	Stair-Nosing
13	JOLLY-P (PVC)	Walls & Countertops	25	TREP-EFK	Stair-Nosing
39	KERDI	Membranes	25	TREP-EK	Stair-Nosing
39	KERDI-BAND	Membranes	26	TREP-FL	Stair-Nosing
40	KERDI-DRAIN & KERDI-DRAIN H	Shower System	26	TREP-G	Stair-Nosing
41	KERDI-DRAIN DRAIN KITS	Shower System	26	TREP-GK	Stair-Nosing
41	KERDI-DRAIN FLANGES	Shower System	26-27	TREP-S	Stair-Nosing
41-42	KERDI-DRAIN GRATES	Shower System	27	TREP-SE	Stair-Nosing
42	KERDI-DRAIN STRAINER	Shower System	27	TREP-TAP	Stair-Nosing
42 40	KERDI-DRAIN TAMPER PROOF SCREWS	Shower System	27 48-49	TREP-V	Stair-Nosing
40 40	KERDI-DRAIN-A KERDI-DRAIN-F	Shower System Shower System	48-49 49	TROBA-LEVEL TROBA-PLUS	Paver Support System Exterior Drainage Membranes
39	KERDI-DS	Membranes	49 49	TROBA-ZFK	Paver Support System
39	KERDI-FIX	Membranes	35-36	VINPRO-RO	Profiles for Resilient Coverings
39	KERDI-FLEX	Membranes	36	VINPRO-S	Profiles for Resilient Coverings
39	KERDI-KERECK-F	Shower System	36	VINPRO-STEP	Profiles for Resilient Coverings
39	KERDI-KERS	Shower System	37	VINPRO-STEP-R	Profiles for Resilient Coverings
39	KERDI-KERS-B	Shower System	37	VINPRO-T	Profiles for Resilient Coverings
		•	37	VINPRO-U	Profiles for Resilient Coverings
39	KERDI-KM	Membranes	31	VIIVI IVO-O	Fromes for ivesilient coverings





			Sugg.					Sugg.	
Sizes & Shapes	Stock	Note		U/M	Sizes & Shapes	Stock	Note	List	U/M

### FINISHING, EDGE-PROTECTION & TRANSITION PROFILES FOR FLOORS

Designed to provide decorative lines within tile coverings and edge protection at transitions from tile coverings to other same-height surface coverings such as wood or carpet. This profile features a 1/4" wide visible surface.

PENO-PAMP							
17/32" x 8'	E140D	59.85	EΑ				
1/2" x 8'	E125D	58.95	EΑ	1-3/16" x 8'	E300D	73.30	EΑ
7/16" x 8'	E110D	57.60	EΑ	1" x 8'	E250D	69.45	EΑ
3/8" x 8'	E100D	56.85	EΑ	13/16" x 8'	E210D	65.80	EΑ
11/32" x 8'	E90D	56.00	EΑ	23/32" x 8'	E185D	63.85	EΑ
5/16" x 8'	E80D	55.30	EΑ	5/8" x 8'	E160D	61.75	EΑ
Color:	Stainless Steel 304 (E)						
7/16" x 8'	M110D	113.90	EA				
11/32" x 8'	M90D	105.90	EΑ	1/2" x 8'	M125D	119.35	EΑ
Color:	Solid Brass (M)						
3/8" x 8'	AE100D	29.75	EA				
5/16" x 8'	AE80D	26.40		1/2" x 8'	AE125D	30.75	EΑ
Color:	Satin Anodized Aluminum (AE)						
7/16" x 8'	MC110D	238.55	EA	<u> </u>			
11/32" x 8'	MC90D	230.35		1/2" x 8'	MC125D	244.00	EΑ
Color:	Chrome-Plated Solid Brass (MC)						

#### RENO-RAMP

Designed to protect tile edges and provide a smooth transition between tile coverings and floor coverings at lower elevations or finished concrete.

Color:	Satin Anodized Aluminum (AE)							
1/4" x 8'	AERP60B50 (2" Slope)	59.20	EΑ	1/2" x 8'	AERP125B90 (3-1/2" Slope)		80.15	EΑ
3/8" x 8'	AERP100B65 (2-1/2" Slope)	59.65	EΑ	9/16" x 8'	AERP150B90 (3-1/2" Slope)	а	82.75	EΑ
1/2" x 8'	AERP125B65 (2-1/2" Slope)	62.25	EΑ	3/4" x 8'	AERP200B90 (3-1/2" Slope)	а	86.90	EΑ
Note:	a) 9/16" and 3/4" are not ADA-Compliant.							

### RENO-RAMP-K

Designed to protect tile edges and provide a smooth transition between tile coverings and floor coverings at lower elevations or finished concrete. Features an integrated joint spacer that establishes a defined joint cavity between the tile and the profile.

Color: Satin Anodized Aluminum (AE)

1/2" x 8' AERPK125B65 (2-1/2" Slope) 72.65 EA

RЕ	N	0-	Т	

Designed to provide transitions between existing same-height hard surface floor coverings primarily in retrofit applications.

Color:	Brushed Stainless Steel 304 (EB)						
17/32" x 8'	T9/14EB	44.55	EΑ	1" x 8	' T9/25EB	62.55	EA
Color:	Satin Anodized Aluminum (AE)						
17/32" x 8'	T9/14AE	14.85	EΑ	1" x 8	' T9/25AE	24.00	EA
Color:	Satin Copper Anodized Aluminum (AK)						
17/32" x 8'	T9/14AK	17.70	EA	1" x 8	' T9/25AK	28.85	EA
Color:	Satin Brass Anodized Aluminum (AM)						
17/32" x 8'	T9/14AM	16.05	EΑ	1" x 8	' T9/25AM	24.40	EA
Color:	Satin Nickel Anodized Aluminum (AT)						
17/32" x 8'	T9/14AT	17.35	EΑ	1" x 8	' T9/25AT	28.85	EA
Color:	Solid Brass (M)						
17/32" x 8'	T9/14M	28.65	EΑ	1" x 8	' T9/25M	48.50	EA
Color:	Stainless Steel 304 (E)						
17/32" x 8'	T9/14E	41.85	EΑ	1" x 8	' T9/25E	57.25	EA
DENIG TI							

### RENO-TK

Designed to protect tile edges and provide a smooth transition from tile coverings to floor coverings at lower elevations typically carpet.

Color:	Bright Chrome Anodized Aluminum (ACB)					
1/4" x 8'	ATK60ACB	23.95	EΑ	3/8" x 8' ATK100ACB	27.30	EΑ
5/16" x 8'	ATK80ACB	25.65	EΑ	1/2" x 8' ATK125ACB	35.55	EΑ

continued on next page





			Sugg.						Sugg.	
Sizes & Shapes		Stock Note	List	U/M	Sizes & Shapes		Stoc	k Note	List	U/M
RENO-TK - con	<u>ntinued</u>									
	Brushed Antique Bronze And	odized Alum	=		•		Aluminum (ATGB)			
5/16" x 8'	ATK80 ATK100		35.15 38.10		1/2" x 8'	ATK125			46.25	EA
		(CD)	30.10	EA	<u> </u>					
5/16" x 8'	Brushed Stainless Steel 304	· (EB)	90.90	ΕΛ	7/16" v 0'	EBTK110			00.05	ΕΛ
	EBTK100		80.80 88.35			EBTK110			90.95 94.30	
	Satin Anodized Aluminum (A									
1/4" x 8'	•	/	22.35	EA	3/8" x 8'	AETK100	Stoc	k	25.60	EΑ
5/16" x 8'	AETK80		23.95	EA	1/2" x 8'	AETK125	Stoc	k	33.05	EΑ
Color:	Satin Nickel Anodized Alumi	num (AT)								
	ATK60AT		25.60			ATK100AT			33.00	
5/16" x 8'	ATK80AT		27.30	EA	1/2" x 8'	ATK125AT			37.20	EA
	Solid Brass (M)				1					
5/16" x 8' 3/8" x 8'			51.70 56.05		1/2" x 8'	MTK125			75.95	EΑ
			30.03	EA	<u> </u>					
	Stainless Steel 304 (E) ETK80		62.20	EΔ	7/16" x 8'	ETK110			73.50	EΔ
3/8" x 8'			68.00		1/2" x 8'				75.50	
Note:	To complete part number replace hyphe	ns with color code			<u>-</u> !		TK125AT.			
RENO-U										
Designed to pro	tect tile edges and provide a smoot	th transition bet	ween tile co	verings a	and floor coverings at	lower elevations	s or finished concrete.			
Color:	Bright Chrome Anodized Alu	ıminum (ACE	3)	J	J					
5/16" x 8'	AU80ACB	`	25.35	EA	1/2" x 8'	AU125ACB			38.00	EΑ
	AU100ACB		29.50							
	Brushed Antique Bronze And	odized Alum			1		Aluminum (ATGB)			
5/16" x 8'	AU80 AU100		41.00 45.00		1/2" x 8'	AU125			54.30	EA
	Brushed Stainless Steel 304	(FR)	45.00	LA	L					
	EBU80	(LD)	98.85	EΑ	9/16" x 8'	EBU150		а	119.75	EΑ
3/8" x 8'			105.05		11/16" x 8'			b	128.10	
7/16" x 8'			108.60		3/4" x 8'	EBU200		b	137.10	EΑ
1/2" x 8'		\ <b>_</b> \	113.05	ΕA	<u> </u>					
1/8" x 8'	Satin Anodized Aluminum (A	AE)	19.15	⊏∧	1/2" v 0'	AEU125	Stoc	l.	32.30	⊏∧
5/16" x 8'		Stock	23.15		9/16" x 8'		3100	n a	41.35	
3/8" x 8'		Stock	24.35		11/16" x 8'			b	50.25	
Colors:	Satin Brass Anodized Alumii	num (AM)			Satin Nickel	Anodized Alu	ıminum (AT)			
5/16" x 8'			24.90		1/2" x 8'	AU125			33.75	EΑ
3/8" x 8'			26.20	EA						
	Solid Brass (M) MU80		CO 1E	Ε.Λ	1/0" 0'	MUIAOE			07.45	г,
3/8" x 8'			69.15 77.65		1/2" x 8' 9/16" x 8'			а	97.45 108.15	
	Stainless Steel 304 (E)					- <del></del>				
	EU80		64.10	EΑ	9/16" x 8'	EU150		а	84.65	EΑ
	EU100		70.10		11/16" x 8'			b	93.10	
7/16" x 8'			75.95 77.80		3/4" x 8'	EU200		b	102.50	EA
	To complete part number replace hyphe	ne with color code			Satin Brass Anodized Alu	ıminum # is: AI I80	 1ΔΜ			
1/2" x 8'							4" are not ADA-Compliant.			
1/2" x 8'	When leading edge rests on top of love	wer surface cover			· · · · · · · · · · · · · · · · · · ·	,				
1/2" x 8'		wer surface cover								
1/2" x 8' <i>Notes:</i> <b>RENO-V</b>	a) When leading edge rests on top of lo		r smoothly id	oining til	e and floor coverings	of different heial	hts.			
1/2" x 8' Notes:  RENO-V Designed to pro		nsition profile fo	r smoothly jo	oining til	e and floor coverings	of different heigl	hts.			
Notes:  RENO-V  Designed to pro  Color:	a) When leading edge rests on top of low tect tile edges and is a variable transport.	nsition profile fo	or smoothly jo			of different heigl AEVT150B20			74.05	EA
1/2" x 8'  Notes:  RENO-V  Designed to pro  Color: 5/16" x 8' 3/8" x 8'	a) When leading edge rests on top of low stect tile edges and is a variable transatin Anodized Aluminum (A AEVT80B20 (3/4" Slope) AEVT100B20 (3/4" Slope)	nsition profile fo	68.20 69.90	EA EA	9/16" x 8' 11/16" x 8'	AEVT150B20 AEVT175B20	(3/4" Slope) (3/4" Slope)		75.75	EΑ
1/2" x 8'  Notes:  RENO-V  Designed to pro  Color: 5/16" x 8' 3/8" x 8' 1/2" x 8'	a) When leading edge rests on top of low stect tile edges and is a variable trans Satin Anodized Aluminum (A AEVT80B20 (3/4" Slope) AEVT100B20 (3/4" Slope) AEVT125B20 (3/4" Slope)	nsition profile fo	68.20 69.90 71.60	EA EA EA	9/16" x 8' 11/16" x 8' 3/4" x 8'	AEVT150B20 AEVT175B20 AEVT200B20	(3/4" Slope) (3/4" Slope) (3/4" Slope)		75.75 81.70	EA EA
1/2" x 8'  Notes:  RENO-V  Designed to pro  Color: 5/16" x 8' 3/8" x 8' 1/2" x 8' 5/16" x 8'	a) When leading edge rests on top of low stect tile edges and is a variable trans Satin Anodized Aluminum (A AEVT80B20 (3/4" Slope) AEVT100B20 (3/4" Slope) AEVT125B20 (3/4" Slope) AEVT80B30 (1-3/16" Slope)	nsition profile fo	68.20 69.90 71.60 75.75	EA EA EA	9/16" x 8' 11/16" x 8' 3/4" x 8' 9/16" x 8'	AEVT150B20 AEVT175B20 AEVT200B20 AEVT150B30	(3/4" Slope) (3/4" Slope) (3/4" Slope) (1-3/16" Slope)		75.75 81.70 80.05	EA EA
1/2" x 8'	a) When leading edge rests on top of low stect tile edges and is a variable trans Satin Anodized Aluminum (A AEVT80B20 (3/4" Slope) AEVT100B20 (3/4" Slope) AEVT125B20 (3/4" Slope)	nsition profile fo	68.20 69.90 71.60	EA EA EA EA	9/16" x 8' 11/16" x 8' 3/4" x 8' 9/16" x 8' 11/16" x 8'	AEVT150B20 AEVT175B20 AEVT200B20	(3/4" Slope) (3/4" Slope) (3/4" Slope)		75.75 81.70	EA EA EA





				Cues				1 1	Cues	
Sizes & Shapes		Stock	Note	Sugg. List	U/M	Sizes & Shapes		Stock Note	Sugg. List	U/M
RENO-V - cont	tinued	3.001	. 1010	2.00	J/141			5.50K 11010	LIOU	5/141
	Satin Anodized Aluminum (A	ΔE)								
	AEVT80B40 (1-9/16" Slope)	\L)		83.35	FΔ	9/16" x 8' AEVT150	B40 (1-9/16" Slope)		89.25	EA
	AEVT100B40 (1-9/16" Slope)			85.05		11/16" x 8' AEVT175	' '		90.95	
	AEVT125B40 (1-9/16" Slope)			87.20		3/4" x 8' AEVT200			96.85	
SCHIENE	(						(			
<u> </u>	es an 87° angle to transfer point loa	de and r	rotect	tila adaas in	tile cov	rings Typical applications inclu	le edge protection whe	ra tila is		
	rpet, at expansion joints, or as a de									
	spacer that establishes a defined jo						. a.i.a ingilol, loataloo	<b></b>		
	Aluminum (A)	•	•							
3/32" x 8'	A20			10.85	EΑ	17/32" x 8' A140			16.40	EΑ
1/8" x 8'				11.40		9/16" x 8' A150			17.10	
3/16" x 8'				11.65	EΑ	5/8" x 8' A160			17.65	EA
1/4" x 8'	A60			12.45	EΑ	11/16" x 8' A175			18.70	EA
9/32" x 8'	A70			12.70	EΑ	3/4" x 8' A200			19.50	EA
5/16" x 8'	A80	Stock		12.55	EΑ	13/16" x 8' A210			20.25	
11/32" x 8'				13.35		7/8" x 8' A225			20.75	
3/8" x 8'		Stock		13.15		1" x 8' A250			21.80	
7/16" x 8'		C4l-		13.60		1-1/16" x 8' A275			22.60	
1/2" x 8'		Stock		13.85		1-3/16" x 8' A300			24.15	EA
Color:	Brushed Antique Bronze An	odized	Alum							
1/4" x 8'				27.35		5/16" x 10' A80ABGE			35.90	
	A80ABGB	Stock		28.75		3/8" x 10' A100ABG			37.05	
	A100ABGB	Stock		29.65		1/2" x 10' A125ABG	B/300		40.05	EA
	A125ABGB	Stock		32.10	EA					
Color:	Brushed Brass Anodized Ale	uminun	n (AN	IGB)						
	A60AMGB			24.65		3/8" x 8' A100AM0			27.35	
5/16" x 8'	A80AMGB			25.50	EA	1/2" x 8' A125AMC	B		28.80	EA
Color:	Brushed Chrome Anodized	Alumin	um (A	ACGB)						
1/4" x 8'	A60ACGB			23.15	EΑ	3/8" x 8' A100ACG	В		26.35	EA
5/16" x 8'	A80ACGB			23.80	EΑ	1/2" x 8' A125ACG	В	Stock	27.80	EA
Color:	Brushed Copper Anodized A	luminu	ım (A	KGB)						
1/4" x 8'	A60AKGB		`	25.60	EΑ	3/8" x 8' A100AKG	В		27.00	EA
	A80AKGB			26.40		1/2" x 8' A125AKG			27.60	
Color:	Brushed Nickel Anodized Al	uminur	n (AT	GB)						
1/4" x 8'	A60ATGB		(	25.60	EA	3/8" x 8' A100ATG	R	Stock	26.50	FA
5/16" x 8'		Stock		25.90		1/2" x 8' A125ATG		Stock	27.60	
Color:	Brushed Stainless Steel 304	1 (FR)					_			
1/4" x 8'		+ (LD)		52.00	⊏∧	7/16" 0' 5110 0			58.85	ΕΛ
5/16" x 8'				54.00		7/16" x 8' E110EB 1/2" x 8' E125EB			58.90	
	E100EB			56.95		1/2 X 0 L 123LD			30.30	LA
		uminur	~ (AN			<u> </u>				
	Polished Brass Anodized Al	ummu	II (AIV	•	_^	1 0/01/ 01 4400444			00.45	_^
	A60AMG			21.70		3/8" x 8' A100AM0			26.15	
	A80AMG	A I		23.15	ĽA	1/2" x 8' A125AMC	)		27.65	ĽΑ
Color:	Polished Chrome Anodized	Alumin	ium (	,		1				
.,	A60ACG			21.70		5/16" x 10' A80ACG/			28.90	
	A80ACG	C4l-		23.15		3/8" x 10' A100ACG			32.00	
	A100ACG A125ACG	Stock Stock		25.65		1/2" x 10' A125ACG	/300		33.80	EA
				27.10	EA	<u> </u>				
Colors:	Polished Copper Anodized	Alumini	um (A	,		Polished Nickel Anod	zed Aluminum (AT	G)		
1/4" x 8'				28.55		3/8" x 8' A100			29.75	
5/16" x 8'				29.00		1/2" x 8' A125			30.00	ΕA
Note:	To complete part number replace hyphe	ens with co	olor cod	e. Example A	60, for	Polished Copper Anodized Aluminum	# is: A60AKG.			
Color:	Satin Anodized Aluminum (A	AE)								
3/32" x 8'				16.60	EΑ	11/32" x 8' AE90			20.00	EΑ
1/8" x 8'				17.35	EΑ	3/8" x 8' AE100		Stock	19.60	EΑ
3/16" x 8'				17.80		7/16" x 8' AE110			20.85	
1/4" x 8'				18.55		1/2" x 8' AE125		Stock	21.00	
9/32" x 8'		04 1		18.95		17/32" x 8' AE140			23.40	
5/16" x 8'		Stock		18.45	ΕA	9/16" x 8' AE150			23.65	ΕA
continued on n	ext page				_					
					Paga	3 of 40				



				Sugg.					Sugg	
izes & Shapes		Stock	Note	List	U/M	Sizes & Shapes		Stock No	ote List	Į
CHIENE - cor	<u>ntinued</u>									
Color:	Satin Anodized Alumin	num (AE)								
5/8" x 8'				25.65	EA	1-1/16" x 8'			34.	70
11/16" x 8'				27.15	EA	1-3/16" x 8'			36.	20
3/4" x 8'				29.40	EA	5/16" x 10'				.00
13/16" x 8'				30.20	EA		AE100/300			40
7/8" x 8'				30.95	EA	1/2" x 10'	AE125/300		26.	20
1" x 8'	AE250			32.45	EA					
Color:	Satin Brass Anodized	Aluminum (A	M)							
1/4" x 8'	A60AM			18.50	EA	3/8" x 8'	A100AM		21.	45
5/16" x 8'	A80AM			19.25	EA	1/2" x 8'	A125AM		22.	90
Color:	Satin Copper Anodized	Aluminum (	ΔK)							
	• • •	a Alaminam (	AIV)	22.05	_^	2/0101	A400AIZ		00	40
1/4" x 8'	A60AK A80AK			22.05	EΑ		A100AK			40
				22.95	EA	1/2 X O	A125AK		24.	20
Color:	Satin Nickel Anodized	Aluminum (A	λT)			_				
1/4" x 8'	A60AT			22.05	EA	5/16" x 10'	A80AT/300		28.	10
5/16" x 8'	A80AT	Stock		22.55	EA	3/8" x 10'	A100AT/300		28.	65
3/8" x 8'	A100AT	Stock		22.95	EA	1/2" x 10'	A125AT/300		29.	60
1/2" x 8'	A125AT	Stock		23.75	EA					
Color:	Solid Brass (M)									
1/8" x 8'	M30			34.40	EΑ	9/16" x 8'	M150		52	65
3/16" x 8'	M45			38.50	EA	5/8" x 8'			_	00
1/4" x 8'	M60			40.15	EA	11/16" x 8'	M175			95
5/16" x 8'	M80			44.20	EA		M200			10
11/32" x 8'	M90			44.70	EA	7/8" x 8'			67.	
3/8" x 8'	M100			45.25	EA	1" x 8'				55
7/16" x 8'				46.40	EA	1-3/16" x 8'				60
1/2" x 8'	M125			46.90	EA	1-5/10 X 0	IVIJUU		74.	.00
				40.30						
Color:	Stainless Steel 304 (E)	)								
3/32" x 8'	E20			32.70	EA	9/16" x 8'	E150		57.	25
1/8" x 8'	E30			36.00	EA	5/8" x 8'	E160		58.	45
3/16" x 8'	E45			42.55	EΑ	11/16" x 8'				90
1/4" x 8'	E60			43.40	EA	3/4" x 8'	E200		61.	35
9/32" x 8'	E70			44.20	EA	7/8" x 8'	E225		63.	85
5/16" x 8'	E80			43.70	EA		E250		66.	30
11/32" x 8'	E90			46.45	EA		E300		71.	25
3/8" x 8'	E100	Stock		46.10	EΑ	5/16" x 10'	E80/300		54.	50
7/16" x 8'	E110			46.80	EA	3/8" x 10'			57.	50
1/2" x 8'	E125			47.70	EA	1/2" x 10'	E125/300		59.	50
17/32" x 8'	E140			51.15	EΑ					
CHIENE - TR	ENDLINE Textured Cold	or-Coated Alu	ıminur	<u>n</u>						
Colors:	Beige (TSB)	Dark Anthra	cite (T	SDA)	Li	ght Anthracite (TS	SLA) Stone Gre	ev (TSSG)		
	Bronze (TSOB)	Greige (TSE		- /		ewter (TSG)	,	, (,		
	Cream (TSC)	Ivory (TSI)	,			ustic Brown (TSR)	)			
1/4" x 8'	A60	, ,		38.95		7/16" x 8'			41	.00
5/16" x 8'		Stock	а	39.85		1/2" x 8'		Stock a		85
3/8" x 8'		Stock		40.60		.,2 x 0		2.001.		
Colors:	Matte Black (MGS)	Matte Wh				.1				
	, ,	ivialle VVII	ire (IAII	,	г^	2/011 - 21	A100	O41-	00	EC.
1/8" x 8'				29.95		3/8" x 8'		Stock		50
3/16" x 8'				30.55		7/16" x 8'		O41-		85
1/4" x 8'				31.20		1/2" x 8'	A120	Stock	33.	50
5/16" x 8'				31.90		1				
Notes:	To complete part number replace b) Stocked in colors Cream (TSC c) Stocked in color Matte Black (	C), Dark Anthracite		•		,	• ,	) only.		
		(moo) only.								
CHIENE DAD	<u>//US</u>			iniohina o-	d proto-	ting the edges of ac-	ad tila coverince			
	a io on ovtraided partie will	nacial narf"			1 DEDIEC	una me eaaes of curv	eu uie covenngs.			
Schiene-Radius	s is an extruded profile with s	pecial perforation	ons for t	illistillig all	a protoc	. g g	_			
Color:	Aluminum (A)	pecial perforation	ons for t	illistillig alli	a protoc		_			
Schiene-Radius  Color: 1/4" x 8'	Aluminum (A)	pecial perforation	ons for t	19.10 19.20	·	3/8" x 8' 1/2" x 8'	R/A100 R/A125			.80 .50





# **Product Code 'I'**

Sizes & Shapes		Stock Note	Sugg. List	U/M	Sizes & Shapes		Stock Note	Sugg. List	U/M
SCHIENE-RAD	IUS - continued				,				
Color:	Satin Anodized Aluminum (A	AE)							
1/4" x 8'			25.20			R/AE100		26.25	
5/16" x 8'	R/AE80		25.10	EA	1/2" x 8'	R/AE125		27.65	E/
Color:	Solid Brass (M)								
1/4" x 8'			46.75		3/8" x 8'			51.85	
5/16" x 8'	R/M80		50.85	EA	1/2" x 8'	R/M125		53.55	Εź
Color:	Stainless Steel 304 (E)				_				
1/4" x 8'			50.05		3/8" x 8'	R/E100		52.75	
5/16" x 8'	R/E80		50.35	EA	1/2" x 8'	R/E125		54.35	E
	FINISHING	& EDGE-PF	ROTECTIO	N PRO	OFILES FOR WA	LLS & COUNTERTOPS			
DECO-DE									
	el finishing and edge-protection pro	ofile for 135° ou	tside corners	of tiled	surfaces.				
	Stainless Steel 304 (E)								
5/16" x 8'			57.85	FA	7/16" x 8'	DE110ES		61.90	F
	DE100ES		60.80			DE125ES		63.60	
Color:	Brushed Stainless Steel 304	4 (FR)							
	DE80EBS	. (23)	63.85	EΑ	7/16" x 8'	DE110EBS		68.80	F
	DE100EBS		67.20			DE125EBS		71.15	
DECO-SG					1				
	ile for floors and walls featuring a 1	/2" or 0/16" wic	lo channal th	at croat	os a support for alass	nartitions. The channel can a	lea ha uead		
	shadow gap between tile courses								
bond coat bene		or outer wanted	voningo. DE	00 00 1	cataros a trapozota p	onorated anonoring log that lo			
	Bright Chrome Anodized Ali	uminum (ACI	3)						
	1/2" Wide Channel		,			9/16" Wide Channel			
5/16" x 8'	SG80ACB12		27.45	EA	5/16" x 8'	SG80ACB15		28.75	E
	SG100ACB12		28.75			SG100ACB15		30.10	
	00440400040					0044040045			_
7/16" x 8'	SGTTUACBTZ		29.55	EΑ	7/16" x 8'	SG110ACB15		31.00	E
	SG125ACB12		29.55 30.55			SG110ACB15 SG125ACB15		31.00 32.00	
1/2" x 8'		4 (EB)							
1/2" x 8'	SG125ACB12	4 (EB)							
1/2" x 8' Color:	SG125ACB12  Brushed Stainless Steel 304	4 (EB)		EA	1/2" x 8'	SG125ACB15			E
1/2" x 8'  Color:  5/16" x 8'	SG125ACB12 Brushed Stainless Steel 304 1/2" Wide Channel	4 (EB)	30.55	EA EA	1/2" x 8'	9/16" Wide Channel		32.00	E/
1/2" x 8'  Color:  5/16" x 8' 3/8" x 8'	SG125ACB12 Brushed Stainless Steel 304 1/2" Wide Channel SG80EB12	4 (EB)	30.55 95.10	EA EA	1/2" x 8' 5/16" x 8' 3/8" x 8'	SG125ACB15  9/16" Wide Channel SG80EB15		32.00 98.05	E/ E/
1/2" x 8'  Color:  5/16" x 8' 3/8" x 8' 7/16" x 8'	SG125ACB12 Brushed Stainless Steel 304 1/2" Wide Channel SG80EB12 SG100EB12	4 (EB)	95.10 101.60	EA EA EA	5/16" x 8' 3/8" x 8' 7/16" x 8'	9/16" Wide Channel SG80EB15 SG100EB15		32.00 98.05 104.45	E/ E/ E/
1/2" x 8' Color: 5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'	SG125ACB12  Brushed Stainless Steel 304 1/2" Wide Channel SG80EB12 SG100EB12 SG110EB12		95.10 101.60 105.05	EA EA EA	5/16" x 8' 3/8" x 8' 7/16" x 8'	9/16" Wide Channel SG80EB15 SG100EB15 SG110EB15		98.05 104.45 108.35	E/ E/ E/
1/2" x 8'  Color:  5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'	SG125ACB12  Brushed Stainless Steel 304 1/2" Wide Channel SG80EB12 SG100EB12 SG110EB12 SG125EB12		95.10 101.60 105.05	EA EA EA	5/16" x 8' 3/8" x 8' 7/16" x 8'	9/16" Wide Channel SG80EB15 SG100EB15 SG110EB15		98.05 104.45 108.35	E/ E/ E/
1/2" x 8'  Color:  5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'  Color:	SG125ACB12  Brushed Stainless Steel 304 1/2" Wide Channel SG80EB12 SG100EB12 SG110EB12 SG125EB12  Satin Anodized Aluminum (A		95.10 101.60 105.05	EA EA EA EA	1/2" x 8' 5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'	9/16" Wide Channel SG80EB15 SG100EB15 SG110EB15 SG125EB15		98.05 104.45 108.35	E/ E/ E/
1/2" x 8' Color:  5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'  Color:  5/16" x 8'	SG125ACB12  Brushed Stainless Steel 304 1/2" Wide Channel SG80EB12 SG100EB12 SG110EB12 SG125EB12  Satin Anodized Aluminum (41/2" Wide Channel		95.10 101.60 105.05 110.65	EA EA EA EA	5/16" x 8' 5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'	9/16" Wide Channel SG80EB15 SG100EB15 SG110EB15 SG125EB15  9/16" Wide Channel		98.05 104.45 108.35 112.50	E/ E/ E/ E/
1/2" x 8'  Color:  5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'  Color:  5/16" x 8' 3/8" x 8'	SG125ACB12  Brushed Stainless Steel 304 1/2" Wide Channel SG80EB12 SG100EB12 SG110EB12 SG125EB12  Satin Anodized Aluminum (A. 1/2" Wide Channel SG80AE12		95.10 101.60 105.05 110.65	EA EA EA EA	5/16" x 8'  5/16" x 8'  3/8" x 8'  7/16" x 8'  1/2" x 8'	9/16" Wide Channel SG80EB15 SG100EB15 SG110EB15 SG125EB15  9/16" Wide Channel SG80AE15		98.05 104.45 108.35 112.50 27.65	E/ E/ E/ E/ E/
1/2" x 8'  Color:  5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'  Color:  5/16" x 8' 3/8" x 8' 7/16" x 8'	SG125ACB12  Brushed Stainless Steel 304 1/2" Wide Channel SG80EB12 SG100EB12 SG110EB12 SG125EB12  Satin Anodized Aluminum (A. 1/2" Wide Channel SG80AE12 SG100AE12		95.10 101.60 105.05 110.65 26.40 27.75	EA EA EA EA EA EA	5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8' 5/16" x 8' 3/8" x 8' 7/16" x 8'	9/16" Wide Channel SG80EB15 SG100EB15 SG110EB15 SG125EB15  9/16" Wide Channel SG80AE15 SG100AE15		98.05 104.45 108.35 112.50 27.65 29.10	E/ E/ E/ E/ E/
1/2" x 8'  Color:  5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'  Color:  5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'	SG125ACB12  Brushed Stainless Steel 304 1/2" Wide Channel SG80EB12 SG100EB12 SG110EB12 SG125EB12  Satin Anodized Aluminum (A. 1/2" Wide Channel SG80AE12 SG100AE12 SG110AE12	AE)	95.10 101.60 105.05 110.65 26.40 27.75 28.50 29.45	EA EA EA EA EA EA	5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8' 5/16" x 8' 3/8" x 8' 7/16" x 8'	9/16" Wide Channel SG80EB15 SG100EB15 SG110EB15 SG125EB15  9/16" Wide Channel SG80AE15 SG100AE15 SG110AE15		98.05 104.45 108.35 112.50 27.65 29.10 29.85	E/ E/ E/ E/ E/
1/2" x 8'  Color:  5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'  Color:  5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'	SG125ACB12  Brushed Stainless Steel 304 1/2" Wide Channel SG80EB12 SG100EB12 SG110EB12 SG125EB12 Satin Anodized Aluminum (41/2" Wide Channel SG80AE12 SG100AE12 SG110AE12 SG125AE12	AE)	95.10 101.60 105.05 110.65 26.40 27.75 28.50 29.45	EA EA EA EA EA EA	5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8' 5/16" x 8' 3/8" x 8' 7/16" x 8'	9/16" Wide Channel SG80EB15 SG100EB15 SG110EB15 SG125EB15  9/16" Wide Channel SG80AE15 SG100AE15 SG110AE15		98.05 104.45 108.35 112.50 27.65 29.10 29.85	E/ E/ E/ E/ E/
1/2" x 8'  Color:  5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'  Color:  5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'	SG125ACB12  Brushed Stainless Steel 304 1/2" Wide Channel SG80EB12 SG100EB12 SG110EB12 SG125EB12 Satin Anodized Aluminum (A1/2" Wide Channel SG80AE12 SG100AE12 SG110AE12 SG125AE12 ENDLINE Textured Color-Coloroze (TSOB) Cream (TSC)	Dated Alumini Greige (TSI)	95.10 101.60 105.05 110.65 26.40 27.75 28.50 29.45 um BG)	EA EA EA EA EA EA EA	5/16" x 8' 3/8" x 8' 7/16" x 8' 7/16" x 8' 1/2" x 8'	9/16" Wide Channel SG80EB15 SG100EB15 SG110EB15 SG125EB15  9/16" Wide Channel SG80AE15 SG100AE15 SG110AE15		98.05 104.45 108.35 112.50 27.65 29.10 29.85	E, E, E, E, E, E,
1/2" x 8'  Color:  5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'  Color:  5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'	SG125ACB12  Brushed Stainless Steel 304 1/2" Wide Channel SG80EB12 SG100EB12 SG110EB12 SG125EB12  Satin Anodized Aluminum (A1/2" Wide Channel SG80AE12 SG100AE12 SG110AE12 SG125AE12 ENDLINE Textured Color-Colorical Science (TSOB)	AE)  Dated Alumini  Greige (TSI	95.10 101.60 105.05 110.65 26.40 27.75 28.50 29.45 um BG)	EA EA EA EA EA EA EA	5/16" x 8' 3/8" x 8' 7/16" x 8' 7/16" x 8' 1/2" x 8'	9/16" Wide Channel SG80EB15 SG100EB15 SG110EB15 SG125EB15  9/16" Wide Channel SG80AE15 SG100AE15 SG110AE15		98.05 104.45 108.35 112.50 27.65 29.10 29.85	E, E, E, E, E, E,
1/2" x 8'  Color:  5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'  Color:  5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'	SG125ACB12  Brushed Stainless Steel 304 1/2" Wide Channel SG80EB12 SG100EB12 SG110EB12 SG125EB12 Satin Anodized Aluminum (A1/2" Wide Channel SG80AE12 SG100AE12 SG110AE12 SG125AE12 ENDLINE Textured Color-Coloroze (TSOB) Cream (TSC)	Dated Alumini Greige (TSI)	95.10 101.60 105.05 110.65 26.40 27.75 28.50 29.45 um BG)	EA EA EA EA EA EA EA	5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'  5/16" x 8' 1/2" x 8'	9/16" Wide Channel SG80EB15 SG100EB15 SG110EB15 SG125EB15  9/16" Wide Channel SG80AE15 SG100AE15 SG110AE15		98.05 104.45 108.35 112.50 27.65 29.10 29.85 30.90	E, E, E, E, E, E,
1/2" x 8'  Color:  5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'  Color:  5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'  Colors:  5/16" x 8'	SG125ACB12  Brushed Stainless Steel 304 1/2" Wide Channel SG80EB12 SG100EB12 SG110EB12 SG125EB12  Satin Anodized Aluminum (A1/2" Wide Channel SG80AE12 SG100AE12 SG110AE12 SG125AE12 ENDLINE Textured Color-Colorem (TSC) Dark Anthracite (TSDA) 1/2" Wide Channel SG8012	Dated Alumini Greige (TSI)	95.10 101.60 105.05 110.65 26.40 27.75 28.50 29.45 Um BG)	EA E	5/16" x 8' 3/8" x 8' 7/16" x 8' 7/16" x 8' 1/2" x 8'  5/16" x 8' 1/2" x 8'  6 White (MBW) 6 Grey (TSSG) 1 5/16" x 8'	9/16" Wide Channel SG80EB15 SG100EB15 SG110EB15 SG125EB15  9/16" Wide Channel SG80AE15 SG100AE15 SG110AE15 SG125AE15  9/16" Wide Channel		32.00 98.05 104.45 108.35 112.50 27.65 29.10 29.85 30.90	E, E, E, E, E,
1/2" x 8'  Color:  5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'  Color:  5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'  DECO-SG - TR  Colors:  5/16" x 8' 3/8" x 8'	SG125ACB12  Brushed Stainless Steel 304 1/2" Wide Channel SG80EB12 SG100EB12 SG110EB12 SG125EB12  Satin Anodized Aluminum (Another School) SG80AE12 SG100AE12 SG110AE12 SG125AE12 ENDLINE Textured Color-Colorem (TSC) Dark Anthracite (TSDA) 1/2" Wide Channel SG8012 SG8012 SG10012	Dated Alumini Greige (TSI)	95.10 101.60 105.05 110.65 26.40 27.75 28.50 29.45 um BG) 4 (MGS)	EA E	5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'  5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'	9/16" Wide Channel SG80EB15 SG100EB15 SG110EB15 SG125EB15  9/16" Wide Channel SG80AE15 SG100AE15 SG110AE15 SG125AE15  9/16" Wide Channel SG8015 SG10015		32.00 98.05 104.45 108.35 112.50 27.65 29.10 29.85 30.90 53.60 55.00	E, E
1/2" x 8'  Color:  5/16" x 8' 3/8" x 8' 1/2" x 8'  Color:  5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'  Colors:  5/16" x 8' 3/8" x 8' 7/16" x 8'	SG125ACB12  Brushed Stainless Steel 304 1/2" Wide Channel SG80EB12 SG100EB12 SG110EB12 SG125EB12  Satin Anodized Aluminum (ALIVET Wide Channel SG80AE12 SG100AE12 SG110AE12 SG125AE12  ENDLINE Textured Color-Colorem (TSC) Dark Anthracite (TSDA) 1/2" Wide Channel SG8012 SG10012 SG11012	Dated Alumini Greige (TSI)	95.10 101.60 105.05 110.65 26.40 27.75 28.50 29.45 um BG) x (MGS) 51.15 52.55 53.25	EA E	5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'  5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'	\$\frac{9}{16"}\$ \textit{Wide Channel}\$\$ \text{SG80EB15}\$\$ \text{SG100EB15}\$\$ \text{SG110EB15}\$\$ \text{SG125EB15}\$\$ \text{9/16"}\$ \text{Wide Channel}\$\$ \text{SG30AE15}\$\$ \text{SG100AE15}\$\$ \text{SG10AE15}\$\$ \text{SG110AE15}\$\$ \text{SG125AE15}\$\$ \text{SG10015}\$\$ \text{SG10015}\$\$ \text{SG10015}\$\$ \text{SG11015}\$\$		32.00 98.05 104.45 108.35 112.50 27.65 29.10 29.85 30.90 53.60 55.00 55.70	E/ E/ E/ E/ E/ E/ E/ E/ E/
1/2" x 8'  Color:  5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'  Color:  5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'  DECO-SG - TR  Colors:  5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'	SG125ACB12  Brushed Stainless Steel 304 1/2" Wide Channel SG80EB12 SG100EB12 SG110EB12 SG125EB12  Satin Anodized Aluminum (Anodized Aluminum (Anod	oated Alumini Greige (TSI) Ivory (TSI) Matte Black	95.10 101.60 105.05 110.65 26.40 27.75 28.50 29.45 Um BG) \$\((MGS)\) 51.15 52.55 53.25 53.80	EA E	5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'  5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'  e White (MBW) e Grey (TSSG) ter (TSG)  5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'	\$\frac{9}{16"}\$ Wide Channel \$\frac{9}{16"}\$ Wide Channel \$\frac{9}{100EB15}\$ \$\frac{9}{10EB15}\$		32.00 98.05 104.45 108.35 112.50 27.65 29.10 29.85 30.90 53.60 55.00	E, E
1/2" x 8'  Color:  5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'  Color:  5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'  Colors:  5/16" x 8' 1/2" x 8'	SG125ACB12  Brushed Stainless Steel 304 1/2" Wide Channel SG80EB12 SG100EB12 SG110EB12 SG125EB12  Satin Anodized Aluminum (ALIVET Wide Channel SG80AE12 SG100AE12 SG110AE12 SG125AE12  ENDLINE Textured Color-Colorem (TSC) Dark Anthracite (TSDA) 1/2" Wide Channel SG8012 SG10012 SG11012	oated Alumini Greige (TSI) Ivory (TSI) Matte Black	95.10 101.60 105.05 110.65 26.40 27.75 28.50 29.45 Um BG) \$\((MGS)\) 51.15 52.55 53.25 53.80	EA E	5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'  5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'  e White (MBW) e Grey (TSSG) ter (TSG)  5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'	\$\frac{9}{16"}\$ Wide Channel \$\frac{9}{16"}\$ Wide Channel \$\frac{9}{100EB15}\$ \$\frac{9}{10EB15}\$		32.00 98.05 104.45 108.35 112.50 27.65 29.10 29.85 30.90 53.60 55.00 55.70	E/ E/ E/ E/ E/ E/ E/ E/ E/
1/2" x 8'  Color:  5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'  Color:  5/16" x 8' 3/8" x 8' 7/16" x 8' Note:	SG125ACB12  Brushed Stainless Steel 304 1/2" Wide Channel SG80EB12 SG100EB12 SG110EB12 SG125EB12  Satin Anodized Aluminum (Anodized Aluminum (Anod	oated Alumini Greige (TSI) Ivory (TSI) Matte Black	95.10 101.60 105.05 110.65 26.40 27.75 28.50 29.45 Um BG) \$\((MGS)\) 51.15 52.55 53.25 53.80	EA E	5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'  5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'  e White (MBW) e Grey (TSSG) ter (TSG)  5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'	\$\frac{9}{16"}\$ Wide Channel \$\frac{9}{16"}\$ Wide Channel \$\frac{9}{100EB15}\$ \$\frac{9}{10EB15}\$		32.00 98.05 104.45 108.35 112.50 27.65 29.10 29.85 30.90 53.60 55.00 55.70	E, E
1/2" x 8'  Color:  5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'  Color:  5/16" x 8' 1/2" x 8'  1/2" x 8'  Colors:  5/16" x 8' 3/8" x 8' 7/16" x 8' 3/8" x 8' 7/16" x 8' Note:  DECO-SGC  Decorative prof	SG125ACB12  Brushed Stainless Steel 304 1/2" Wide Channel SG80EB12 SG100EB12 SG110EB12 SG125EB12  Satin Anodized Aluminum (Anodized Aluminum (Anod	Dated Alumini Greige (TSI) Ivory (TSI) Matte Black	30.55  95.10 101.60 105.05 110.65  26.40 27.75 28.50 29.45  um  BG)  \$\text{t}\$ (MGS)  \$51.15 52.55 53.25 53.80  a vertical supersonable supersonabl	EA EA EA EA EA EA EA EA EA EA EA EA	5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'  5/16" x 8' 1/2" x 8'  5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'  e White (MBW) e Grey (TSSG) ter (TSG)  5/16" x 8' 1/2" x 8'  Matte Black # is: SG80	9/16" Wide Channel SG80EB15 SG100EB15 SG100EB15 SG125EB15  9/16" Wide Channel SG80AE15 SG100AE15 SG110AE15 SG125AE15  9/16" Wide Channel SG8015 SG10015 SG10015 SG11015 SG112515 MGS12.	ntiled walls,	32.00 98.05 104.45 108.35 112.50 27.65 29.10 29.85 30.90 53.60 55.00 55.70	E, E
1/2" x 8'  Color:  5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'  Color:  5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'  DECO-SG - TR  Colors:  5/16" x 8' 3/8" x 8' 7/16" x 8' Note:  DECO-SGC  Decorative proforeating a 90° a	Brushed Stainless Steel 304 1/2" Wide Channel SG80EB12 SG100EB12 SG110EB12 SG112EB12 Satin Anodized Aluminum (A. 1/2" Wide Channel SG80AE12 SG100AE12 SG100AE12 SG10AE12 SG10EDINE Textured Color-Coloromore Bronze (TSOB) Cream (TSC) Dark Anthracite (TSDA) 1/2" Wide Channel SG8012 SG10012 SG11012 SG12512 To complete part number replace hypherical	Dated Alumini Greige (TSI) Ivory (TSI) Matte Black	30.55  95.10 101.60 105.05 110.65  26.40 27.75 28.50 29.45  um  BG)  \$\text{t}\$ (MGS)  \$51.15 52.55 53.25 53.80  a vertical supersonable supersonabl	EA EA EA EA EA EA EA EA EA EA EA EA	5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'  5/16" x 8' 1/2" x 8'  5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'  e White (MBW) e Grey (TSSG) ter (TSG)  5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'  Matte Black # is: SG80	9/16" Wide Channel SG80EB15 SG100EB15 SG100EB15 SG125EB15  9/16" Wide Channel SG80AE15 SG100AE15 SG110AE15 SG125AE15  9/16" Wide Channel SG8015 SG10015 SG10015 SG11015 SG112515 MGS12.	ntiled walls,	32.00 98.05 104.45 108.35 112.50 27.65 29.10 29.85 30.90 53.60 55.00 55.70	E, E
1/2" x 8'  Color:  5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'  Color:  5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'  DECO-SG - TR  Colors:  5/16" x 8' 3/8" x 8' 7/16" x 8' Note:  DECO-SGC  Decorative proforeating a 90° a	Brushed Stainless Steel 304 1/2" Wide Channel SG80EB12 SG100EB12 SG110EB12 SG110EB12 Satin Anodized Aluminum (A. 1/2" Wide Channel SG80AE12 SG100AE12 SG100AE12 SG100AE12 SG100AE12 SG100AE12 SG125AE12 ENDLINE Textured Color-Colorocolor	Dated Alumini Greige (TSI) Ivory (TSI) Matte Black	30.55  95.10 101.60 105.05 110.65  26.40 27.75 28.50 29.45  um  BG)  \$\text{t}\$ (MGS)  \$51.15 52.55 53.25 53.80  a vertical supersonable supersonabl	EA EA EA EA EA EA EA EA EA EA EA EA	5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'  5/16" x 8' 1/2" x 8'  5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'  e White (MBW) e Grey (TSSG) ter (TSG)  5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'  Matte Black # is: SG80	9/16" Wide Channel SG80EB15 SG100EB15 SG100EB15 SG125EB15  9/16" Wide Channel SG80AE15 SG100AE15 SG110AE15 SG125AE15  9/16" Wide Channel SG8015 SG10015 SG10015 SG102515 MGS12.  ssed showers that border on un	ntiled walls,	32.00 98.05 104.45 108.35 112.50 27.65 29.10 29.85 30.90 53.60 55.00 55.70	E, E
1/2" x 8'  Color:  5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'  Color:  5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'  DECO-SG - TR  Colors:  5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8' Note:  DECO-SGC  Decorative prof creating a 90° a Color:	Brushed Stainless Steel 304 1/2" Wide Channel SG80EB12 SG100EB12 SG110EB12 SG110EB12 SG125EB12  Satin Anodized Aluminum (A. 1/2" Wide Channel SG80AE12 SG100AE12 SG100AE12 SG100AE12 SG100AE12 SG100AE12 SG100AE12 SG100AE12 SG100AE12 To complete part number replace hyphological between the glass partition an Satin Anodized Aluminum (A. 1/2" Wide Channel	Dated Alumini Greige (TSI) Ivory (TSI) Matte Black	30.55  95.10 101.60 105.05 110.65  26.40 27.75 28.50 29.45  UM BG)  51.15 52.55 53.25 53.25 53.80 a vertical supall.	EA E	1/2" x 8'   5/16" x 8'   3/8" x 8'   7/16" x 8'   1/2" x 8'   1/	9/16" Wide Channel SG80EB15 SG100EB15 SG100EB15 SG125EB15  9/16" Wide Channel SG80AE15 SG100AE15 SG110AE15 SG125AE15  9/16" Wide Channel SG8015 SG10015 SG10015 SG12515 MGS12.  ssed showers that border on un	ntiled walls,	32.00 98.05 104.45 108.35 112.50 27.65 29.10 29.85 30.90 53.60 55.00 55.70 56.25	E, E
1/2" x 8'  Color:  5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'  Color:  5/16" x 8' 1/2" x 8'  DECO-SG - TR  Colors:  5/16" x 8' 1/2" x 8'  Note:  DECO-SGC  Decorative prof creating a 90° a Color:  5/16" x 8'	Brushed Stainless Steel 304 1/2" Wide Channel SG80EB12 SG100EB12 SG110EB12 SG110EB12 SG110EB12 Satin Anodized Aluminum (A. 1/2" Wide Channel SG80AE12 SG100AE12 SG110AE12 SG110AE12 SG12ENDLINE Textured Color-Coloroce (TSOB) Cream (TSC) Dark Anthracite (TSDA) 1/2" Wide Channel SG8012 SG10012 SG11012 SG11012 SG12512 To complete part number replace hypher ille featuring a 1/2" or 9/16" -wide clangle between the glass partition an Satin Anodized Aluminum (A. 1/2" Wide Channel SGC80AE12	Dated Alumini Greige (TSI) Ivory (TSI) Matte Black	30.55  95.10 101.60 105.05 110.65  26.40 27.75 28.50 29.45  Um BG)  \$\text{S1.15}\$ 52.55 53.25 53.80  a vertical surall.  28.50	EA E	1/2" x 8'   5/16" x 8'   3/8" x 8'   7/16" x 8'   1/2" x 8'   1/	9/16" Wide Channel SG80EB15 SG100EB15 SG100EB15 SG125EB15  9/16" Wide Channel SG80AE15 SG100AE15 SG110AE15 SG125AE15  9/16" Wide Channel SG8015 SG10015 SG10015 SG11015 SG12515 MGS12.  ssed showers that border on un	ntiled walls,	32.00 98.05 104.45 108.35 112.50 27.65 29.10 29.85 30.90 53.60 55.00 55.70 56.25	E/ E/ E/ E/ E/ E/ E/ E/
1/2" x 8'  Color:  5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'  Color:  5/16" x 8' 1/2" x 8'  DECO-SG - TR  Colors:  5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'  Note:  DECO-SGC  Decorative prof creating a 90° a Color:  5/16" x 8' 3/8" x 8' 3/8" x 8'	Brushed Stainless Steel 304 1/2" Wide Channel SG80EB12 SG100EB12 SG110EB12 SG110EB12 SG125EB12  Satin Anodized Aluminum (A. 1/2" Wide Channel SG80AE12 SG100AE12 SG100AE12 SG100AE12 SG100AE12 SG100AE12 SG100AE12 SG100AE12 SG100AE12 To complete part number replace hyphological between the glass partition an Satin Anodized Aluminum (A. 1/2" Wide Channel	Dated Alumini Greige (TSI) Ivory (TSI) Matte Black	30.55  95.10 101.60 105.05 110.65  26.40 27.75 28.50 29.45  UM BG)  51.15 52.55 53.25 53.25 53.80 a vertical supall.	EA E	1/2" x 8'   5/16" x 8'   3/8" x 8'   7/16" x 8'   1/2" x 8'   1/	9/16" Wide Channel SG80EB15 SG100EB15 SG100EB15 SG125EB15  9/16" Wide Channel SG80AE15 SG100AE15 SG110AE15 SG125AE15  9/16" Wide Channel SG8015 SG10015 SG10015 SG12515 MGS12.  ssed showers that border on un	ntiled walls,	32.00 98.05 104.45 108.35 112.50 27.65 29.10 29.85 30.90 53.60 55.00 55.70 56.25	E/ E/ E/ E/ E/ E/ E/ E/ E/ E/





			Sugg.					Sugg.	
Sizes & Shapes	Stock	Note	List	U/M	Sizes & Shapes	Stock	Note	List	U/M

### **DESIGNBASE-SL**

The Schluter DESIGNBASE-SL profile is an alternative to baseboard, which is available in anodized and color-coated aluminum. DESIGNBASE features a clean, polished look, and is simply attached to the wall with a suitable adhesive. An optional sealing lip accessory is available to protect the floor/wall transition from moisture penetration and to reduce the transmission of impact sound.

	moisture penetration and to reduce		i oi iiiipaci s	ouriu.						
Color:	Satin Anodized Aluminum (	(AE)								
2-3/8" x 8'	DBSL60AE		34.25	EΑ		3-1/8" x 8'	DBSL80AE		41.90	EΑ
	90° Outside Corner						90° Outside Corner			
2-3/8"	ED/DBSL60AE		12.45	EA	ı	3-1/8"	ED/DBSL80AE		12.50	EA
	90° Inside Corner						90° Inside Corner			
2-3/8"	ID/DBSL60AE		12.50	EA	ı	3-1/8"	ID/DBSL80AE		12.50	EA
	End Cap (Left)						End Cap (Left)			
2-3/8"	EL/DBSL60AE		11.00	EA	ı	3-1/8"	EL/DBSL80AE		11.00	EΑ
	End Cap (Right)						End Cap (Right)			
2-3/8"	ER/DBSL60AE		11.00	EΑ	ı	3-1/8"	ER/DBSL80AE		11.00	EΑ
	Connector						Connector			
2-3/8"	V/DBSL60AE		10.95	EA		3-1/8"	V/DBSL80AE		10.95	EA
Color:	Anodized Aluminum w/Brus	shed Stainless	Steel app	oeara	nce	e (AEEB)				
2-3/8" x 8'	DBSL60AEEB		105.45	EΑ		3-1/8" x 8'	DBSL80AEEB		138.25	EΑ
	90° Outside Corner						90° Outside Corner			
2-3/8"	ED/DBSL60AEEB		12.45	EΑ		3-1/8"	ED/DBSL80AEEB		12.50	EΑ
	90° Inside Corner						90° Inside Corner			
2-3/8"	ID/DBSL60AEEB	а	12.50	EΑ		3-1/8"	ID/DBSL80AEEB	а	12.50	EΑ
	End Cap (Left)						End Cap (Left)			
2-3/8"	EL/DBSL60AEEB		10.95	EΑ		3-1/8"	EL/DBSL80AEEB		10.95	EΑ
	End Cap (Right)						End Cap (Right)			
2-3/8"	ER/DBSL60AEEB		10.95	EΑ		3-1/8"	ER/DBSL80AEEB		10.95	EΑ
	Connector						Connector			
2-3/8"	V/DBSL60AEEB		10.95	EΑ		3-1/8"	V/DBSL80AEEB		10.95	EΑ
Note:	a) For reasons associated with product	tion technology, the	se 90° Inside (	Corners	are	not Brushed.				
Color:	Matte White Color-Coated	Aluminum (ME	3W)							
2-3/8" x 8'	DBSL60MBW		58.70	EΑ	1	3-1/8" x 8'	DBSL80MBW		83.25	EΑ
	90° Outside Corner						90° Outside Corner			
2-3/8"	ED/DBSL60MBW		12.50	EΑ	1	3-1/8"	ED/DBSL80MBW		12.50	EΑ
	90° Inside Corner				-		90° Inside Corner			
2-3/8"	ID/DBSL60MBW		12.50	EΑ	1	3-1/8"	ID/DBSL80MBW		12.50	EΑ
	End Cap (Left)				·		End Cap (Left)			
2-3/8"			10.95	EΑ	1	3-1/8"	EL/DBSL80MBW		10.95	EΑ
	End Cap (Right)				•		End Cap (Right)			
2-3/8"	ER/DBSL60MBW		10.95	EΑ	1	3-1/8"	ER/DBSL80MBW		10.95	EΑ
	Connector						Connector			
2-3/8"	V/DBSL60MBW		10.95	EA	1	3-1/8"	V/DBSL80MBW		10.95	EΑ
8'	DBZSLL	Sealing Lip			•				12.50	EΑ
	-	G								

### **DESIGNBASE-SL-E**

The Schluter DESIGNBASE-SL-E profile is made of brushed stainless steel and provides a modern alternative to traditional baseboards. The profile is available in 4-3/8" or 6-3/8" heights to meet code requirements for a commercial cove base. DESIGNBASE features a sleek look and has an optional sealing lip accessory to protect the floor/wall transition from moisture penetration and to reduce the transmission of impact sound. Matching corners, end caps and connectors are available to create a clean, finished design.

Color:	Brushed Stainless Steel 304 (EB)						
4-3/8" x 8'	DBSL110EB	143.60	EΑ	6-3/8" x 8'	DBSL160EB	201.30	EΑ
	90° Outside Corner				90° Outside Corner		
4-3/8"	E90/DBSL110EB	71.25	EΑ	6-3/8"	E90/DBSL160EB	73.65	EA
	90° Inside Corner				90° Inside Corner		
4-3/8"	I90/DBSL110EB	71.20	EΑ	6-3/8"	I90/DBSL160EB	73.65	EΑ
	End Cap (Left)				End Cap (Left)		
4-3/8"	EL/DBSL110EB	71.20	EΑ	6-3/8"	EL/DBSL160EB	73.65	EΑ

continued on next page





SL-E - continued  Brushed Stainless End Cap (Right) ER/DBSL110EB Connector V/DBSL110EB DBZSLLE	Stock Not	Sugg. e List	U/M	0' 0 01			Sugg.	
Brushed Stainless End Cap (Right) ER/DBSL110EB Connector V/DBSL110EB	Steel 304 (EB)			Sizes & Shapes		Stock Note	List	U
End Cap (Right) ER/DBSL110EB Connector V/DBSL110EB	Steel 304 (EB)							
ER/DBSL110EB  Connector  V/DBSL110EB								
Connector V/DBSL110EB					End Cap (Right)			
V/DBSL110EB		71.25	EA	6-3/8"	ER/DBSL160EB		73.65	Е
V/DBSL110EB			,		Connector			
		38.85	EA	6-3/8"	V/DBSL160EB		40.10	F
	Sealing Lip	00.00	_, ,	0 0/0	7,5501.0025		21.95	
DDZOLLL	Ocaling Lip						21.00	_
		" DE010NI						
					so be used to create de	corative designs in floors.		
				•			E0 EE	_
				` ,	١			
				,	,			
				` ,				
			,	,				
				` ,				
				` '				
DL625AT		•		` '				
DL625E				- ( )			76.15	
	` ,	06.00	<b>⊏</b> ∧	1/4" v 8'	E37\/2AED60/250	QQ° Anglo	150.65	
	•					•		
						U		
	•							
	•							
	•					•		
	•					· ·		
	Ū					•		
				.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				
		72.05	<b>E</b>	1/4" v 01	F27\/2A60/2E0	00° Anala	116.05	
							116.05	_
E37V2A80/150	90° Angle 90° Angle	76.90 79.95			E37V2A80/250 E37V2A110/250	90° Angle 90° Angle	120.65 125.80	
		95.00			E37V2A110/250 E37V2A60/300	90° Angle		
E37V2A110/150				1/4 X 10		90 Angle	1/2 25	
E37V2A110/150 E37V2A60/200	90° Angle			5/16" v 10'	E37\/2A80/300	00° Angle	143.35	E
E37V2A110/150 E37V2A60/200 E37V2A80/200	90° Angle	98.75	EA		E37V2A80/300	90° Angle	151.20	E
E37V2A110/150 E37V2A60/200 E37V2A80/200 E37V2A110/200	90° Angle 90° Angle	98.75 102.85	EA EA	7/16" x 10'	E37V2A110/300	90° Angle	151.20 156.45	E E
E37V2A110/150 E37V2A60/200 E37V2A80/200 E37V2A110/200 E37E60S	90° Angle 90° Angle 135° Angle	98.75 102.85 111.35	EA EA	7/16" x 10' 1/4" x 10'	E37V2A110/300 E37E60S/300	90° Angle 135° Angle	151.20 156.45 133.50	E E
E37V2A110/150 E37V2A60/200 E37V2A80/200 E37V2A110/200	90° Angle 90° Angle	98.75 102.85	EA EA EA	7/16" x 10' 1/4" x 10' 5/16" x 10'	E37V2A110/300	90° Angle	151.20 156.45	E E E
	DL625AMGB DL625ACGB DL625AKGB DL625ATGB DL625EB DL625AMG DL625AMG DL625ACG DL625AKG DL625ACG DL625ACG DL625ACB	DL625AMGB         Brushed B           DL625ACGB         Brushed G           DL625AKGB         Brushed G           DL625ATGB         Brushed G           DL625EB         Brushed G           DL625MC         Chrome-F           DL625AMG         Polished G           DL625AKG         Polished G           DL625AKG         Polished G           DL625ATG         Polished G           DL625AE         Satin And G           DL625AK         Satin Brass           DL625AK         Satin Nick           DL625AT         Satin Nick           DL625E         Stainless    Perfor outside corners of tiled walls that offers exceed and decorative finish.  Brushed Stainless Steel 304 (EB)  E37V2AEB60/150         90° Angle           E37V2AEB80/150         90° Angle           E37V2AEB80/200         90° Angle           E37V2AEB80/200         90° Angle           E37V2AEB110/200         90° Angle           E37EB80S         135° Angle           E37EB110S         135° Angle           Stainless Steel 304 (E)	DL625AMGB         Brushed Brass Anodiz           DL625ACGB         Brushed Chrome Ano           DL625AKGB         Brushed Copper Anod           DL625ATGB         Brushed Nickel Anodi           DL625EB         Brushed Stainless Ste           DL625MC         Chrome-Plated Solid           DL625AMG         Polished Brass Anodi           DL625ACG         Polished Chrome Ano           DL625AKG         Polished Nickel Anodi           DL625AT         Polished Nickel Anodized Alumi           DL625AM         Satin Brass Anodized Alumi           DL625AK         Satin Copper Anodized           DL625AT         Satin Nickel Anodized           DL625E         Stainless Steel 304 (E           e for outside corners of tiled walls that offers excellent edge produtside wall corner for a clean decorative finish. Installed simu           Brushed Stainless Steel 304 (EB)           E37V2AEB60/150         90° Angle         96.00           E37V2AEB80/150         90° Angle         104.00           E37V2AEB80/200         90° Angle         123.35           E37V2AEB80/200         90° Angle         123.35           E37V2AEB80/200         90° Angle         133.50           E37EB80S         135° Angle         144.80           E37E	DL625AMGB DL625ACGB DL625ACGB DL625AKGB DL625ATGB DL625EB DL625EB DL625AMG DL625ACG DL625AKG DL625AK DL625AT DL625BE DL625AK DL625AT DL625BE DL625AC D	DL625ACGB         Brushed Chrome Anodized Aluminum (ACGB DL625AKGB DL625AKGB         Brushed Copper Anodized Aluminum (AKGB) DL625ATGB           DL625EB         Brushed Stainless Steel 304 (EB)           DL625MC         Chrome-Plated Solid Brass (MC)           DL625AMG         Polished Brass Anodized Aluminum (AMG)           DL625ACG         Polished Chrome Anodized Aluminum (ACG)           DL625AKG         Polished Chrome Anodized Aluminum (AKG)           DL625ATG         Polished Nickel Anodized Aluminum (AKG)           DL625AE         Satin Anodized Aluminum (AM)           DL625AK         Satin Brass Anodized Aluminum (AK)           DL625AK         Satin Copper Anodized Aluminum (AK)           DL625AT         Satin Nickel Anodized Aluminum (AK)           DL625AT         Satin Nickel Anodized Aluminum (AT)           DL625E         Stainless Steel 304 (E)    Particular Anodized Aluminum (AK)  Satin Copper Anodized Aluminum (AK)  Satin Copper Anodized Aluminum (AK)  Satin Nickel Anodized Aluminum (AK)  Satin Nickel Anodized Aluminum (AK)  Satin Satin Nickel Anodized Aluminu	DL625AMGB	DL625AMGB	DL625AMGB

continued on next page





		T	1 1	C		1 Г				Ι	П	C	
Sizes & Shapes		Stock	Note	Sugg. List	U/M		Sizes & Shapes			Stock	Note	Sugg. List	U/M
ECK-K - contin	ued	Otook	11010	Liot	O/IVI	I L	Olzeo a Oliapeo			Otook	14010	Liot	O/IVI
	Stainless Steel 304 (E)												
9/16" x 4' 11"	` '	ale		43.55	ΕA	1	1-9/32" x 8'	K32V2A/250	90° Ang	le		119.60	EΑ
1-9/32" x 4' 11"		,		71.75	EΑ			K50V2A/250	90° Ang			153.90	
2" x 4' 11"	K50V2A/150 90° An	-		92.35	EΑ		9/16" x 10'	K15V2A/300	90° Ang			87.00	EΑ
1-9/32" x 6' 7"				95.80	EΑ		1-9/32" x 10'	K32V2A/300	90° Ang			145.20	EΑ
	K50V2A/200 90° Ang	_		123.15	EΑ		2" x 10'	K50V2A/300	90° Ang	le		183.65	EΑ
	K15V2A/250 90° Ang	-		72.50		ļ	4.0.000	1,0050,000	40=0.4			400.00	
1-9/32" x 4' 11" 1-9/32" x 8'				69.65 115.95	EA EA		1-9/32" x 10'	K32ES/300	135° An	gle		139.20	ΕA
ECK-KHK	100 71	1910		110.00									
	el profile for inside wall corners that	nroduce	s a rad	iused edae fa	or a cle	an	decorative finish	=CK-KHK provides a	5/16" radius to	nreven	t the		
	f dirt and make cleaning simple. The												
	nere a sanitary corner is desired. E												
profile can be in	nstalled as a repair so that existing,	damage	d corne	ers don't hav	e to be	rep	laced.						
Color:	Brushed Stainless Steel 304	4 (EB)											
	KHK15EB/150			33.65	EΑ		9/16" x 8'	KHK15EB				56.05	
9/16" x 6' 7"	KHK15EB/200				EΑ		9/16" x 10'	KHK15EB/300				67.25	
	E/KHK15EB	Outside		. ,								12.75	
	I/2KHK15EB			, 90° (2-way)								12.75	
	I/3KHK15EB V/KHK15EB	Conne		, 90° (3-way)								12.75 8.65	
Color:	Stainless Steel 304 (E)	COIIIC										0.00	L/\
9/16" x 4' 11"	` '			29.95	EΑ	ı	9/16" x 8'	KHK15E				49.95	EΑ
	KHK15E/200			39.95				KHK15E/300				59.90	
0/10 X 0 1	E/KHK15E	Outside	e Corne			•	0/10 X 10	14111027000				12.75	
	I/2KHK15E			, 90° (2-way)								12.75	
	I/3KHK15E			, 90° (3-way)								12.75	EΑ
	V/KHK15E	Conne	ctor									8.65	EA
ECK-KI													
A stainless stee	el profile for inside wall corners that	produce	s a clea	an, decorativ	e finish	ı. E	CK-KI is subsequer	ntly bonded to the insi	de corners of	existing	tile or		
other wall cove	rings. As such, the profile can be in	istalled a	as a rep	pair so that ex	kisting,	dan	naged corners don'	t have to be replaced		Ū			
Color:	Brushed Stainless Steel 304	4 (EB)											
9/16" x 4' 11"	KI15EB/150			33.65	EΑ		9/16" x 8'	KI15EB				56.05	EΑ
9/16" x 6' 7"	KI15EB/200			44.85	EA		9/16" x 10'	KI15EB/300				67.30	EA
Color:	Stainless Steel 304 (E)												
	KI15E/150			30.00	EΑ			KI15E				49.95	
9/16" x 6' 7"	KI15E/200			39.95	EA		9/16" x 10'	KI15E/300				59.90	EA
<u>FINEC</u>													
	edge protection profile for the exter												
	mage, and features a very slim, ele		eal. FIN	NEC is ideal f	or prot	ecti	ng mitered edges, v	while creating a discre	et trim for a m	inimalis	t desigr	١.	
Color:	Satin Anodized Aluminum (	AE)				_							
3/32" x 8'				20.50			11/32" x 8'					22.70	
3/16" x 8'				20.80			7/16" x 8'					23.60	
9/32" x 8'				21.65	ĽΑ		1/2" x 8'	r125AE				24.25	ĽΑ
	Stainless Steel 304 (E)												
3/16" x 8'				39.95			7/16" x 8'					46.20	
9/32" x 8'				41.95	EΑ		1/2" x 8'	F125E				47.05	EA
11/32" x 8'				44.70	EA	<u> </u>							
	DLINE Textured Color-Coate								_				
Colors:	J ( )		,	TSDA)		_	t Anthracite (TS	SLA) Stone (	Grey (TSSG	)			
	,	ge (TS	BG)				rter (TSG)						
0/40# 0		/ (TSI)		00.00		KUS'	tic Brown (TSR)					04.45	г^
3/16" x 8' 9/32" x 8'				29.00 29.60	EA EA		7/16" x 8'					31.15 31.80	
9/32 x 8'				30.85	EA		1/2" x 8'	1 120				31.00	LA
		otto \^/\	sito /		_/\	I							
Colors:	. ,	atte Wh	•	•	_^	ı	44/2011 01	E00				20.05	E ^
3/32" x 8' 3/16" x 8'			а	28.40 29.00			11/32" x 8' 7/16" x 8'					30.85 31.15	
9/32" x 8'				29.60			1/2" x 8'					31.15	
Notes:	a) Not available in color Matte Black (M	GS).		20.00	_/٦	ı	1/2 🐧 0	. 120				01.00	_, \
710103.	To complete part number replace hyphe	,	olor code	e. Example F4	5, Cre	eam :	# is: FT45TSC.						
				10.7									



27.25 EA

36.35 EA



#### **Product Code 'I'**

			Sugg.					Sugg.	
Sizes & Shapes	Stock	Note	List	U/M	Sizes & Shapes	Stock	Note	List	U/M

#### **FINEC-SQ**

FINEC-SQ is a finishing and edge-protection profile for outside corners of tile coverings. This minimalistic wall profile features a symmetrical 3/16" profile reveal that combines the slim look of Schluter-FINEC with the square shape of Schluter-QUADEC and a perforated anchoring leg that is secured in mortar bond coat beneath the tile. This profile is available in larger sizes to accommodate thicker tiles and is ideal for protecting mitered edges.

Color: Satin Anodized Aluminum (AE)

7/16" x 8' FSQ110AE 26.90 EA 9/16" x 8' FSQ150AE

1/2" x 8' FSQ125AE 27.20 EA

Note: FINEC-SQ can be combined with QUADEC corner pieces.

### FINEC-SQ - TRENDLINE Textured Color-Coated Aluminum

Matte White (MBW) Beige (TSB) Greige (TSBG) Colors: Bronze (TSOB) Ivory (TSI) Pewter (TSG) Cream (TSC) Light Anthracite (TSLA) Stone Grey (TSSG) Dark Anthracite (TSDA) Matte Black (MGS) Rustic Brown (TSR) 7/16" x 8' FSQ110----36.10 EA 9/16" x 8' FSQ150----

1/2" x 8' FSQ125---- 36.20 EA

Notes: FINEC-SQ can be combined with QUADEC corner pieces.

To complete part number replace hyphens with color code. Example FSQ110---, Cream # is: FTSG110TSC.

#### **INDEC**

An anodized aluminum profile for outside corners of tiled surfaces and tiled edges. The reveal of the profile forms a square recessed groove for modern decorative design and interesting contrasts.

Color:	Polished Chrome Anodized Aluminum (ACC	G)						
5/16" x 8'	IN80ACG	57.45	EΑ	1	7/16" x 8'	IN110ACG	62.55	EΑ
3/8" x 8'	IN100ACG	59.00	EΑ		1/2" x 8'	IN125ACG	66.75	EΑ
	Outside Corner, 90° (Cast Zinc with ACG a	ippearai	nce)					
5/16"	ED/IN80ACG	8.90	EΑ		7/16"	ED/IN110ACG	8.90	EΑ
3/8"	ED/IN100ACG	8.90	EA		1/2"	ED/IN125ACG	8.90	EA
Color:	Satin Anodized Aluminum (AE)							
5/16" x 8'	IN80AE	32.75	EΑ	1	7/16" x 8'	IN110AE	34.95	EΑ
3/8" x 8'	IN100AE	33.85	EΑ		1/2" x 8'	IN125AE	41.05	EA
	Outside Corner, 90° (Cast Zinc with AE app	pearanc	:e)	-				
5/16"	ED/IN80AE	8.90	EΑ		7/16"	ED/IN110AE	8.90	EΑ
3/8"	ED/IN100AE	8.90	EΑ		1/2"	ED/IN125AE	8.90	EΑ

### **JOLLY**

Schluter-JOLLY is a decorative profile featuring a 90° angle designed to finish and protect external corners and other tile edges in wall applications. Its 90° angle creates a clean, flush look on wall corner installations, and the joint spacers on both sides of the profile ensure consistent grout joints and perfect symmetry. Matching corners are available, which feature innovative plug-in connections that result in clean, visually appealing corner applications.

Color:	Bright Black Anodized Alum	inum (AGS	iG)					
1/4" x 8'	J60AGSG		22.15	EA	7/16" x 8'	J110AGSG	24.50	EA
5/16" x 8'	J80AGSG		22.60	EA	1/2" x 8'	J125AGSG	25.05	EA
3/8" x 8'	J100AGSG		24.25	EA				
	Outside Corner, 90°							
1/4"	EV/J60AGSG		12.80	EA	7/16"	EV/J110AGSG	12.80	EA
5/16"	EV/J80AGSG		12.80	EA	1/2"	EV/J125AGSG	12.80	EA
3/8"	EV/J100AGSG		12.80	EA				
	V/JPP4	Connector	(Package of 4	Each)			3.25	PKG
Color:	Brushed Antique Bronze Ar	odized Alur	minum (ABC	B)				
1/4" x 8'	J60ABGB		27.40	EA	5/16" x 10'	J80ABGB/300	36.05	EA
5/16" x 8'	J80ABGB		28.85	EA	3/8" x 10'	J100ABGB/300	37.20	EA
3/8" x 8'	J100ABGB		29.70	EA	1/2" x 10'	J125ABGB/300	40.25	EA
7/16" x 8'	J110ABGB		30.60	EA				
1/2" x 8'	J125ABGB		32.20	EA				
	Outside Corner, 90°							
1/4"	EV/J60ABGB		12.80	EA	7/16"	EV/J110ABGB	12.80	EA
5/16"	EV/J80ABGB		12.80	EA	1/2"	EV/J125ABGB	12.80	EA
3/8"	EV/J100ABGB		12.80	EA				
	V/JPP4	Connector	(Package of 4	Each)			3.25	PKG

continued on next page



Sizes & Shapes		Stock	Note	Sugg. List	U/M	Sizes & Shapes		Stock Note	Sugg. List	U/N
JOLLY - contin	ued				-			1		
	Brushed Brass Anodized Alu	uminun	n (AN	1GB)						
	J60AMGB		•	24.70	EΑ	7/16" x 8'	J110AMGB		28.00	ΕÆ
5/16" x 8'	J80AMGB			25.55	EΑ	1/2" x 8'	J125AMGB		28.90	E
3/8" x 8'	J100AMGB			27.40	EΑ					
	Outside Corner, 90°									
1/4"	EV/J60AMGB			12.80	EΑ	7/16"	EV/J110AMGB		12.80	E
	EV/J80AMGB			12.80		1/2"	EV/J125AMGB		12.80	E
3/8"	EV/J100AMGB			12.80						
	V/JPP4	Conne	ctor	(Package of 4	Each)				3.25	PK
Color:	Brushed Chrome Anodized	Alumin	um (/	ACGB)						
	J60ACGB			23.20			J110ACGB		26.90	
	J80ACGB			23.85		1/2" x 8'	J125ACGB		27.90	E
3/8" x 8'	J100ACGB			26.40	ΕA					
	Outside Corner, 90°									_
	EV/J60ACGB			12.80			EV/J110ACGB		12.80	
	EV/J80ACGB EV/J100ACGB			12.80 12.80		1/2	EV/J125ACGB		12.80	<u> </u>
3/0	V/JPP4	Conno	otor			ı			3.25	DI
				(Package of 4	Lacii)				3.23	- F F
	Brushed Copper Anodized A	Numini	ım (A	,		I -/40" 01				_
	J60AKGB			25.70			J110AKGB		27.30	
	J80AKGB J100AKGB			26.50 27.05		1/2 X O	J125AKGB		27.70	_
3/0 X 0	Outside Corner, 90°			21.03	LA	I				
1//"	EV/J60AKGB			12.80	⊏ ^	7/16"	EV/J110AKGB		12.80	_
	EV/J80AKGB			12.80			EV/J110AKGB EV/J125AKGB		12.80	
	EV/J100AKGB			12.80		1/2	LV/J12JANGD		12.00	_
0,0	V/JPP4	Conne	ctor	(Package of 4		ı			3.25	Pk
Color:	Brushed Graphite Anodized									
	J60AGRB	Alullill	iuiii (	27.40	EΔ	7/16" v 8'	J110AGRB		30.90	F
	J80AGRB			28.85			J125AGRB		32.20	
	J100AGRB			30.30		1/2 80	0120/1011B		02.20	_
	Outside Corner, 90°					•				
1/4"	EV/J60AGRB			12.80	EΑ	7/16"	EV/J110AGRB		12.80	Е
	EV/J80AGRB			12.80			EV/J125AGRB		12.80	
3/8"	EV/J100AGRB			12.80	EΑ					
	V/JPP4	Conne	ctor	(Package of 4	Each)				3.25	Pk
Color:	Brushed Nickel Anodized Al	uminur	n (AT	GB)						
1/4" x 8'	J60ATGB		•	25.70	EΑ	7/16" x 8'	J110ATGB		26.80	Е
5/16" x 8'	J80ATGB			26.00	EΑ	1/2" x 8'	J125ATGB		27.70	Е
3/8" x 8'	J100ATGB	Stock		26.55	EΑ					
	Outside Corner, 90°									
	EV/J60ATGB			12.80			EV/J110ATGB		12.80	
	EV/J80ATGB			12.80		1/2"	EV/J125ATGB		12.80	Е
3/8"	EV/J100ATGB			12.80						
	V/JPP4	Conne	ctor	(Package of 4	Each)				3.25	Pr
	Brushed Stainless Steel 304	l (EB)			_	•				
1/4" x 8'				52.00		7/16" x 8'			58.80	
5/16" x 8'				53.95		1/2" x 8'	J125EB		58.90	E
3/8" x 8'				56.90	ΕA					
4/411	Outside Corner, 90°			05.00		740	E)///440ED		05.00	_
	EV/J60EB			25.60			EV/J110EB		25.60	
	EV/J80EB EV/J100EB			25.60 25.60		1/2"	EV/J125EB		25.60	_
3/0	V/JPP4	Conne	ctor	(Package of 4		I			3.25	DI
			UIUI	₁ ackaye u 4	_au1)				ა.∠მ	- r-
	Chrome-Plated Solid Brass	(IVIC)		400 70	<b>-</b> ^	7/40" 2	1440MO		400.00	_
1/4" x 8'				102.70		7/16" x 8'			108.80	
5/16" x 8' 3/8" x 8'	J80MC J100MC			106.35 107.70		1/2" X 8'	J125MC		109.55	_
3/0 X 0	O LOUIVIO			107.70	LA	I				



zes & Shapes		Stock	Note	Sugg. List	U/M	Sizes & Shapes		Stock Note	Sugg. List	U/
DLLY - contin										
Color:	Chrome-Plated Solid Brass	(MC)								
4740	Outside Corner, 90°			04.50	_ ^	1 =	E1//14/01/0		04.50	_
	EV/J60MC			24.50	EΑ		EV/J110MC		24.50	
	EV/J80MC EV/J100MC			24.50 24.50	EA EA	1/2	EV/J125MC		24.50	
3/0	V/JPP4	Conne	etor	(Package of 4		I			3.25	ы
0-1					Lacii)				3.23	
	Polished Brass Anodized Al	uminur	n (Alv	,	_^	7/401 01	14404140		00.75	-
1/4" x 8' 5/16" x 8'				21.75 23.25	EA EA		J110AMG J125AMG		26.75 27.75	
	J100AMG			26.20	EA	1/2 X 0	JIZJAMG		21.13	-
3/0 X 0	Outside Corner, 90°			20.20	LA	I				
1/4"	EV/J60AMG			12.80	EA	7/16"	EV/J110AMG		12.80	
	EV/J80AMG			12.80	EA		EV/J125AMG		12.80	
	EV/J100AMG			12.80		1/2	L V/0 120/AIVIO		12.00	٠
0/0	V/JPP4	Conne	ctor	(Package of 4		1			3.25	Р
Color	Polished Chrome Anodized									
		Alumin	um (/	,	Ε,	E/46" v 40'	J80ACG/300		20.05	
1/4 x 8 5/16" x 8'	J60ACG			21.75 23.25	EA		J100ACG/300		29.05 32.15	
	J100ACG			25.75	EA		J125ACG/300		34.00	
	J110ACG			25.75	EA	1/2 X 10	3123ACC/300		34.00	١
	J125ACG			27.20	EΑ					
	Outside Corner, 90°					1				
1/4"	EV/J60ACG			12.80	EΑ	7/16"	EV/J110ACG		12.80	F
	EV/J80ACG			12.80	EA		EV/J125ACG		12.80	
	EV/J100ACG			12.80	EΑ		21,0120,100			-
	V/JPP4	Connec	ctor	(Package of 4	Each)	•			3.25	Ρ
Colors:	Polished Copper Anodized A	Alumini				Polished Nic	kel Anodized Aluminum	(ATG)		
1/4" x 8'			<b>,</b> , , ,	28.60	FΔ	7/16" x 8'		(/110)	29.95	
5/16" x 8'				29.05	EA	1/2" x 8'			30.10	
3/8" x 8'				29.80	EA	1/2 X 0	0120		30.10	٠
	EV/J60			12.80	EΑ	7/16"	EV/J110		12.80	Е
	EV/J80			12.80	EA		EV/J125		12.80	
	EV/J100			12.80	EΑ					
	V/JPP4	Conne	ctor	(Package of 4	Each)	•			3.25	Ρ
Note:	To complete part number replace hyphe	ns with co	lor cod	le. Example J6	0, for I	Polished Copper Anodized	I Aluminum # is: J60AKG.			
Color:	Satin Anodized Aluminum (A									
1/4" x 8'	J60AE	,		18.65	EΑ	5/16" v 10'	J80AE/300		23.15	
5/16" x 8'				18.50	EA		J100AE/300		24.55	
	J100AE			19.65			J125AE/300		26.35	
7/16" x 8'				20.95		.,_ x.,	0.20/.2/000			
1/2" x 8'	J125AE			21.10						
	Outside Corner, 90°					•				
1/4"	EV/J60AE			9.80	EΑ	7/16"	EV/J110AE		9.80	Е
5/16"	EV/J80AE			9.80		1/2"	EV/J125AE		9.80	Е
3/8"	EV/J100AE			9.80	EΑ					
	V/JPP4	Connec	ctor	(Package of 4	Each)				3.25	Ρ
Color:	Satin Brass Anodized Alumi	num (A	M)							
1/4" x 8'		٧-	,	18.60	EΑ	7/16" x 8'	J110AM		21.95	E
5/16" x 8'				19.30			J125AM		23.00	
	J100AM			21.55						
	Outside Corner, 90°					-				
1/4"	EV/J60AM			12.80	EΑ	7/16"	EV/J110AM		12.80	E
	EV/J80AM			12.80			EV/J125AM		12.80	
	EV/J100AM			12.80						
	V/JPP4	Conne	ctor	(Package of 4		•			3.25	P
Color:	Satin Copper Anodized Alun									
1/4" x 8'			,	22.10	FΔ	7/16" x 8'	.I110AK		23.75	
5/16" x 8'				23.05		1/2" x 8'			24.30	
	J100AK			23.50		1/2 / 0	V.=0/11		00	
5,5 A 5				_5.55	·	I				





				Sugg.						Sugg.	
Sizes & Shapes		Stock	Note		U/M	Sizes & Shapes		Stock	Note	List	U/M
JOLLY - contin	nued		<u> </u>			· ·					
Color:	Satin Copper Anodized A	Aluminum	(AK)								
	Outside Corner, 90°		()								
1/4"	EV/J60AK			12.80	EΑ	7/16"	EV/J110AK			12.80	EΑ
	EV/J80AK			12.80			EV/J125AK			12.80	EΑ
3/8"	EV/J100AK			12.80	EΑ						
	V/JPP4	Connec	ctor	(Package of 4	Each)					3.25	PKG
Color:	Satin Nickel Anodized Al	uminum (A	AT)								
1/4" x 8'	J60AT			22.10	EΑ	5/16" x 10'	J80AT/300			28.25	EΑ
5/16" x 8'	J80AT			22.60	EΑ	3/8" x 10'	J100AT/300			28.80	EΑ
	J100AT			23.05		1/2" x 10'	J125AT/300			29.75	EΑ
7/16" x 8'				23.25							
1/2" x 8'	J125AT			23.85	EA						
	Outside Corner, 90°					•					
	EV/J60AT			12.80			EV/J110AT			12.80	
	EV/J80AT			12.80		1/2"	EV/J125AT			12.80	ΕA
3/8	EV/J100AT	0		12.80		I				2.05	DICC
	V/JPP4	Conne	ctor	(Package of 4	Each)					3.25	PKG
	-Coated Aluminum (AC)										
Colors:	Black (GS)	Classic C		(PG)		nd Pebble (SP)					
	Black Brown (SB)	Grey (G)		(011)	Wh	ite (W)					
	Bright White (BW)	Metallic (	rey	` '							
1/4" x 8'				22.15		7/16" x 8'				24.65	
5/16" x 8'		Stock		22.60		1/2" x 8'	J125	Stock	а	25.05	EA
3/8" x 8'		Stock	b	24.25	EA						
4/48	Outside Corner, 90°			44.05		1 7/400	E) // 1440			44.05	
	EV/J60			11.85			EV/J110			11.85	
	EV/J80 EV/J100			11.85 11.85		1/2	EV/J125			11.85	EA
3/0	V/JPP4	Conno	otor							2 25	PKG
Notos:	a) Stocked in color Bright White (B)	Conne	JUI	(Package of 4		rad in colors Pright White	(BW), Classic Grey (PG) and White (W) of	anly.		3.23	1110
Notes.	To complete part number replace h		olor cod	de. Example J6			(DW), Classic Gley (FG) and White (W) C	Jilly.			
JOLLY - TREN	IDLINE Textured Color-Co				,						
-		Dark Anthra		_	- 1	ight Anthracite (T	SLA) Stone Grey (TSSC	3)			
001010.	<b>0</b> \ ,	Freige (TSI		(,		Pewter (TSG)		-,			
	,	vory (TSI)	,			Rustic Brown (TSR	)				
1/4" x 8'	J60			39.00	EΑ	1/4" x 10'	J60/300			46.80	EΑ
5/16" x 8'	J80			39.90	EΑ	5/16" x 10'	J80/300			47.90	EΑ
	J100			40.70			J100/300			48.80	
7/16" x 8'				41.10			J110/300			49.30	
1/2" x 8'	J125			41.95	EA	1/2" x 10'	J125/300			50.35	EA
0.40#	Outside Corner, 90°					I =/400	5,4,440				
	EV/J60			18.40			EV/J110			18.40	
	EV/J80			18.40		1/2"	EV/J125			18.40	ĽΑ
3/8"	EV/J100 V/JPP4	Conne	otor	18.40		1				2 25	PKG
				(Package of 4	Eacii)					3.23	FNG
Colors:	Matte Black (MGS)	Matte Wh	ııte (l	•	г.	4/48 400	100 /000			07.50	г,
1/4" x 8' 5/16" x 8'	J60 I80			31.25			J60/300 J80/300			37.50 38.35	
3/8" x 8'				31.95 32.55			J100/300			38.35	
7/16" x 8'				32.55			J110/300			39.10	
1/2" x 8'				33.60			J125/300			40.30	
	Outside Corner, 90°			30.00							
3/8"	EV/J60			16.60	EA	7/16"	EV/J110			16.60	EΑ
	EV/J80			16.60			EV/J125			16.60	
	EV/J100			16.60							
	V/JPP4	Connec	ctor	(Package of 4	Each)	•				3.25	PKG
Note:	To complete part number replace h	yphens with co	olor co	de. Example J6	60, for	Beige # is: J60TSB.					
	<u> </u>			· · · · · · · · · · · · · · · · · · ·							





Sizes & Shapes	Stock	Note	List	U/M	Sizes & Shapes	Stock	Note		U/M
			Sugg.					Sugg.	

### JOLLY-P - PVC (P)

Schluter-JOLLY-P is a PVC profile featuring an 87° angle designed to finish and protect external corners and other tile edges in wall applications. The vertical wall section of the profile provides a decorative finish and protects adjacent tiles. JOLLY-P in sizes 1/4" and higher features an integrated joint spacer that establishes a defined joint cavity between the tile and the profile.

Colors:	Bahama (BH)	Classic (	Grey (PG)	)	Ligh	t Grey (HG)					
	Black (GS)	Grey (G)			San	d Pebble (SP)					
	Bright White (BW)	Light Bei	ige (HB)		Whit	te (W)					
3/16" x 8'	45			7.20	EA	3/8" x 8'	100	Stock	b	7.85	EΑ
1/4" x 8'	60			7.35	EΑ	7/16" x 8'	110			8.05	EΑ
5/16" x 8'	80	Stock	а	7.65	EΑ	1/2" x 8'	125			8.25	EΑ
Color:	Bright White (BW)										
5/16" x 10'	BW80/300			9.55	EΑ	1/2" x 10'	BW125/300			10.25	EΑ
3/8" x 10'	BW100/300			9.75	EΑ						
Notes:	a) Stocked in color Bright White (BW)	only.	b) Stocked in	colors E	Bright Whi	te (BW) and Sand Pebbl	e (SP) only.				
	To complete part number replace hyp	hens with co	lor code. Exa	ample4	5, for Bla	ck # is: GS45.					

### **QUADEC**

For tiled edges and outside corners of tiled surfaces. The reveal of the profile forms a square outer corner along the surface edge. Can also be used as an accent within tile fields on both floors and walls. Can be combined with the QUADEC-FS feature strip profile and/or the DESIGNLINE border profile for further design options. QUADEC in Stainless Steel can also be used as a stair nosing or floor transition profile.

Colors:	Brushed Antique Bronze Anodized	d Aluminum	(ABC	B)	Brushed Nic	kel Anodized Aluminum (ATGB)		
1/4" x 8'	Q60ABGB	a 30	0.95	EΑ	3/8" x 8'	Q100	35.20	EA
5/16" x 8'	Q80	3	1.65	EΑ	1/2" x 8'	Q125	38.05	EΑ
	Inside /Outside Corner/End Cap:				•			
1/4"	EV/Q60ABGB	a 18	3.90	EA	3/8"	EV/Q100	18.90	EA
	EV/Q80		3.90	EΑ		EV/Q125	18.90	
Notes:	To complete part number replace hyphens with o						.0.00	
Notes.	a) Not available in color Brushed Nickel Anodize			ло, Dius	siled Allique biolize Allo	uized Aldiffiliatif (ADOD) # 15. QOUADOD.		
Color:	Brushed Stainless Steel 304 (EB)		/-					
1/4" x 8'	Q60EB		9.40	EΑ	7/16" x 8'	Q110FB	106.90	EA
9/32" x 8'		_	-	ΕA		Q125EB	110.05	
5/16" x 8'		-	-		17/32" x 8'		112.85	
11/32" x 8'			9.60			Q150EB	114.45	
	Q100EB	10	3.30	EΑ				
	Inside /Outside Corner/End Cap:				•			
1/4"	EV/Q60EB	50	5.30	EΑ	7/16"	EV/Q110EB	63.00	EΑ
9/32"	EV/Q70EB	50	3.95	EΑ	1/2"	EV/Q125EB	63.60	EΑ
5/16"	EV/Q80EB	5	7.50	EΑ	17/32"	EV/Q140EB	64.45	EA
11/32"	EV/Q90EB	59	9.50	EΑ	9/16"	EV/Q150EB	66.20	EΑ
3/8"	EV/Q100EB	6:	2.10	EΑ				
Color:	Polished Chrome Anodized Alumi	num (ACG)						
3/16" x 8'	Q45ACG	2	7.65	EΑ	5/16" x 10'	Q80ACG/300	40.50	EA
1/4" x 8'	Q60ACG	2	3.85	EΑ	3/8" x 10'	Q100ACG/300	44.65	EA
5/16" x 8'	Q80ACG	3:	2.50	EΑ	1/2" x 10'	Q125ACG/300	52.35	EΑ
3/8" x 8'	Q100ACG	3	5.90	EΑ				
1/2" x 8'	Q125ACG	4:	2.05	EΑ				
	Inside /Outside Corner/End Cap:				_			
	EV/Q45ACG			EΑ		EV/Q100ACG	12.35	
	EV/Q60ACG			EΑ	1/2"	EV/Q125ACG	12.35	EA
5/16"	EV/Q80ACG	1:	2.35	EA				
Color:	Satin Anodized Aluminum (AE)							
3/16" x 8'	Q45AE	2:	2.00	EΑ	1/2" x 8'	Q125AE	28.90	EA
1/4" x 8'	Q60AE	2:	2.95	EΑ	9/16" x 8'	Q150AE	32.60	EΑ
5/16" x 8'	Q80AE	2	3.95	EΑ	3/4" x 8'	Q200AE	35.75	EΑ
3/8" x 8'	Q100AE Stock	k 2	5.90	EΑ				
	Inside /Outside Corner/End Cap:							
3/16"	EV/Q45AE	10	0.40	EΑ	1/2"	EV/Q125AE	10.40	EΑ
	EV/Q60AE		-	EΑ		EV/Q150AE	11.80	EA
5/16"	EV/Q80AE		0.40		3/4"	EV/Q200AE	11.80	EA
3/8"	EV/Q100AE	1(	0.40	EA				
continued on n	out nogo							

continued on next page



rae & Channe		Stock Note	Sugg. List	U/M	Sizes & Shapes		Stock Note	Sugg. List	U
zes & Shapes	. C	Stock Note	LIST	U/IVI	Sizes & Snapes		Stock Note	LIST	U
UADEC - con		I Alamaia (AT)							
	Satin Nickel Anodized	Aluminum (AT)	00.00		0/011 01	04004	24 1	07.55	_
3/16" x 8'	Q45AT		23.20			Q100AT	Stock	27.55	
1/4" x 8'			24.20		1/2" X 8"	Q125AT		30.70	E
5/16" x 8'		r/End Con	25.80	EA					
2/16"	Inside /Outside Corne	r/Ena Cap:	10.05	Ε.Δ	2/0"	EV//0100AT	Ctook	10.05	
	EV/Q45AT EV/Q60AT		10.25			EV/Q100AT	Stock	10.25 10.25	
	EV/Q80AT EV/Q80AT		10.25 10.25	EΑ	1/2	EV/Q125AT		10.25	
			10.23	LA					
Color:	Stainless Steel 304 (E	=)			-				
3/16" x 8'	Q45E		53.00		3/8" x 8'			68.25	
1/4" x 8'			60.85		7/16" x 8'			70.65	
9/32" x 8'			63.05		1/2" x 8'			72.70	
5/16" x 8'			63.50		17/32" x 8'			77.90	
11/32" x 8'			67.75	ΕA	9/16" x 8'	Q150E		81.00	-
	Inside /Outside Corne	er/End Cap:							
	EV/Q45E		42.55	EA	3/8"	EV/Q100E		51.80	
	EV/Q60E		46.65			EV/Q110E		52.60	
	EV/Q70E		47.30		1/2"	EV/Q125E		53.15	
	EV/Q80E		47.95	EA	17/32"	EV/Q140E		55.30	
11/32"	EV/Q90E		49.65	ΕA	9/16"	EV/Q150E		59.25	
UADEC - Col	or-Coated Aluminum (A	<u>(C)</u>							
Colors:	Black (GS)	Classic Grey (P		Traff	ic Grey (VG)				
	Black Brown (SB)	Quartz Grey (Q	G)	Whit	e (W)				
	Bright White (BW)	Sand Pebble (S	SP)						
3/16" x 8'	Q45		23.75	EΑ	3/8" x 8'	Q100		28.55	-
1/4" x 8'	Q60		25.50	EΑ	7/16" x 8'	Q110		29.40	
5/16" x 8'	Q80		27.00	EA	1/2" x 8'	Q125		31.25	
	Outside Corner, 90°:				<u>-</u> '				
3/16"	ED/Q45		5.70	EΑ	3/8"	ED/Q100		5.70	1
1/4"									
1/4"			5.70	HΑ	//16"	F1)/(J11()		5.70	
	ED/Q80 ED/Q80		5.70 5.70	EA EA	7/16" 1/2"	ED/Q110 ED/Q125		5.70 5.70	
5/16"	ED/Q80	or-Coated Aluminun	5.70						
5/16" <b>UADEC</b> - TRE	ED/Q80 ENDLINE Textured Cole		5.70 n	EA	1/2"	ED/Q125	SSC)		
5/16" <b>UADEC</b> - TRE	ED/Q80 ENDLINE Textured Colo Beige (TSB)	Dark Anthracite (T	5.70 n	EA Li	1/2" ght Anthracite (TS	ED/Q125	SSG)		
5/16" <b>UADEC</b> - TRE	ED/Q80 ENDLINE Textured Colo Beige (TSB) Bronze (TSOB)	Dark Anthracite (T Greige (TSBG)	5.70 n	EA Lig Pe	1/2" ght Anthracite (TS ewter (TSG)	ED/Q125 SLA) Stone Grey (T	SSG)		
5/16" <b>UADEC</b> - TRI Colors:	ED/Q80 ENDLINE Textured Color Beige (TSB) Bronze (TSOB) Cream (TSC)	Dark Anthracite (T	5.70 <u>n</u> (SDA)	EA Lig Pe Ri	1/2" ght Anthracite (TS	ED/Q125 SLA) Stone Grey (T	SSG)		
5/16"  JADEC - TRE  Colors:  3/16" x 8'	ED/Q80 ENDLINE Textured Color Beige (TSB) Bronze (TSOB) Cream (TSC) Q45	Dark Anthracite (T Greige (TSBG)	5.70 n rSDA) 49.10	Lig Pe Ri EA	1/2" ght Anthracite (TSewter (TSG) ustic Brown (TSR	ED/Q125 SLA) Stone Grey (T	SSG)	5.70	
5/16" UADEC - TRE Colors: 3/16" x 8' 1/4" x 8'	ED/Q80 ENDLINE Textured Color Beige (TSB) Bronze (TSOB) Cream (TSC) Q45 Q60	Dark Anthracite (T Greige (TSBG)	5.70 0 (SDA) 49.10 50.10	EA Lig Pe Ru EA EA	ght Anthracite (TSewter (TSG) ustic Brown (TSR 1/4" x 10'	ED/Q125 SLA) Stone Grey (T ) Q60/300	SSG)	5.70	
5/16" UADEC - TRE Colors: 3/16" x 8' 1/4" x 8' 5/16" x 8'	ED/Q80 ENDLINE Textured Color Beige (TSB) Bronze (TSOB) Cream (TSC) Q45 Q60 Q80	Dark Anthracite (T Greige (TSBG) Ivory (TSI)	5.70 n SDA) 49.10 50.10 51.10	EA Lig Pe Ru EA EA EA EA	ght Anthracite (TSewter (TSG) ustic Brown (TSR  1/4" x 10' 5/16" x 10'	ED/Q125 SLA) Stone Grey (T ) Q60/300 Q80/300	SSG)	5.70 62.60 63.90	
5/16" UADEC - TRE Colors: 3/16" x 8' 1/4" x 8' 5/16" x 8' 3/8" x 8'	ED/Q80 ENDLINE Textured Color Beige (TSB) Bronze (TSOB) Cream (TSC) Q45 Q60 Q80 Q100	Dark Anthracite (T Greige (TSBG)	5.70 <u>n</u> -SDA) 49.10 50.10 51.10 52.55	EA Lig Pe Ru EA EA EA EA	1/2"  ght Anthracite (TSewter (TSG) ustic Brown (TSR  1/4" x 10' 5/16" x 10' 3/8" x 10'	ED/Q125 SLA) Stone Grey (T )  Q60/300 Q80/300 Q100/300	SSG)	5.70 62.60 63.90 65.60	
5/16" UADEC - TRE Colors: 3/16" x 8' 1/4" x 8' 5/16" x 8' 3/8" x 8' 7/16" x 8'	ED/Q80 ENDLINE Textured Color Beige (TSB) Bronze (TSOB) Cream (TSC) Q45 Q60 Q80 Q100 Q110	Dark Anthracite (T Greige (TSBG) Ivory (TSI)	5.70 n (SDA) 49.10 50.10 51.10 52.55 53.25	EA Lig Pe Ri EA EA EA EA EA	1/2"  ght Anthracite (TSewter (TSG) ustic Brown (TSR)  1/4" x 10' 5/16" x 10' 3/8" x 10' 7/16" x 10'	ED/Q125 SLA) Stone Grey (T )  Q60/300 Q80/300 Q100/300 Q110/300	SSG)	62.60 63.90 65.60 66.55	
5/16" UADEC - TRE Colors: 3/16" x 8' 1/4" x 8' 5/16" x 8' 3/8" x 8'	ED/Q80 ENDLINE Textured Color Beige (TSB) Bronze (TSOB) Cream (TSC) Q45 Q60 Q80 Q100 Q110 Q125	Dark Anthracite (T Greige (TSBG) Ivory (TSI)	5.70 <u>n</u> -SDA) 49.10 50.10 51.10 52.55	EA Lig Pe Ri EA EA EA EA EA	1/2"  ght Anthracite (TSewter (TSG) ustic Brown (TSR)  1/4" x 10' 5/16" x 10' 3/8" x 10' 7/16" x 10'	ED/Q125 SLA) Stone Grey (T )  Q60/300 Q80/300 Q100/300	SSG)	5.70 62.60 63.90 65.60	
5/16" UADEC - TRI Colors: 3/16" x 8' 1/4" x 8' 5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'	ED/Q80 ENDLINE Textured Color Beige (TSB) Bronze (TSOB) Cream (TSC) Q45 Q60 Q80 Q110 Q1125 Inside /Outside Corne	Dark Anthracite (T Greige (TSBG) Ivory (TSI)	5.70 CSDA) 49.10 50.10 51.10 52.55 53.25 53.80	EA Lig Pe Ri EA EA EA EA EA	1/2" ght Anthracite (TSg) ustic Brown (TSR) 1/4" x 10' 5/16" x 10' 3/8" x 10' 7/16" x 10' 1/2" x 10'	ED/Q125 SLA) Stone Grey (T )  Q60/300 Q80/300 Q100/300 Q110/300 Q125/300	SSG)	62.60 63.90 65.60 66.55 67.20	
5/16"  UADEC - TRI  Colors:  3/16" x 8' 1/4" x 8' 5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'	ED/Q80 ENDLINE Textured Color Beige (TSB) Bronze (TSOB) Cream (TSC) Q45 Q60 Q80 Q110 Q1125 Inside /Outside Corne EV/Q45	Dark Anthracite (T Greige (TSBG) Ivory (TSI)	5.70 1 SDA) 49.10 50.10 51.10 52.55 53.25 53.80 19.65	EA Light Richard Richa	1/2" ght Anthracite (TSg) ustic Brown (TSR) 1/4" x 10' 5/16" x 10' 3/8" x 10' 7/16" x 10' 1/2" x 10'	ED/Q125  SLA) Stone Grey (T  )  Q60/300 Q80/300 Q100/300 Q110/300 Q125/300 EV/Q100	SSG)	62.60 63.90 65.60 66.55 67.20	
5/16"  UADEC - TRI  Colors:  3/16" x 8' 1/4" x 8' 5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'  3/16" 1/4"	ED/Q80 ENDLINE Textured Cold Beige (TSB) Bronze (TSOB) Cream (TSC) Q45 Q60 Q80 Q110 Q1125 Inside /Outside Corne EV/Q45 EV/Q60	Dark Anthracite (T Greige (TSBG) Ivory (TSI)	5.70 1 SDA) 49.10 50.10 51.10 52.55 53.25 53.80 19.65 19.65	EA Lig Pe RI EA EA EA EA EA EA	1/2"  ght Anthracite (TSewter (TSG) ustic Brown (TSR)  1/4" x 10' 5/16" x 10' 3/8" x 10' 7/16" x 10' 1/2" x 10'  3/8" 7/16"	ED/Q125  SLA) Stone Grey (T  )  Q60/300 Q80/300 Q100/300 Q110/300 Q1125/300 EV/Q100 EV/Q110	SSG)	62.60 63.90 65.60 66.55 67.20 19.65	
5/16"  UADEC - TRI  Colors:  3/16" x 8' 1/4" x 8' 5/16" x 8' 7/16" x 8' 1/2" x 8' 3/16" 1/4" 5/16"	ED/Q80 ENDLINE Textured Cole Beige (TSB) Bronze (TSOB) Cream (TSC) Q45 Q60 Q80 Q110 Q1125 Inside /Outside Corne EV/Q45 EV/Q60 EV/Q80	Dark Anthracite (T Greige (TSBG) Ivory (TSI) Stock a	5.70 1 SDA) 49.10 50.10 51.10 52.55 53.25 53.80 19.65 19.65	EA Lig Pe RI EA EA EA EA EA EA	1/2" ght Anthracite (TSg) ustic Brown (TSR) 1/4" x 10' 5/16" x 10' 3/8" x 10' 7/16" x 10' 1/2" x 10'	ED/Q125  SLA) Stone Grey (T  )  Q60/300 Q80/300 Q100/300 Q110/300 Q125/300 EV/Q100	SSG)	62.60 63.90 65.60 66.55 67.20	
5/16"  VADEC - TRI  Colors:  3/16" x 8' 1/4" x 8' 5/16" x 8' 7/16" x 8' 1/2" x 8' 3/16"  Colors:	ED/Q80 ENDLINE Textured Cold Beige (TSB) Bronze (TSOB) Cream (TSC) Q45 Q60 Q80 Q110 Q110 Q125 Inside /Outside Corne EV/Q45 EV/Q60 EV/Q80 Matte Black (MGS)	Dark Anthracite (T Greige (TSBG) Ivory (TSI)	5.70 1 SDA)  49.10 50.10 51.10 52.55 53.25 53.80  19.65 19.65 19.65	EA Lig Pe RI EA	1/2"  ght Anthracite (TSewter (TSG) ustic Brown (TSR)  1/4" x 10' 5/16" x 10' 3/8" x 10' 7/16" x 10' 1/2" x 10'  3/8" 7/16"	ED/Q125  SLA) Stone Grey (T  )  Q60/300 Q80/300 Q100/300 Q110/300 Q1125/300 EV/Q100 EV/Q110	SSG)	62.60 63.90 65.60 66.55 67.20 19.65	
5/16"  VADEC - TRI  Colors:  3/16" x 8' 1/4" x 8' 5/16" x 8' 7/16" x 8' 1/2" x 8'  3/16" 1/4" 5/16"  Colors: 3/16" x 8'	ED/Q80 ENDLINE Textured Cold Beige (TSB) Bronze (TSOB) Cream (TSC) Q45 Q80 Q100 Q110 Q1125 Inside /Outside Corne EV/Q45 EV/Q80 EV/Q80 Matte Black (MGS) Q45	Dark Anthracite (T Greige (TSBG) Ivory (TSI) Stock a	5.70 1 SDA) 49.10 50.10 51.10 52.55 53.25 53.80 19.65 19.65 19.65 38.90	EA Lighter Righter Rig	1/2"  ght Anthracite (TSewter (TSG))  ustic Brown (TSR  1/4" x 10'  5/16" x 10'  3/8" x 10'  7/16" x 10'  1/2" x 10'  3/8"  7/16"  1/2"	ED/Q125 SLA) Stone Grey (T )  Q60/300 Q80/300 Q110/300 Q110/300 Q125/300  EV/Q100 EV/Q110 EV/Q125	SSG)	62.60 63.90 65.60 66.55 67.20 19.65 19.65	
5/16"  VADEC - TRI  Colors:  3/16" x 8' 1/4" x 8' 5/16" x 8' 7/16" x 8' 1/2" x 8'  3/16"  Colors: 3/16" x 8' 1/4" x 8'	ED/Q80 ENDLINE Textured Cole Beige (TSB) Bronze (TSOB) Cream (TSC) Q45 Q80 Q110 Q1125 Inside /Outside Corne EV/Q45 EV/Q60 EV/Q80 Matte Black (MGS) Q45 Q60	Dark Anthracite (T Greige (TSBG) Ivory (TSI) Stock a	5.70 1 SDA) 49.10 50.10 51.10 52.55 53.25 53.80 19.65 19.65 19.65 38.90 39.70	EA Lighter EA E	1/2"  ght Anthracite (TSewter (TSG) ustic Brown (TSR)  1/4" x 10' 5/16" x 10' 3/8" x 10' 7/16" x 10' 1/2" x 10'  3/8" 7/16" 1/2"	ED/Q125  SLA) Stone Grey (T  )  Q60/300 Q80/300 Q100/300 Q110/300 Q125/300 EV/Q100 EV/Q110 EV/Q125	SSG)	62.60 63.90 65.60 66.55 67.20 19.65 19.65	
5/16"  JADEC - TRI  Colors:  3/16" x 8' 1/4" x 8' 5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'  3/16" 1/4" 5/16"  Colors: 3/16" x 8' 1/4" x 8' 5/16" x 8'	ED/Q80 ENDLINE Textured Cold Beige (TSB) Bronze (TSOB) Cream (TSC) Q45 Q60 Q100 Q110 Q1125 Inside /Outside Corne EV/Q45 EV/Q60 EV/Q80 Matte Black (MGS) Q45 Q60 Q80	Dark Anthracite (T Greige (TSBG) Ivory (TSI) Stock a	5.70 1 SDA) 49.10 50.10 51.10 52.55 53.25 53.80 19.65 19.65 19.65 38.90 39.70 40.55	EA Linger Re EA	1/2"  ght Anthracite (TSewter (TSG) ustic Brown (TSR  1/4" x 10' 5/16" x 10' 3/8" x 10' 7/16" x 10' 1/2" x 10'  3/8" 7/16" 1/2"  1/4" x 10' 5/16" x 10'	ED/Q125  SLA) Stone Grey (T  )  Q60/300 Q80/300 Q100/300 Q110/300 Q125/300 EV/Q100 EV/Q110 EV/Q125 Q60/300 Q80/300	SSG)	62.60 63.90 65.60 66.55 67.20 19.65 19.65 49.65 50.70	
5/16"  JADEC - TRI  Colors:  3/16" x 8' 1/4" x 8' 5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'  3/16" 1/4" 5/16"  Colors: 3/16" x 8' 1/4" x 8' 5/16" x 8' 3/8" x 8'	ED/Q80 ENDLINE Textured Cold Beige (TSB) Bronze (TSOB) Cream (TSC) Q45 Q80 Q110 Q1125 Inside /Outside Corne EV/Q45 EV/Q80 EV/Q80 Matte Black (MGS) Q45 Q80 Q80 Q100	Dark Anthracite (T Greige (TSBG) Ivory (TSI) Stock a	5.70 1 SDA) 49.10 50.10 51.10 52.55 53.25 53.80 19.65 19.65 19.65 38.90 39.70 40.55 41.85	EA Lighter EA E	1/2"  ght Anthracite (TSewter (TSG) ustic Brown (TSR)  1/4" x 10' 5/16" x 10' 3/8" x 10' 7/16" x 10' 1/2" x 10'  1/4" x 10' 5/16" x 10' 3/8" x 10' 3/8" x 10'	ED/Q125  SLA) Stone Grey (T  )  Q60/300 Q80/300 Q100/300 Q110/300 Q125/300 EV/Q100 EV/Q110 EV/Q125 Q60/300 Q80/300 Q100/300	SSG)	62.60 63.90 65.60 66.55 67.20 19.65 19.65 49.65 50.70 52.30	
5/16"  JADEC - TRI  Colors:  3/16" x 8' 1/4" x 8' 5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'  3/16" 1/4" 5/16"  Colors: 3/16" x 8' 1/4" x 8' 5/16" x 8' 3/8" x 8' 7/16" x 8'	ED/Q80 ENDLINE Textured Cold Beige (TSB) Bronze (TSOB) Cream (TSC) Q45 Q100 Q110 Q125 Inside /Outside Corne EV/Q45 EV/Q80 Watte Black (MGS) Q45 Q80 Q80 Q100 Q110 Q110	Dark Anthracite (T Greige (TSBG) Ivory (TSI) Stock a	5.70 1 SDA) 49.10 50.10 51.10 52.55 53.25 53.80 19.65 19.65 19.65 38.90 39.70 40.55 41.85 42.35	EA Lighter EA E	1/2"  ght Anthracite (TSewter (TSG) ustic Brown (TSR)  1/4" x 10' 5/16" x 10' 3/8" x 10' 7/16" x 10' 3/8" 7/16" 1/2"  1/4" x 10' 5/16" x 10' 3/8" x 10' 7/16" x 10'	ED/Q125  SLA) Stone Grey (T  )  Q60/300 Q80/300 Q110/300 Q1125/300 EV/Q100 EV/Q110 EV/Q125 Q60/300 Q80/300 Q100/300 Q110/300 Q110/300 Q110/300	SSG)	5.70 62.60 63.90 65.60 66.55 67.20 19.65 19.65 49.65 50.70 52.30 52.90	
5/16"  JADEC - TRI  Colors:  3/16" x 8' 1/4" x 8' 5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'  3/16" 1/4" 5/16"  Colors: 3/16" x 8' 1/4" x 8' 5/16" x 8' 3/8" x 8'	ED/Q80 ENDLINE Textured Cold Beige (TSB) Bronze (TSOB) Cream (TSC) Q45 Q100 Q110 Q125 Inside /Outside Corne EV/Q45 EV/Q80 Watte Black (MGS) Q45 Q80 Q80 Q100 Q110 Q110	Dark Anthracite (T Greige (TSBG) Ivory (TSI) Stock a	5.70 1 SDA) 49.10 50.10 51.10 52.55 53.25 53.80 19.65 19.65 19.65 38.90 39.70 40.55 41.85	EA Lighter EA E	1/2"  ght Anthracite (TSewter (TSG) ustic Brown (TSR)  1/4" x 10' 5/16" x 10' 3/8" x 10' 7/16" x 10' 3/8" 7/16" 1/2"  1/4" x 10' 5/16" x 10' 3/8" x 10' 7/16" x 10'	ED/Q125  SLA) Stone Grey (T  )  Q60/300 Q80/300 Q100/300 Q110/300 Q125/300 EV/Q100 EV/Q110 EV/Q125 Q60/300 Q80/300 Q100/300	SSG)	62.60 63.90 65.60 66.55 67.20 19.65 19.65 49.65 50.70 52.30	
5/16"  JADEC - TRI  Colors:  3/16" x 8' 1/4" x 8' 5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'  3/16"  Colors: 3/16" x 8' 1/4" x 8' 5/16" x 8' 3/8" x 8' 7/16" x 8'	ED/Q80 ENDLINE Textured Cold Beige (TSB) Bronze (TSOB) Cream (TSC) Q45 Q100 Q110 Q125 Inside /Outside Corne EV/Q45 EV/Q80 Watte Black (MGS) Q45 Q80 Q80 Q100 Q110 Q110	Dark Anthracite (T Greige (TSBG) Ivory (TSI)  Stock a  or/End Cap:  Matte White (ME	5.70 1 SDA) 49.10 50.10 51.10 52.55 53.25 53.80 19.65 19.65 19.65 38.90 39.70 40.55 41.85 42.35	EA Lighter EA E	1/2"  ght Anthracite (TSewter (TSG) ustic Brown (TSR)  1/4" x 10' 5/16" x 10' 3/8" x 10' 7/16" x 10' 3/8" 7/16" 1/2"  1/4" x 10' 5/16" x 10' 3/8" x 10' 7/16" x 10'	ED/Q125  SLA) Stone Grey (T  )  Q60/300 Q80/300 Q110/300 Q1125/300 EV/Q100 EV/Q110 EV/Q125 Q60/300 Q80/300 Q100/300 Q110/300 Q110/300 Q110/300	SSG)	5.70 62.60 63.90 65.60 66.55 67.20 19.65 19.65 49.65 50.70 52.30 52.90	
5/16"  VADEC - TRI  Colors:  3/16" x 8' 1/4" x 8' 5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'  3/16" x 8' 1/4" x 8' 5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'	ED/Q80 ENDLINE Textured Cold Beige (TSB) Bronze (TSOB) Cream (TSC) Q45 Q80 Q110 Q1125 Inside /Outside Corne EV/Q45 EV/Q80 Watte Black (MGS) Q45 Q80 Q80 Q110 Q110 Q110 Q115	Dark Anthracite (T Greige (TSBG) Ivory (TSI)  Stock a  or/End Cap:  Matte White (ME	5.70 1 SDA) 49.10 50.10 51.10 52.55 53.25 53.80 19.65 19.65 19.65 38.90 39.70 40.55 41.85 42.35	EA Linger EA	1/2"  ght Anthracite (TSewter (TSG) ustic Brown (TSR)  1/4" x 10' 5/16" x 10' 3/8" x 10' 7/16" x 10' 3/8" 7/16" 1/2"  1/4" x 10' 5/16" x 10' 3/8" x 10' 7/16" x 10'	ED/Q125  SLA) Stone Grey (T  )  Q60/300 Q80/300 Q110/300 Q1125/300 EV/Q100 EV/Q110 EV/Q125 Q60/300 Q80/300 Q100/300 Q110/300 Q110/300 Q110/300	SSG)	5.70 62.60 63.90 65.60 66.55 67.20 19.65 19.65 49.65 50.70 52.30 52.90	
5/16"  JADEC - TRI  Colors:  3/16" x 8' 1/4" x 8' 5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'  3/16"  Colors: 3/16" x 8' 1/4" x 8' 5/16" x 8' 3/8" x 8' 7/16" x 8' 3/8" x 8' 7/16" x 8' 3/8" x 8' 3/16" x 8' 3/16" x 8'	ED/Q80 ENDLINE Textured Cold Beige (TSB) Bronze (TSOB) Cream (TSC) Q45 Q80 Q110 Q1125 Inside /Outside Corne EV/Q45 EV/Q80 Matte Black (MGS) Q45 Q80 Q80 Q110 Q110 Q110 Q115 Inside /Outside Corne	Dark Anthracite (T Greige (TSBG) Ivory (TSI)  Stock a  or/End Cap:  Matte White (ME	5.70 1 SDA) 49.10 50.10 51.10 52.55 53.25 53.80 19.65 19.65 19.65 38.90 39.70 40.55 41.85 42.75	EA Light Right EA E	1/2"  ght Anthracite (TSewter (TSG) ustic Brown (TSR)  1/4" x 10' 5/16" x 10' 3/8" x 10' 7/16" x 10' 3/8" 7/16" 1/2"  1/4" x 10' 5/16" x 10' 3/8" x 10' 7/16" x 10' 1/2" x 10'	ED/Q125  SLA) Stone Grey (T  )  Q60/300 Q80/300 Q100/300 Q110/300 Q125/300 EV/Q100 EV/Q110 EV/Q125  Q60/300 Q80/300 Q100/300 Q110/300 Q110/300 Q110/300 Q115/300 Q125/300	SSG)	62.60 63.90 65.60 66.55 67.20 19.65 19.65 50.70 52.30 52.90 53.45	
5/16"  JADEC - TRI  Colors:  3/16" x 8' 1/4" x 8' 5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8' 3/16"  Colors: 3/16" x 8' 1/4" x 8' 5/16" x 8' 3/8" x 8' 7/16" x 8' 3/8" x 8' 7/16" x 8' 3/8" x 8' 3/16" x 8' 5/16" x 8'	ED/Q80 ENDLINE Textured Cold Beige (TSB) Bronze (TSOB) Cream (TSC) Q45 Q100 Q110 Q125 Inside /Outside Corne EV/Q45 EV/Q80 Matte Black (MGS) Q45 Q80 Q100 Q110 Q110 Q110 Q115 Inside /Outside Corne EV/Q45 EV/Q80 EV/Q80 D110 Q100 Q110 Q110 Q110 Q110 Q110 Q125 Inside /Outside Corne EV/Q45 EV/Q60	Dark Anthracite (T Greige (TSBG) Ivory (TSI)  Stock a  or/End Cap:  Matte White (ME	5.70 1 SDA) 49.10 50.10 51.10 52.55 53.25 53.80 19.65 19.65 19.65 38.90 39.70 40.55 41.85 42.35 42.75	EA Light Right Rig	1/2"  ght Anthracite (TSewter (TSG) ustic Brown (TSR)  1/4" x 10' 5/16" x 10' 3/8" x 10' 7/16" x 10' 1/2" x 10'  1/4" x 10' 5/16" x 10' 3/8" x 10' 7/16" x 10' 3/8" x 10' 7/16" x 10' 3/8" x 10' 7/16" x 10' 3/8" x 10' 3/8" x 10'	ED/Q125  SLA) Stone Grey (T  )  Q60/300 Q80/300 Q100/300 Q110/300 Q125/300 EV/Q100 EV/Q110 EV/Q125 Q60/300 Q80/300 Q110/300 Q110/300 Q110/300 Q110/300 Q110/300 Q110/300 Q110/300 Q110/300 Q110/300	SSG)	5.70 62.60 63.90 65.60 66.55 67.20 19.65 19.65 50.70 52.30 52.90 53.45	
5/16"  VADEC - TRI  Colors:  3/16" x 8' 1/4" x 8' 5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'  3/16"  Colors: 3/16" x 8' 1/4" x 8' 5/16" x 8' 3/8" x 8' 7/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'	ED/Q80 ENDLINE Textured Cold Beige (TSB) Bronze (TSOB) Cream (TSC) Q45 Q80 Q110 Q1125 Inside /Outside Corne EV/Q45 EV/Q80 Matte Black (MGS) Q45 Q80 Q110 Q110 Q110 Q110 Q115 Inside /Outside Corne EV/Q45 EV/Q80 EV/Q80 EV/Q80 EV/Q80 EV/Q80 EV/Q80 EV/Q80 EV/Q80 EV/Q80	Dark Anthracite (T Greige (TSBG) Ivory (TSI)  Stock a  er/End Cap:  Matte White (ME	5.70 9.10 50.10 50.10 51.10 52.55 53.25 53.80 19.65 19.65 19.65 42.35 42.75 19.65 19.65 19.65	EA Light Right Rig	1/2"  ght Anthracite (TSewter (TSG) ustic Brown (TSR)  1/4" x 10' 5/16" x 10' 3/8" x 10' 7/16" x 10' 1/2" x 10'  1/4" x 10' 5/16" x 10' 3/8" x 10' 7/16" x 10' 3/8" 7/16" 1/2"	ED/Q125 SLA) Stone Grey (T )  Q60/300 Q80/300 Q100/300 Q110/300 Q1125/300 EV/Q100 EV/Q110 EV/Q125  Q60/300 Q100/300 Q110/300 Q110/300 Q110/300 Q110/300 EV/Q100 EV/Q110 EV/Q110 EV/Q110 EV/Q110 EV/Q110 EV/Q110 EV/Q110 EV/Q110 EV/Q125		5.70 62.60 63.90 65.60 66.55 67.20 19.65 19.65 50.70 52.30 52.90 53.45 19.65 19.65	
5/16"  VADEC - TRI  Colors:  3/16" x 8' 1/4" x 8' 5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'  3/16"  Colors: 3/16" x 8' 1/4" x 8' 5/16" x 8' 1/2" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'  3/16" 1/4" 5/16"  1/4" 5/16" 1/4" 5/16"	ED/Q80 ENDLINE Textured Cold Beige (TSB) Bronze (TSOB) Cream (TSC) Q45 Q80 Q110 Q1125 Inside /Outside Corne EV/Q45 EV/Q80 Matte Black (MGS) Q45 Q80 Q110 Q110 Q110 Q110 Q115 Inside /Outside Corne EV/Q45 EV/Q80 V/Q60 EV/Q45 EV/Q80 Unside /Outside Corne EV/Q45 EV/Q45 EV/Q45 EV/Q45 EV/Q80 V/Q60	Dark Anthracite (T Greige (TSBG) Ivory (TSI)  Stock a  er/End Cap:  Matte White (ME	5.70  49.10 50.10 51.10 52.55 53.25 53.80  19.65 19.65 38.90 39.70 40.55 41.85 42.35 42.75  19.65 19.65 nector	EA Light Right Rig	1/2"  ght Anthracite (TSewter (TSG)  ustic Brown (TSR  1/4" x 10' 5/16" x 10' 3/8" x 10' 7/16" x 10' 1/2" x 10'  1/4" x 10' 5/16" x 10' 3/8" x 10' 7/16" x 10' 3/8" x 10' 7/16" x 10' 3/8" x 10' 7/16" x 10' 3/8" 7/16" 1/2"	ED/Q125  SLA) Stone Grey (T  )  Q60/300 Q80/300 Q100/300 Q110/300 Q125/300 EV/Q100 EV/Q110 EV/Q125  Q60/300 Q100/300 Q110/300 Q110/300 Q110/300 Q110/300 C110/300 Q110/300 Q125/300	adec)	5.70 62.60 63.90 65.60 66.55 67.20 19.65 19.65 50.70 52.30 52.90 53.45 19.65 19.65 19.65 3.25	
5/16"  VADEC - TRI  Colors:  3/16" x 8' 1/4" x 8' 5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'  3/16"  Colors: 3/16" x 8' 1/4" x 8' 5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'  1/2" x 8'  1/4" 5/16"  1/4" 5/16"  1/4" 5/16"	ED/Q80 ENDLINE Textured Cold Beige (TSB) Bronze (TSOB) Cream (TSC) Q45 Q80 Q110 Q1125 Inside /Outside Corne EV/Q45 EV/Q80 Matte Black (MGS) Q45 Q80 Q110 U/Q60 EV/Q80 EV/Q80 EV/Q80 EV/Q80 V/Q60 V/R080	Dark Anthracite (T Greige (TSBG) Ivory (TSI)  Stock a  or/End Cap:  Matte White (ME  Aluminum Coni Aluminum Coni	5.70  49.10 50.10 51.10 52.55 53.25 53.80  19.65 19.65 39.70 40.55 41.85 42.35 42.75  19.65 19.65 nector	EA Light Right Rig	1/2"  ght Anthracite (TSewter (TSG)  ustic Brown (TSR  1/4" x 10' 5/16" x 10' 3/8" x 10' 7/16" x 10' 1/2" x 10'  1/4" x 10' 5/16" x 10' 3/8" x 10' 7/16" x 10' 1/2" x 10'	ED/Q125  SLA) Stone Grey (T  )  Q60/300 Q80/300 Q100/300 Q110/300 Q125/300 EV/Q100 EV/Q110 EV/Q125  Q60/300 Q100/300 Q110/300 Q110 EV/Q125  (For use with all Aluminum Qu (For use with all Aluminum Qu	adec)	5.70 62.60 63.90 65.60 66.55 67.20 19.65 19.65 50.70 52.30 52.90 53.45 19.65 19.65 3.25 3.25	
5/16"  VADEC - TRI  Colors:  3/16" x 8' 1/4" x 8' 5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'  3/16" x 8' 1/4" x 8' 5/16" x 8' 1/4" x 8' 5/16" x 8' 1/2" x 8' 1/2" x 8'  1/2" x 8'  1/2" x 8'  3/16" 1/4" 5/16"  1/4" 5/16"  1/4" 5/16"  1/4" 5/16"	ED/Q80 ENDLINE Textured Cold Beige (TSB) Bronze (TSOB) Cream (TSC) Q45 Q80 Q110 Q110 Q125 Inside /Outside Corne EV/Q45 EV/Q80 Matte Black (MGS) Q45 Q80 Q110 Q110 Q110 Q110 Q110 Q115 Inside /Outside Corne EV/Q45 EV/Q80 V/Q60 EV/Q45 EV/Q45 EV/Q45 EV/Q45 EV/Q45 EV/Q45 EV/Q80 V/Q60 V/RO80 V/RO80 V/RO100	Dark Anthracite (T Greige (TSBG) Ivory (TSI)  Stock a  or/End Cap:  Matte White (ME  Aluminum Coni Aluminum Coni Aluminum Coni	5.70  49.10 50.10 51.10 52.55 53.25 53.80  19.65 19.65 38.90 39.70 40.55 41.85 42.35 42.75  19.65 19.65 nector	EA Light Right Rig	1/2"  ght Anthracite (TSewter (TSG) ustic Brown (TSR)  1/4" x 10' 5/16" x 10' 3/8" x 10' 7/16" x 10' 3/8" 7/16" 1/2"  1/4" x 10' 5/16" x 10' 3/8" x 10' 7/16" x 10' 1/2" x 10'	ED/Q125  SLA) Stone Grey (T  )  Q60/300 Q80/300 Q100/300 Q110/300 Q125/300 EV/Q100 EV/Q1125  Q60/300 Q80/300 Q110/300	adec)	5.70 62.60 63.90 65.60 66.55 67.20 19.65 19.65 50.70 52.30 52.90 53.45 19.65 19.65 3.25 3.25 3.25	
5/16"  VADEC - TRI  Colors:  3/16" x 8' 1/4" x 8' 5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8'  3/16" x 8' 1/4" 5/16"  Colors: 3/16" x 8' 1/4" x 8' 5/16" x 8' 3/8" x 8' 7/16" x 8' 3/16" x 8' 1/2" x 8'  1/2" x 8'  3/16" x 8' 1/2" x 8'  1/4" 5/16"  1/4" 5/16"  1/4" 5/16"  1/4" 5/16"	ED/Q80 ENDLINE Textured Cold Beige (TSB) Bronze (TSOB) Cream (TSC) Q45 Q80 Q110 Q1125 Inside /Outside Corne EV/Q45 EV/Q80 Matte Black (MGS) Q45 Q80 Q110 U/Q60 EV/Q80 EV/Q80 EV/Q80 EV/Q80 V/Q60 V/R080	Dark Anthracite (T Greige (TSBG) Ivory (TSI)  Stock a  or/End Cap:  Matte White (ME  Aluminum Coni Aluminum Coni	5.70  49.10 50.10 51.10 52.55 53.25 53.80  19.65 19.65 38.90 39.70 40.55 41.85 42.75  19.65 19.65 19.65 nector	EA Light Right Rig	1/2"  ght Anthracite (TSewter (TSG) ustic Brown (TSR)  1/4" x 10' 5/16" x 10' 3/8" x 10' 7/16" x 10' 3/8" 7/16" 1/2"  1/4" x 10' 5/16" x 10' 3/8" x 10' 7/16" x 10' 3/8" x 10' 7/16" x 10' 3/8" x 10' 7/16" x 10' 3/8" x 10' 1/2" x 10'	ED/Q125  SLA) Stone Grey (T  )  Q60/300 Q80/300 Q100/300 Q110/300 Q125/300 EV/Q100 EV/Q110 EV/Q125  Q60/300 Q100/300 Q110/300 Q110 EV/Q125  (For use with all Aluminum Qu (For use with all Aluminum Qu	adec) adec) adec)	5.70 62.60 63.90 65.60 66.55 67.20 19.65 19.65 50.70 52.30 52.90 53.45 19.65 19.65 3.25 3.25	





izes & Shapes		Stock Not	Sugg. e List	U/M	Sizes & Shapes		Stock No	Sugg. te List	U/N
UADEC - TRI	ENDLINE Textured Color-Co	ated Alumii	num - contin	ued					
1/4" 5/16" 3/8"	V/RO60E V/RO80E V/RO100E	Stainless S Stainless S Stainless S	teel Connector teel Connector teel Connector		(For (For	use with all Stainless Steel Quade use with all Stainless Steel Quade use with all Stainless Steel Quade	ec)	7.70 7.70 7.70	E/
1/2"	V/RO110E V/RO125E	Stainless S	teel Connector teel Connector		١,	use with all Stainless Steel Quade use with all Stainless Steel Quade	,	7.70 7.70	
Notes:	Stocked in colors Pewter (TSG) and     To complete part number replace hyph	• (	, .	45, Dar	k Anthracite # is: Q45TS	DA.			
UADEC - PV	C (P)								
Colors:	Black (GS)	Classic Gre Grey (G) Light Beige		San	t Grey (HG) d Pebble (SP) te (W)				
1/4" x 8'	PQ60		9.35	EΑ	7/16" x 8'	PQ110		11.85	E
5/16" x 8'			9.85		1/2" x 8'	PQ125		13.15	E
3/8" x 8'	PQ100 Outside Corner, 90°:		10.55	EA	1				
	E/PQ60		3.50			E/PQ110		3.50	
3/8"	E/PQ80 E/PQ100		3.50 3.50	EA	1/2"			3.50	E
Note:	To complete part number replace hyph	ens with color c	ode. Example Po	260, Bri	ght White # is: PQ60BW				
UADEC-FS									
	ature strip profile that features a re				ed. Can be combined				
Color:	Brushed Antique Bronze Ar	nodized Alu	minum (AB0	GB)		Inside /Outside Corner/End	d Cap:		
5/16" x 8'	QF8/50ABGB		67.10	EΑ	5/16"	EV/QF8/50ABGB		39.95	E
Color:	Polished Chrome Anodized	l Aluminum	(ACG)			Inside /Outside Corner/End	d Cap:		
5/16" x 8'	QF8/50ACG		62.25	EΑ	5/16"	EV/QF8/50ACG		36.85	Е
Color:	Satin Anodized Aluminum (	AF)				Inside /Outside Corner/En	d Can·		
	• • • • • • • • • • • • • • • • • • •	· ·— /					a cap.		
5/16" v 8'	OE8/504E		46.85	FΔ	5/16"	EV/OF8/50AE		31 10	F
	QF8/50AE	oinum (AT)	46.85	EA	5/16"	EV/QF8/50AE	d Con-	31.10	E
Color:	Satin Nickel Anodized Alum	ninum (AT)				Inside /Outside Corner/End	d Cap:		
<i>Color:</i> 5/16" x 8'	Satin Nickel Anodized Alum QF8/50AT		49.60	EA	5/16"	Inside /Outside Corner/End EV/QF8/50AT	•	31.10 31.10	
Color: 5/16" x 8' **UADEC-K** A variant of the Alternatively, the coverings up to tiles. **Color:	Satin Nickel Anodized Alum	oring leg. It fe adhesive such rly suited for fi	49.60 atures an oper as KERDI-FIX nishing edges	EA cavity t QUAL in retrof	5/16" that is filled with thin-s DEC-K is installed in vit applications such as	Inside /Outside Corner/End EV/QF8/50AT et mortar to secure the profile in the pro	ne assembly. s & bases) with ver existing wa	31.10	E
Color: 5/16" x 8'  RUADEC-K  A variant of the Alternatively, the coverings up to tiles.  Color: 1/2" x 8'	Satin Nickel Anodized Alum QF8/50AT  QUADEC profile without an anchor e profile may be installed with an a 1/2" thick. This profile is particular	pring leg. It fe adhesive such rly suited for fi nodized Alu	49.60 atures an oper as KERDI-FIX nishing edges minum (ABC 34.25	EA cavity t QUAL in retrof	5/16" that is filled with thin-s DEC-K is installed in vit applications such as	Inside /Outside Corner/End EV/QF8/50AT  et mortar to secure the profile in the vall applications (e.g., wainscotings thin porcelain panel installation of the corner/End	ne assembly. s & bases) with ver existing wa	31.10	E
Color: 5/16" x 8'  LUADEC-K  A variant of the Alternatively, the coverings up to tiles.  Color: 1/2" x 8'  Color:	Satin Nickel Anodized Alum QF8/50AT  QUADEC profile without an anchor e profile may be installed with an a 1/2" thick. This profile is particular Brushed Antique Bronze Ar Q125ABGBK	pring leg. It fe adhesive such rly suited for fi nodized Alu	49.60 atures an oper as KERDI-FIX nishing edges minum (ABC 34.25	EA cavity to QUAL in retrof GB) EA	5/16"  that is filled with thin-spec-K is installed in vit applications such as	Inside /Outside Corner/End EV/QF8/50AT  et mortar to secure the profile in the contract of th	ne assembly. s & bases) with ver existing wa	31.10	E
Color: 5/16" x 8'  RUADEC-K  A variant of the Alternatively, th coverings up to tiles.  Color: 1/2" x 8'  Color: 1/2" x 8'	Satin Nickel Anodized Alum QF8/50AT  QUADEC profile without an anchor e profile may be installed with an a 1/2" thick. This profile is particular Brushed Antique Bronze Ar Q125ABGBK  Polished Chrome Anodized	oring leg. It fe adhesive such rly suited for fi nodized Alu I Aluminum	49.60 atures an oper as KERDI-FIX nishing edges minum (ABC 34.25 (ACG)	EA cavity to QUAL in retrof GB) EA	5/16"  that is filled with thin-spec-K is installed in vit applications such as	Inside /Outside Corner/End EV/QF8/50AT  et mortar to secure the profile in the vall applications (e.g., wainscotings is thin porcelain panel installation of the inside /Outside Corner/End EV/Q125ABGB  Inside /Outside Corner/End EV/Q125ACG	ne assembly. s & bases) with ver existing wa d Cap:	31.10 n all 18.90	E
Color: 5/16" x 8'  RUADEC-K  A variant of the Alternatively, th coverings up to tiles.  Color: 1/2" x 8'  Color: 1/2" x 8'  Color:	Satin Nickel Anodized Alum QF8/50AT  QUADEC profile without an anchor the profile may be installed with an at 1/2" thick. This profile is particular Brushed Antique Bronze Ar Q125ABGBK  Polished Chrome Anodized Q125ACGK	oring leg. It fe adhesive such rly suited for fi nodized Alu I Aluminum	49.60 atures an oper as KERDI-FIX nishing edges minum (ABC 34.25 (ACG) 31.30	EA cavity t QUAL in retrof GB) EA	hat is filled with thin-spec-K is installed in vit applications such as	Inside /Outside Corner/End EV/QF8/50AT  et mortar to secure the profile in the vall applications (e.g., wainscotings is thin porcelain panel installation of the inside /Outside Corner/End EV/Q125ABGB  Inside /Outside Corner/End EV/Q125ACG  Inside /Outside Corner/End	ne assembly. s & bases) with ver existing wa d Cap:	31.10 n all 18.90	E
Color: 5/16" x 8'  RUADEC-K  A variant of the Alternatively, the coverings up to tiles.  Color: 1/2" x 8'  Color: 1/2" x 8'  Color: 1/2" x 8'	Satin Nickel Anodized Alum QF8/50AT  QUADEC profile without an anchor the profile may be installed with an at 1/2" thick. This profile is particular Brushed Antique Bronze Ar Q125ABGBK  Polished Chrome Anodized Q125ACGK  Satin Anodized Aluminum ( Q125AEK	pring leg. It fe adhesive such rly suited for fi modized Alu I Aluminum	49.60 atures an oper as KERDI-FIX nishing edges minum (ABC 34.25 (ACG) 31.30	EA cavity t QUAL in retrof GB) EA	hat is filled with thin-spec-K is installed in vit applications such as	Inside /Outside Corner/End EV/QF8/50AT  et mortar to secure the profile in the vall applications (e.g., wainscotings in this porcelain panel installation of the profile in the vall applications (e.g., wainscotings in the profile in the vall applications (e.g., wainscotings in the vall appli	ne assembly. s & bases) with ver existing war and Cap:	31.10 18.90 12.35	E
Color: 5/16" x 8'  RUADEC-K  A variant of the Alternatively, the coverings up to tiles.  Color: 1/2" x 8'  Color: 1/2" x 8'  Color: 1/2" x 8'  Color: 1/2" x 8'	Satin Nickel Anodized Alum QF8/50AT  QUADEC profile without an anchor profile may be installed with an at 1/2" thick. This profile is particular Brushed Antique Bronze Ar Q125ABGBK  Polished Chrome Anodized Q125ACGK Satin Anodized Aluminum (Q125AEK Satin Nickel Anodized Alum	pring leg. It fe adhesive such rly suited for fi modized Alu I Aluminum	49.60 atures an oper as KERDI-FIX nishing edges minum (ABC 34.25 (ACG) 31.30	EA  cavity t QUAL in retrof  GB) EA  EA	hat is filled with thin-spec-K is installed in vit applications such as	Inside /Outside Corner/End EV/QF8/50AT  et mortar to secure the profile in the vall applications (e.g., wainscotings is thin porcelain panel installation of the inside /Outside Corner/End EV/Q125ABGB  Inside /Outside Corner/End EV/Q125ACG  Inside /Outside Corner/End EV/Q125AE  Inside /Outside Corner/End EV/Q125AE  Inside /Outside Corner/End EV/Q125AE	ne assembly. s & bases) with ver existing war and Cap:	31.10 18.90 12.35	E
Color: 5/16" x 8'  RUADEC-K  A variant of the Alternatively, the coverings up to tiles.  Color: 1/2" x 8'  Color: 1/2" x 8'  Color: 1/2" x 8'  Color: 1/2" x 8'	Satin Nickel Anodized Alum QF8/50AT  QUADEC profile without an anchor profile may be installed with an anology of the profile is particular. This profile is particular. Brushed Antique Bronze Ar Q125ABGBK  Polished Chrome Anodized Q125ACGK  Satin Anodized Aluminum (Q125AEK  Satin Nickel Anodized Alum Q125ATK	oring leg. It fe adhesive such rly suited for fi nodized Alu I Aluminum (AE)	49.60 atures an oper as KERDI-FIX nishing edges minum (ABC 34.25 (ACG) 31.30	EA  cavity t QUAL in retrof  GB) EA  EA	hat is filled with thin-spec-K is installed in vit applications such as 1/2"  1/2"  1/2"	Inside /Outside Corner/End EV/QF8/50AT  et mortar to secure the profile in the vall applications (e.g., wainscotings is thin porcelain panel installation of the profile in the vall applications (e.g., wainscotings is thin porcelain panel installation of the profile in the vall applications (e.g., wainscotings in the vall applications	ne assembly. s & bases) with ver existing wa d Cap: d Cap:	31.10 18.90 12.35 10.40	E E
Color: 5/16" x 8'  **UADEC-K*  A variant of the Alternatively, the coverings up to tiles.  **Color:** 1/2" x 8'	Satin Nickel Anodized Alum QF8/50AT  QUADEC profile without an anchor profile may be installed with an at 1/2" thick. This profile is particular Brushed Antique Bronze Ar Q125ABGBK  Polished Chrome Anodized Q125ACGK Satin Anodized Aluminum (Q125AEK Satin Nickel Anodized Alum	pring leg. It fe adhesive such rly suited for fi modized Alu I Aluminum	49.60 atures an oper as KERDI-FIX nishing edges minum (ABC 34.25 (ACG) 31.30	EA  cavity t QUAL in retrof  GB) EA  EA	hat is filled with thin-spec-K is installed in vit applications such as 1/2"  1/2"  1/2"	Inside /Outside Corner/End EV/QF8/50AT  et mortar to secure the profile in the vall applications (e.g., wainscotings is thin porcelain panel installation of the inside /Outside Corner/Ender EV/Q125ABGB  Inside /Outside Corner/Ender EV/Q125ACG  Inside /Outside Corner/Ender EV/Q125AE  Inside /Outside Corner/Ender EV/Q125AE  Inside /Outside Corner/Ender EV/Q125AT	ne assembly. s & bases) with ver existing wa d Cap: d Cap:	31.10 18.90 12.35 10.40	E
Color: 5/16" x 8'  RUADEC-K  A variant of the Alternatively, the coverings up to tiles.  Color: 1/2" x 8'  Color: 1/2" x 8'  Color: 1/2" x 8'  1/2" x 8'  1/2" x 8'  Color: 1/2" x 8'  Color: 1/2" x 8'  Color: 1/2" x 8'  Color: 1/2" x 8'	Satin Nickel Anodized Alum QF8/50AT  QUADEC profile without an anchor profile may be installed with an anoly 1/2" thick. This profile is particular Brushed Antique Bronze Ar Q125ABGBK  Polished Chrome Anodized Q125ACGK Satin Anodized Aluminum (Q125AEK Satin Nickel Anodized Alum Q125ATK  V/RO125	pring leg. It fe adhesive such rly suited for fi modized Alu Aluminum (AE)	49.60 atures an oper as KERDI-FIX nishing edges minum (ABC 34.25 (ACG) 31.30 26.50 29.00 Connector	EA cavity to QUAL in retrof  SB) EA EA EA	hat is filled with thin-spec-K is installed in vit applications such as 1/2"  1/2"  1/2"  1/2"	Inside /Outside Corner/End EV/QF8/50AT  et mortar to secure the profile in the vall applications (e.g., wainscotings is thin porcelain panel installation of the inside /Outside Corner/EndeteV/Q125ABGB  Inside /Outside Corner/Endetv/Q125ACG  Inside /Outside Corner/Endetv/Q125AE  Inside /Outside Corner/Endetv/Q125AE  Inside /Outside Corner/Endetv/Q125AT  [For use with all Aluminum Rondetvial et al., 2007]	ne assembly. s & bases) with ver existing wa d Cap: d Cap:	31.10 18.90 12.35 10.40	E
Color: 5/16" x 8'  RUADEC-K  A variant of the Alternatively, the coverings up to tiles.  Color: 1/2" x 8'  Color: 1/2" x 8'  Color: 1/2" x 8'  1/2" x 8'  1/2" x 8'  Color: 1/2" x 8'  Color: 1/2" x 8'  Color: 1/2" x 8'  Color: 1/2" x 8'	Satin Nickel Anodized Alum QF8/50AT  QUADEC profile without an anchor profile may be installed with an anology of the profile is particular. This profile is particular. Brushed Antique Bronze Ar Q125ABGBK  Polished Chrome Anodized Q125ACGK  Satin Anodized Aluminum (Q125AEK  Satin Nickel Anodized Alum Q125ATK	pring leg. It fe adhesive such rly suited for fi modized Alu Aluminum (AE)	49.60 atures an oper as KERDI-FIX nishing edges minum (ABC 34.25 (ACG) 31.30 26.50 29.00 Connector	EA cavity to QUAL in retrof  SB) EA EA EA	hat is filled with thin-spec-K is installed in vit applications such as 1/2"  1/2"  1/2"  1/2"  1/2"	Inside /Outside Corner/End EV/QF8/50AT  et mortar to secure the profile in the vall applications (e.g., wainscotings is thin porcelain panel installation of the inside /Outside Corner/EndeteV/Q125ABGB  Inside /Outside Corner/Endetv/Q125ACG  Inside /Outside Corner/Endetv/Q125AE  Inside /Outside Corner/Endetv/Q125AE  Inside /Outside Corner/Endetv/Q125AT  [For use with all Aluminum Rondetvial et al., 2007]	ne assembly. s & bases) with ver existing ward Cap: d Cap: d Cap:	31.10 18.90 12.35 10.40	E. E. E.
Color: 5/16" x 8'  RUADEC-K  A variant of the Alternatively, the coverings up to tiles.  Color: 1/2" x 8'  Color: 1/2" x 8'  Color: 1/2" x 8'  Color: 1/2" x 8'  A system for cr	Satin Nickel Anodized Alum QF8/50AT  QUADEC profile without an anchor profile may be installed with an at 1/2" thick. This profile is particular Brushed Antique Bronze Ar Q125ABGBK  Polished Chrome Anodized Q125ACGK Satin Anodized Aluminum (Q125AEK Satin Nickel Anodized Alum Q125ATK  V/RO125	pring leg. It fe adhesive such rly suited for fi modized Alu I Aluminum (AE)	49.60 atures an oper as KERDI-FIX nishing edges minum (ABC 34.25 (ACG) 31.30 26.50 29.00 Connector	EA cavity to QUAL in retrof  SB) EA EA EA	hat is filled with thin-spec-K is installed in vit applications such as 1/2"  1/2"  1/2"  1/2"  1/2"	Inside /Outside Corner/End EV/QF8/50AT  et mortar to secure the profile in the vall applications (e.g., wainscotings is thin porcelain panel installation of the profile in the vall applications (e.g., wainscotings is thin porcelain panel installation of the profile in the vall applications (e.g., wainscotings is thin porcelain panel installation of the profile in the vall applications (e.g., wainscotings in the profile in the vall applications (e.g., wainscotings in the profile in the vall applications (e.g., wainscotings in the profile in the vall applications (e.g., wainscotings in the profile in the vall applications (e.g., wainscotings in the profile in the vall applications (e.g., wainscotings in the vall applications (e.g., w	ne assembly. s & bases) with ver existing ward Cap: d Cap: d Cap:	31.10 18.90 12.35 10.40 10.25 3.25	E. E. E.
Color: 5/16" x 8'  RUADEC-K  A variant of the Alternatively, the coverings up to tiles.  Color: 1/2" x 8'  A system for cr	Satin Nickel Anodized Alum QF8/50AT  QUADEC profile without an anchor profile may be installed with an anolized thick. This profile is particular Brushed Antique Bronze Ar Q125ABGBK  Polished Chrome Anodized Q125ACGK  Satin Anodized Aluminum (Q125AEK  Satin Nickel Anodized Aluminum Q125ATK  V/RO125  eating concealed access panels in REMA	pring leg. It fe adhesive such rly suited for fi modized Alu I Aluminum (AE) Aluminum (AT) tiled walls wit Access Par	49.60 atures an oper as KERDI-FIX nishing edges minum (ABC 34.25 (ACG) 31.30 26.50 29.00 Connector hout impairing lel Kit	EA I cavity to C	hat is filled with thin-spec-K is installed in vit applications such as 1/2"  1/2"  1/2"  1/2"  1/2"  2 1/2"  3 1/2"  3 1/2"	Inside /Outside Corner/End EV/QF8/50AT  et mortar to secure the profile in the vall applications (e.g., wainscotings is thin porcelain panel installation of the Inside /Outside Corner/End EV/Q125ABGB  Inside /Outside Corner/End EV/Q125ACG  Inside /Outside Corner/End EV/Q125AE  Inside /Outside Corner/End EV/Q125AT  (For use with all Aluminum Ronde title covering.	ne assembly. s & bases) with ver existing wa d Cap: d Cap: d Cap:	31.10 18.90 12.35 10.40 10.25 3.25	E E E
Color: 5/16" x 8'  RUADEC-K  A variant of the Alternatively, the coverings up to tiles.  Color: 1/2" x 8'  Color: 1/2" x 8'  Color: 1/2" x 8'  1/2" x 8'  Color:	Satin Nickel Anodized Alum QF8/50AT  QUADEC profile without an anchor profile may be installed with an anoly thick. This profile is particular Brushed Antique Bronze Ar Q125ABGBK  Polished Chrome Anodized Q125ACGK Satin Anodized Aluminum (Q125AEK Satin Nickel Anodized Alum Q125ATK  V/RO125  eating concealed access panels in REMA  edge-protection profile for tiled edge Bright Black Anodized Alum	pring leg. It fe adhesive such rly suited for fi modized Alu I Aluminum (AE) Aluminum (AT) tiled walls wit Access Par	49.60 atures an oper as KERDI-FIX nishing edges minum (ABC 34.25 (ACG) 31.30 26.50 29.00 Connector hout impairing let Kit	EA  I cavity to	hat is filled with thin-spec-K is installed in vit applications such as 1/2"  1/2"  1/2"  1/2"  1/2"  al appearance of the (Set includences. Can also be continuous.	Inside /Outside Corner/End EV/QF8/50AT  et mortar to secure the profile in the vall applications (e.g., wainscotings in this porcelain panel installation of the profile in the vall applications (e.g., wainscotings in this porcelain panel installation of the profile in the vall applications (e.g., wainscotings in this porcelain panel installation of the profile in the vall applications (e.g., wainscotings in the profile in the vall applications (e.g., wainscotings in the vall applications (e.g., wainscotings (e.g., wainsc	ne assembly. s & bases) with ver existing wa d Cap: d Cap: d Cap:	31.10 18.90 12.35 10.40 10.25 3.25	E E E SE
Color: 5/16" x 8'  RUADEC-K  A variant of the Alternatively, the coverings up to tiles.  Color: 1/2" x 8'  Color: 1/2" x 8'  Color: 1/2" x 8'  1/2" x 8'  Color: 1/4" x 8'	Satin Nickel Anodized Alum QF8/50AT  QUADEC profile without an anchor profile may be installed with an anomalized thick. This profile is particular Brushed Antique Bronze Ar Q125ABGBK  Polished Chrome Anodized Q125ACGK  Satin Anodized Aluminum (Q125AEK  Satin Nickel Anodized Alum Q125ATK  V/RO125  eating concealed access panels in REMA  edge-protection profile for tiled edge Bright Black Anodized Alum R060AGSG	pring leg. It fe adhesive such rly suited for fi modized Alu I Aluminum (AE) Aluminum (AT) tiled walls wit Access Par	49.60 atures an oper as KERDI-FIX nishing edges minum (ABC 34.25 (ACG) 31.30 26.50 29.00 Connector hout impairing tel Kit de corners of til SG) 29.75	EA  I cavity to	hat is filled with thin-spec-K is installed in vit applications such as 1/2"  1/2"  1/2"  1/2"  1/2"  2 1/2"  3/8" x 8'	Inside /Outside Corner/End EV/QF8/50AT  et mortar to secure the profile in the vall applications (e.g., wainscotings is thin porcelain panel installation of the Inside /Outside Corner/End EV/Q125ABGB  Inside /Outside Corner/End EV/Q125ACG  Inside /Outside Corner/End EV/Q125AE  Inside /Outside Corner/End EV/Q125AE  Inside /Outside Corner/End EV/Q125AT  (For use with all Aluminum Ronde title covering. des 4 Magnets & 4 Mounting Plate mbined with the DESIGNLINE profile RO100AGSG	ne assembly. s & bases) with ver existing wa d Cap: d Cap: d Cap:	31.10 18.90 12.35 10.40 10.25 3.25 13.60	E E E E
Color: 5/16" x 8'  RUADEC-K  A variant of the Alternatively, the coverings up to tiles.  Color: 1/2" x 8'  Color: 1/2" x 8'  Color: 1/2" x 8'  1/2" x 8'  Color: 1/4" x 8'	Satin Nickel Anodized Alum QF8/50AT  QUADEC profile without an anchor profile may be installed with an at 1/2" thick. This profile is particular Brushed Antique Bronze Ar Q125ABGBK  Polished Chrome Anodized Q125ACGK Satin Anodized Aluminum (Q125AEK Satin Nickel Anodized Alum Q125ATK  V/RO125  eating concealed access panels in REMA  edge-protection profile for tiled edge Bright Black Anodized Alum R060AGSG R080AGSG	pring leg. It fe adhesive such rly suited for fi modized Alu I Aluminum (AE) Aluminum (AT) tiled walls wit Access Par	49.60 atures an oper as KERDI-FIX nishing edges minum (ABC 34.25 (ACG) 31.30 26.50 29.00 Connector hout impairing let Kit	EA  I cavity to	hat is filled with thin-spec-K is installed in vit applications such as 1/2"  1/2"  1/2"  1/2"  1/2"  2 1/2"  3/8" x 8'	Inside /Outside Corner/End EV/QF8/50AT  et mortar to secure the profile in the vall applications (e.g., wainscotings in this porcelain panel installation of this porcelain panel installation of the profile in the vall applications (e.g., wainscotings in the profile in the vall applications (e.g., wainscotings in this porcelain panel installation of the profile in the vall applications (e.g., wainscotings in the profile in the vall applications (e.g., wainscotings in the vall applications (e.g., wainscotings (e.g., wainsc	ne assembly. s & bases) with ver existing wa d Cap: d Cap: d Cap:	31.10 18.90 12.35 10.40 10.25 3.25	E E E E
Color: 5/16" x 8'  RUADEC-K  A variant of the Alternatively, the coverings up to tiles.  Color: 1/2" x 8'  SEMA  A system for cr	Satin Nickel Anodized Alum QF8/50AT  QUADEC profile without an anchor profile may be installed with an anolized thick. This profile is particular Brushed Antique Bronze Ar Q125ABGBK  Polished Chrome Anodized Q125ACGK  Satin Anodized Aluminum (Q125AEK  Satin Nickel Anodized Alum Q125ATK  V/RO125  eating concealed access panels in REMA  edge-protection profile for tiled edge Bright Black Anodized Alum R060AGSG R080AGSG  Outside Corner, 90°	pring leg. It fe adhesive such rly suited for fi modized Alu I Aluminum (AE) Aluminum (AT) tiled walls wit Access Par	49.60 atures an oper as KERDI-FIX nishing edges minum (ABC 34.25 (ACG) 31.30 26.50 29.00 Connector hout impairing lel Kit de corners of til SG) 29.75 31.40	EA  I cavity to	that is filled with thin-spec-K is installed in vit applications such as 1/2"  1/2"  1/2"  1/2"  1/2"  3/8" x 8'  1/2" x 8'	Inside /Outside Corner/End EV/QF8/50AT  et mortar to secure the profile in the vall applications (e.g., wainscotings in this porcelain panel installation of this porcelain panel installation of the profile in the vall applications (e.g., wainscotings in the profile in the vall applications (e.g., wainscotings in this porcelain panel installation of the profile in the vall applications (e.g., wainscotings in the profile in the vall applications (e.g., wainscotings in the profile in the vall applications (e.g., wainscotings (e.g., wainscoting	ne assembly. s & bases) with ver existing wa d Cap: d Cap: d Cap:	31.10 18.90 12.35 10.40 10.25 3.25 13.60 37.20 42.15	E E E E E E E
Color: 5/16" x 8'  RUADEC-K  A variant of the Alternatively, the coverings up to tiles.  Color: 1/2" x 8'  1/4" x 8'  5/16" x 8'	Satin Nickel Anodized Alum QF8/50AT  QUADEC profile without an anchor profile may be installed with an anoly thick. This profile is particular Brushed Antique Bronze Ar Q125ABGBK  Polished Chrome Anodized Q125ACGK  Satin Anodized Aluminum (Q125AEK  Satin Nickel Anodized Alum Q125ATK  V/RO125  eating concealed access panels in REMA  edge-protection profile for tiled edge Bright Black Anodized Alum RO60AGSG RO80AGSG  Outside Corner, 90°  EV/RO60AGSG	pring leg. It fe adhesive such rly suited for fi modized Alu I Aluminum (AE) Aluminum (AT) tiled walls wit Access Par	49.60 atures an oper as KERDI-FIX nishing edges minum (ABC 34.25 (ACG) 31.30 26.50 29.00 Connector hout impairing lel Kit de corners of til 3G) 29.75 31.40 12.05	EA  I cavity to	that is filled with thin-spec-K is installed in vit applications such as 1/2"  1/2"  1/2"  1/2"  1/2"  3/8" x 8' 1/2" x 8' 1/2" x 8'	Inside /Outside Corner/End EV/QF8/50AT  et mortar to secure the profile in the vall applications (e.g., wainscotings in this porcelain panel installation of this porcelain panel installation of the profile in the vall applications (e.g., wainscotings in the profile in the vall applications (e.g., wainscotings in this porcelain panel installation of the profile in the vall applications (e.g., wainscotings in the profile in the vall applications (e.g., wainscotings in the profile in the vall applications (e.g., wainscotings (e.g., wainscoting	ne assembly. s & bases) with ver existing wa d Cap: d Cap: d Cap:	31.10 18.90 12.35 10.40 10.25 3.25 13.60 37.20 42.15 12.05	
Color: 5/16" x 8'  RUADEC-K  A variant of the Alternatively, the coverings up to tiles.  Color: 1/2" x 8'  1/4" x 8' 5/16" x 8'	Satin Nickel Anodized Alum QF8/50AT  QUADEC profile without an anchor profile may be installed with an anomalized thick. This profile is particular Brushed Antique Bronze Ar Q125ABGBK  Polished Chrome Anodized Q125ACGK  Satin Anodized Aluminum (Q125AEK  Satin Nickel Anodized Alum Q125ATK  V/RO125  eating concealed access panels in REMA  edge-protection profile for tiled edge Bright Black Anodized Alum RO60AGSG RO80AGSG  Outside Corner, 90°  EV/RO60AGSG  EV/RO80AGSG  EV/RO80AGSG	pring leg. It fe adhesive such rly suited for fi modized Alu I Aluminum (AE) Aluminum (AT) tiled walls wit Access Par	49.60 atures an oper as KERDI-FIX nishing edges minum (ABC 34.25 (ACG) 31.30 26.50 29.00 Connector hout impairing tel Kit de corners of til SG) 29.75 31.40 12.05 12.05	EA  I cavity to	hat is filled with thin-spec-K is installed in vit applications such as 1/2"  1/2"  1/2"  1/2"  1/2"  3/8" x 8' 1/2" x 8' 1/2" x 8'	Inside /Outside Corner/End EV/QF8/50AT  et mortar to secure the profile in the vall applications (e.g., wainscotings in this porcelain panel installation of this porcelain panel installation of the EV/Q125ABGB  Inside /Outside Corner/End EV/Q125ACG  Inside /Outside Corner/End EV/Q125AE  Inside /Outside Corner/End EV/Q125AE  Inside /Outside Corner/End EV/Q125AT  (For use with all Aluminum Ronde title covering. des 4 Magnets & 4 Mounting Plate mbined with the DESIGNLINE profiles 4 Magnets & 4 Mounting Plate mbined with the DESIGNLINE profiles 4 Magnets & 4 Mounting Plate mbined with the DESIGNLINE profiles 4 Magnets & 5 Mounting Plate mbined with the DESIGNLINE profiles 4 Magnets & 6 Mounting Plate mbined with the DESIGNLINE profiles 4 Magnets & 7 Mounting Plate mbined with the DESIGNLINE profiles 4 Magnets & 7 Mounting Plate mbined with the DESIGNLINE profiles 4 Magnets & 7 Mounting Plate mbined with the DESIGNLINE profiles 4 Magnets & 7 Mounting Plate mbined with the DESIGNLINE profiles 4 Magnets & 7 Mounting Plate mbined with the DESIGNLINE profiles 4 Magnets & 7 Mounting Plate mbined with the DESIGNLINE profiles 4 Magnets & 7 Mounting Plate mbined with the DESIGNLINE profiles 4 Magnets & 7 Mounting Plate mbined with the DESIGNLINE profiles 4 Magnets & 7 Mounting Plate mbined with the DESIGNLINE profiles 4 Magnets & 7 Mounting Plate mbined with the DESIGNLINE profiles 4 Magnets & 7 Mounting Plate mbined with the DESIGNLINE profiles 4 Magnets & 7 Mounting Plate mbined with the DESIGNLINE profiles 4 Mounting Plate mbined with the DESIGNLINE pro	ne assembly. s & bases) with ver existing wa d Cap: d Cap: d Cap:	31.10  18.90  12.35  10.40  10.25  3.25  13.60  37.20 42.15  12.05 12.05	
Color: 5/16" x 8'  RUADEC-K  A variant of the Alternatively, the coverings up to tiles.  Color: 1/2" x 8'  1/2" x 8'  Color: 1/2" x 8'  1/4" x 8'  5/16" x 8'  1/4" 5/16" 3/8"	Satin Nickel Anodized Alum QF8/50AT  QUADEC profile without an anchor profile may be installed with an anoly thick. This profile is particular Brushed Antique Bronze Ar Q125ABGBK  Polished Chrome Anodized Q125ACGK  Satin Anodized Aluminum (Q125AEK  Satin Nickel Anodized Alum Q125ATK  V/RO125  eating concealed access panels in REMA  edge-protection profile for tiled edge Bright Black Anodized Alum RO60AGSG RO80AGSG  Outside Corner, 90°  EV/RO60AGSG	pring leg. It fe adhesive such rly suited for fi modized Alu I Aluminum (AE) Aluminum (AT) tiled walls wit Access Par	49.60 atures an oper as KERDI-FIX nishing edges minum (ABC 34.25 (ACG) 31.30 26.50 29.00 Connector hout impairing lel Kit de corners of til 3G) 29.75 31.40 12.05	EA I cavity to C	that is filled with thin-spec-K is installed in vit applications such as 1/2"  1/2"  1/2"  1/2"  1/2"  3/8" x 8' 1/2" x 8' 1/2" x 8'	Inside /Outside Corner/End EV/QF8/50AT  et mortar to secure the profile in the vall applications (e.g., wainscotings in this porcelain panel installation of this porcelain panel installation of the profile in the vall applications (e.g., wainscotings in the profile in the vall applications (e.g., wainscotings in this porcelain panel installation of the profile in the vall applications (e.g., wainscotings in the profile in the vall applications (e.g., wainscotings in the profile in the vall applications (e.g., wainscotings (e.g., wainscoting	ne assembly. s & bases) with ver existing wa d Cap: d Cap: d Cap:	31.10 18.90 12.35 10.40 10.25 3.25 13.60 37.20 42.15 12.05	E E E E E E E E E E E E E E E E E E E



5/16" 3/8" 1/2" Colors: 1/4" x 8' 5/16" x 8' 1/4" 5/16" 3/8" 1/2" 5/16" 3/8" 1/2" Note:	Bright Black Anodized Alumi 2-Leg Outside Corner, 90° E2L/R080AGSG E2L/R0100AGSG E2L/R0125AGSG Brushed Antique Bronze And		G) 20.90 20.90 20.90	EA EA EA EA EA	Brushed Co 3/8" x 8'	2-Leg Inside Corner, 90° I2L/R080AGSG I2L/R0100AGSG I2L/R0125AGSG Oper Anodized Aluminum (AR0100 R0125 Inside Corner, 90° IV/R060	Stock I		20.90 20.90 20.90 20.90 38.10 43.35	EA EA EA
Color:  5/16" 3/8" 1/2"  Colors: 1/4" x 8' 5/16" x 8'  1/4" 5/16" 3/8" 1/2"  5/16" 3/8" 1/2"  Note:	Bright Black Anodized Alumi 2-Leg Outside Corner, 90° E2L/R080AGSG E2L/R0100AGSG E2L/R0125AGSG  Brushed Antique Bronze And R060 R080 Outside Corner, 90° EV/R060 EV/R080 EV/R0125 2-Leg Outside Corner, 90° E2L/R080 E2L/R080 E2L/R080 E2L/R0100		20.90 20.90 20.90 ninum (ABC 30.80 34.05 18.00 18.00	EA EA EA EA EA	3/8" 1/2" Brushed Cop 3/8" x 8' 1/2" x 8'	I2L/RO80AGSG I2L/RO100AGSG I2L/RO125AGSG Oper Anodized Aluminum (A RO100 RO125 Inside Corner, 90°	,	а	20.90 20.90 38.10 43.35	EA EA EA
5/16" 3/8" 1/2" Colors: 1/4" x 8' 5/16" x 8' 1/4" 5/16" 3/8" 1/2" 5/16" 3/8" 1/2" Note:	2-Leg Outside Corner, 90° E2L/RO80AGSG E2L/RO100AGSG E2L/RO125AGSG Brushed Antique Bronze And RO60 RO80 Outside Corner, 90° EV/RO60 EV/RO80 EV/RO125 2-Leg Outside Corner, 90° E2L/RO80 E2L/RO80 E2L/RO100		20.90 20.90 20.90 ninum (ABC 30.80 34.05 18.00 18.00	EA EA EA EA EA	3/8" 1/2" Brushed Cop 3/8" x 8' 1/2" x 8'	I2L/RO80AGSG I2L/RO100AGSG I2L/RO125AGSG Oper Anodized Aluminum (A RO100 RO125 Inside Corner, 90°	,	a	20.90 20.90 38.10 43.35	EA EA EA
3/8" 1/2" Colors: 1/4" x 8' 5/16" x 8' 1/4" 5/16" 3/8" 1/2" 5/16" 3/8" 1/2" Note:	E2L/RO80AGSG E2L/RO100AGSG E2L/RO125AGSG  Brushed Antique Bronze And RO60 RO80 Outside Corner, 90° EV/RO60 EV/RO80 EV/RO100 EV/RO125 2-Leg Outside Corner, 90° E2L/RO80 E2L/RO80 E2L/RO100		20.90 20.90 minum (ABC 30.80 34.05 18.00 18.00 18.00	EA EA EA EA EA	3/8" 1/2" Brushed Cop 3/8" x 8' 1/2" x 8'	I2L/RO80AGSG I2L/RO100AGSG I2L/RO125AGSG Oper Anodized Aluminum (A RO100 RO125 Inside Corner, 90°	,	a	20.90 20.90 38.10 43.35	EA EA EA
3/8" 1/2" Colors: 1/4" x 8' 5/16" x 8' 1/4" 5/16" 3/8" 1/2" 5/16" 3/8" 1/2" Note:	E2L/R0100AGSG E2L/R0125AGSG Brushed Antique Bronze And R060 R080 Outside Corner, 90° EV/R060 EV/R080 EV/R0100 EV/R0125 2-Leg Outside Corner, 90° E2L/R080 E2L/R0100		20.90 20.90 minum (ABC 30.80 34.05 18.00 18.00 18.00	EA EA EA EA EA	3/8" 1/2" Brushed Cop 3/8" x 8' 1/2" x 8'	I2L/RO100AGSG I2L/RO125AGSG oper Anodized Aluminum (A RO100 RO125 Inside Corner, 90°	,	a	20.90 20.90 38.10 43.35	EA EA EA
1/2"  Colors: 1/4" x 8' 5/16" x 8'  1/4" 5/16" 3/8" 1/2"  5/16" 3/8" 1/2"  Note:	E2L/RO125AGSG  Brushed Antique Bronze And RO60 RO80 Outside Corner, 90° EV/RO60 EV/RO80 EV/RO100 EV/RO125 2-Leg Outside Corner, 90° E2L/RO80 E2L/RO100		20.90 ninum (AB0 30.80 34.05 18.00 18.00 18.00	EA EA EA EA	Brushed Cop 3/8" x 8' 1/2" x 8'	I2L/RO125AGSG oper Anodized Aluminum (A RO100 RO125 Inside Corner, 90°	,	a	20.90 38.10 43.35	EA EA
Colors: 1/4" x 8' 5/16" x 8'  1/4" 5/16" 3/8" 1/2"  5/16" 3/8" 1/2"  Note:	Brushed Antique Bronze And RO60 RO80 Outside Corner, 90° EV/RO60 EV/RO80 EV/RO100 EV/RO125 2-Leg Outside Corner, 90° E2L/RO80 E2L/RO100		30.80 34.05 18.00 18.00 18.00	SB) EA EA EA	Brushed Co 3/8" x 8' 1/2" x 8'	oper Anodized Aluminum (A RO100 RO125 Inside Corner, 90°	,	a	38.10 43.35	EA
1/4" x 8' 5/16" x 8'  1/4" 5/16" 3/8" 1/2"  5/16" 3/8" 1/2"  Note:	Brushed Antique Bronze And RO60 RO80 Outside Corner, 90° EV/RO60 EV/RO80 EV/RO100 EV/RO125 2-Leg Outside Corner, 90° E2L/RO80 E2L/RO100		30.80 30.80 34.05 18.00 18.00 18.00	EA EA EA	3/8" x 8' 1/2" x 8'	R0100 R0125 Inside Corner, 90°	,	а	43.35	
5/16" x 8'  1/4" 5/16" 3/8" 1/2"  5/16" 3/8" 1/2"  Note:	RO60 RO80 Outside Corner, 90° EV/RO60 EV/RO100 EV/RO125 2-Leg Outside Corner, 90° E2L/RO80 E2L/RO100		30.80 34.05 18.00 18.00 18.00	EA EA EA	3/8" x 8' 1/2" x 8'	R0100 R0125 Inside Corner, 90°	,	а	43.35	
5/16" x 8'  1/4" 5/16" 3/8" 1/2"  5/16" 3/8" 1/2"  Note:	RO80 Outside Corner, 90° EV/RO60 EV/RO80 EV/RO100 EV/RO125 2-Leg Outside Corner, 90° E2L/RO80 E2L/RO100		34.05 18.00 18.00 18.00	EA EA	1/2" x 8'	R0125 Inside Corner, 90°	<b>Cuc</b> in	-	43.35	
1/4" 5/16" 3/8" 1/2" 5/16" 3/8" 1/2" Note:	Outside Corner, 90° EV/RO60 EV/RO80 EV/RO100 EV/RO125 2-Leg Outside Corner, 90° E2L/RO80 E2L/RO100		18.00 18.00 18.00	EA EA	1/4"	Inside Corner, 90°				
5/16" 3/8" 1/2" 5/16" 3/8" 1/2" <i>Note</i> :	EV/RO60 EV/RO80 EV/RO100 EV/RO125 2-Leg Outside Corner, 90° E2L/RO80 E2L/RO100		18.00 18.00	EΑ	· ·	· · · · · · · · · · · · · · · · · · ·			40.00	
5/16" 3/8" 1/2" 5/16" 3/8" 1/2" <i>Note</i> :	EV/RO80 EV/RO100 EV/RO125 2-Leg Outside Corner, 90° E2L/RO80 E2L/RO100		18.00 18.00	EΑ	· ·				18.00	EΑ
3/8" 1/2" 5/16" 3/8" 1/2" <i>Note</i> :	EV/RO100 EV/RO125 2-Leg Outside Corner, 90° E2L/RO80 E2L/RO100		18.00	EΑ		IV/RO80			18.00	
1/2" 5/16" 3/8" 1/2" Note:	EV/RO125 2-Leg Outside Corner, 90° E2L/RO80 E2L/RO100					IV/RO100			18.00	
3/8" 1/2" Note:	E2L/RO80 E2L/RO100			EΑ		IV/RO125			18.00	
3/8" 1/2" Note:	E2L/RO80 E2L/RO100				•	2-Leg Inside Corner, 90°				
3/8" 1/2" <i>Note:</i>	E2L/RO100		25.00	EΑ	5/16"	I2L/RO80			25.00	ΕA
Note:	E21 /DO125		25.00		3/8"	I2L/RO100			25.00	
	LZL/NO IZJ		25.00	EΑ	1/2"	I2L/RO125			25.00	EΑ
	a) Stocked in color Brushed Antique Broa	nze Anodized A	Juminum (ABGE	3) only.	1					
	Brushed Black Anodized Alu									
		minum (Ac		Ε.	2/0" 01	DO1004 CCD			20.40	г,
1/4" x 8'	RO80AGSB		30.75 34.05	EA EA	3/8" x 8'	RO100AGSB			38.10 42.10	
3/10 X O			34.03	EA	1/2" x 8'				42.10	EA
4/411	Outside Corner, 90°		40.45	_ ^	1 4740	Inside Corner, 90°			40.45	
	EV/RO60AGSB		18.15	EΑ	1/4"	IV/RO60AGSB			18.15	
	EV/RO80AGSB		18.15			IV/RO80AGSB			18.15	
	EV/RO100AGSB		18.15	EΑ	3/8"	IV/RO100AGSB			18.20	
1/2	EV/RO125AGSB		18.20	EA	1/2"	IV/RO125AGSB			18.20	EA
F.(4.0)	2-Leg Outside Corner, 90°		05.00	_ ^	I 5400	2-Leg Inside Corner, 90°			05.00	_ ^
	E2L/RO80AGSB		25.00		5/16"	I2L/RO80AGSB			25.00	
3/8"	E2L/RO100AGSB E2L/RO125AGSB		25.00 25.00	EΑ	3/8"	I2L/RO100AGSB I2L/RO125AGSB			25.00 25.00	
				EA	1/2	12L/KO123AGSB			25.00	EA
	Brushed Brass Anodized Alu	ıminum (Al	,							
	RO60AMGB		29.15	EΑ	3/8" x 8'	RO100AMGB			36.50	
5/16" x 8'	RO80AMGB		32.40	EA	1/2" x 8'				41.35	EA
	Outside Corner, 90°					Inside Corner, 90°				
	EV/RO60AMGB		18.35	EΑ	1/4"				18.35	
	EV/RO80AMGB		18.35	EΑ	5/16"	IV/RO80AMGB			18.35	
3/8"	EV/RO100AMGB		18.35	EΑ	3/8"	IV/RO100AMGB			18.35	
1/2"	EV/RO125AMGB		18.35	EA	1/2"	IV/RO125AMGB			18.35	EA
	2-Leg Outside Corner, 90°				1	2-Leg Inside Corner, 90°				
	E2L/RO80AMGB		25.50			I2L/RO80AMGB			25.50	
	E2L/RO100AMGB		25.50			I2L/RO100AMGB			25.50	
1/2"	E2L/RO125AMGB		25.50	EA	1/2"	I2L/RO125AMGB			25.50	EA
Color:	Brushed Chrome Anodized A	Aluminum (	•							
	RO60ACGB		27.55			RO100ACGB			34.85	
5/16" x 8'	RO80ACGB		30.80	EΑ	1/2" x 8'	RO125ACGB			40.55	EΑ
	Outside Corner, 90°					Inside Corner, 90°				
	EV/RO60ACGB		18.00		1/4"	IV/RO60ACGB			18.00	EΑ
	EV/RO80ACGB		18.00		5/16"	IV/RO80ACGB			18.00	EΑ
	EV/RO100ACGB		18.00			IV/RO100ACGB			18.00	
1/2"	EV/RO125ACGB		18.00	EA	1/2"	IV/RO125ACGB			18.00	ĒΑ
	2-Leg Outside Corner, 90°				•	2-Leg Inside Corner, 90°				
	E2L/RO80ACGB		24.55	EΑ	5/16"	I2L/RO80ACGB			24.55	
3/8"	E2L/RO100ACGB		24.55	EΑ	3/8"	I2L/RO100ACGB			24.55	EΑ
1/2"	E2L/RO125ACGB		24.55	EA	1/2"	I2L/RO125ACGB			24.55	ΕA
Color:	Brushed Nickel Anodized Alu	uminum (A	TGB)							
	RO60ATGB	`	30.75	EΑ	3/8" x 8'	RO100ATGB	Stock		37.35	ΕA
	RO80ATGB		34.05	EΑ		RO125ATGB			43.30	
continued on ne	ext page				-					



		Stock		•		Sizes & Shapes		Stock Note	List	U/I
RONDEC - cor										
Color:	Brushed Nickel Anodized Al	uminun	n (AT	GB)			1 11 0 000			
4 / 4 11	Outside Corner, 90°			47.05		1 4740	Inside Corner, 90°		47.05	_
	EV/RO60ATGB			17.85	EΑ	1/4"			17.85	
	EV/RO80ATGB	Ctaal		17.85	EΑ	5/16"	IV/RO80ATGB	Ctaals	17.85	E
	EV/RO100ATGB EV/RO125ATGB	Stock		17.85 17.85	EA EA		IV/RO100ATGB IV/RO125ATGB	Stock	17.85 17.85	E.
1/2				17.00	EA	1/2			17.65	
F/40"	2-Leg Outside Corner, 90°			05.50	_^	I 5/40"	2-Leg Inside Corner, 90°		05.50	_
	E2L/RO80ATGB			25.50	EΑ	5/16"	I2L/RO80ATGB		25.50	
3/8" 1/2"	E2L/RO100ATGB E2L/RO125ATGB			25.50 25.50	EA EA	3/8" 1/2"	I2L/RO100ATGB I2L/RO125ATGB		25.50 25.50	
		····		23.30	EA	1/2	IZL/KO IZSA I GB		23.30	
Color:	Brushed Stainless Steel 304	(EB)				I				_
	RO60EB			88.15	EΑ	3/8" x 8'	RO100EB		96.10	
	RO70EB			89.85	EΑ	7/16" x 8'			98.00	
	RO80EB			92.00	EΑ		RO125EB		100.30	
11/32" x 8'				93.85	EA	9/10 % 0	RO150EB		110.35	_
	Outside Corner, 90°					I				_
	EV/RO60EB			49.45	EΑ	3/8"	EV/RO100EB		57.05	
	EV/RO70EB			49.45	EΑ		EV/RO110EB		57.05	
	EV/RO80EB EV/RO90EB			49.45	EΑ		EV/RO125EB		57.05	E
11/32				49.45	EA	9/16"	EV/RO150EB		60.45	_
=/40"	Sink Corner 3/8" Radius					1 400	100/00405504/04			_
	12S/RO80EB/V2A			65.70	EΑ	1/2"	I2S/R0125EB/V2A		65.75	E
3/8"				65.75	EA					
	End Cap									
	EK/RO80EB			5.85	EA	1/2"	EK/RO125EB		5.90	Е
3/8"				5.90	EA					
Color:	Chrome-Plated Solid Brass	(MC)								
1/4" x 8'	RO60MC			151.00	EA	3/8" x 8'	RO100MC		166.60	Ε
5/16" x 8'	RO80MC			159.70	EA	1/2" x 8'	RO125MC		175.50	E
Note:	For Outside and Inside Corner use color	: Polishe	d Chrom	e Anodized Al	uminum (	ACG).				
Color:	Graphite Anodized Aluminur	n (AGF	3)							
1/4" x 8'	•	`	,	24.00	EA	3/8" x 8'	RO100AGR		27.30	Е
	RO80AGR			25.65	EA		RO125AGR			
	Outside Corner, 90°						Inside Corner, 90°			
1/4"	EV/RO60AGR			9.85	EΑ	1/4"	IV/RO60AGR		9.85	Е
	EV/RO80AGR			9.85	EΑ		IV/RO80AGR		9.85	Ē
3/8"	EV/RO100AGR			9.85	EΑ	3/8"	IV/RO100AGR		9.85	E
	EV/RO125AGR			9.85	EA	1/2"	IV/RO125AGR		9.85	E
	2-Leg Outside Corner, 90°						2-Leg Inside Corner, 90°			
5/16"	E2L/RO80AGR			20.50	FΔ	5/16"	I2L/RO80AGR		20.50	F
	E2L/RO100AGR						I2L/RO100AGR		20.50	
				20.50						
1/2"				20.50						F
1/2"	E2L/R0125AGR			20.50			I2L/RO125AGR		20.50	Ε
Color:	E2L/R0125AGR Polished Brass Anodized Ale			20.50 G)	EA	1/2"	I2L/RO125AGR		20.50	
<i>Color:</i> 1/4" x 8'	E2L/RO125AGR Polished Brass Anodized Ali R060AMG			20.50 G) 27.55	EA EA	1/2" 3/8" x 8'	I2L/RO125AGR RO100AMG		20.50 34.85	E
<i>Color:</i> 1/4" x 8'	E2L/RO125AGR Polished Brass Anodized Ali RO60AMG RO80AMG			20.50 G)	EA	1/2" 3/8" x 8'	I2L/RO125AGR RO100AMG RO125AMG		20.50	E
<i>Color:</i> 1/4" x 8' 5/16" x 8'	E2L/RO125AGR Polished Brass Anodized Alt RO60AMG RO80AMG Outside Corner, 90°			20.50 G) 27.55 30.80	EA EA EA	3/8" x 8' 1/2" x 8'	I2L/RO125AGR  RO100AMG RO125AMG  Inside Corner, 90°		20.50 34.85 39.75	E E
<i>Color:</i> 1/4" x 8' 5/16" x 8'	E2L/RO125AGR Polished Brass Anodized Alt RO60AMG RO80AMG Outside Corner, 90° EV/RO60AMG			20.50 G) 27.55 30.80 11.45	EA EA EA	1/2" 3/8" x 8' 1/2" x 8' 1/4"	I2L/RO125AGR  RO100AMG RO125AMG  Inside Corner, 90° IV/RO60AMG		20.50 34.85 39.75 11.45	E E
Color: 1/4" x 8' 5/16" x 8' 1/4" 5/16"	E2L/RO125AGR Polished Brass Anodized Alt RO60AMG RO80AMG Outside Corner, 90° EV/RO60AMG EV/RO80AMG			20.50 G) 27.55 30.80 11.45 11.45	EA EA EA EA	1/2" 3/8" x 8' 1/2" x 8' 1/4" 5/16"	I2L/RO125AGR  RO100AMG RO125AMG  Inside Corner, 90° IV/RO60AMG IV/RO80AMG		20.50 34.85 39.75 11.45 11.45	E E E
Color: 1/4" x 8' 5/16" x 8' 1/4" 5/16" 3/8"	E2L/RO125AGR Polished Brass Anodized Alt RO60AMG RO80AMG Outside Corner, 90° EV/RO60AMG EV/RO80AMG EV/RO100AMG			20.50 G) 27.55 30.80 11.45 11.45 11.45	EA EA EA EA EA	1/2" 3/8" x 8' 1/2" x 8' 1/4" 5/16" 3/8"	I2L/RO125AGR  RO100AMG RO125AMG  Inside Corner, 90° IV/RO60AMG IV/RO80AMG IV/RO100AMG		20.50 34.85 39.75 11.45 11.45 11.45	E E E E
Color: 1/4" x 8' 5/16" x 8' 1/4" 5/16" 3/8"	E2L/RO125AGR Polished Brass Anodized Alt RO60AMG RO80AMG Outside Corner, 90° EV/RO60AMG EV/RO80AMG EV/RO100AMG EV/RO125AMG			20.50 G) 27.55 30.80 11.45 11.45	EA EA EA EA EA	1/2" 3/8" x 8' 1/2" x 8' 1/4" 5/16" 3/8"	I2L/RO125AGR  RO100AMG RO125AMG  Inside Corner, 90° IV/RO60AMG IV/RO80AMG IV/RO100AMG IV/RO125AMG		20.50 34.85 39.75 11.45 11.45	E E E E
Color: 1/4" x 8' 5/16" x 8' 1/4" 5/16" 3/8" 1/2"	E2L/RO125AGR  Polished Brass Anodized All RO60AMG RO80AMG Outside Corner, 90° EV/RO60AMG EV/RO80AMG EV/RO100AMG EV/RO125AMG 2-Leg Outside Corner, 90°			20.50 G) 27.55 30.80 11.45 11.45 11.45	EA EA EA EA EA EA	3/8" x 8' 1/2" x 8' 1/2" x 8' 1/4" 5/16" 3/8" 1/2"	I2L/RO125AGR  RO100AMG RO125AMG  Inside Corner, 90° IV/RO60AMG IV/RO80AMG IV/RO100AMG IV/RO125AMG 2-Leg Inside Corner, 90°		20.50 34.85 39.75 11.45 11.45 11.45	E E E E E
Color: 1/4" x 8' 5/16" x 8' 1/4" 5/16" 3/8" 1/2"	E2L/RO125AGR  Polished Brass Anodized Alt RO60AMG RO80AMG Outside Corner, 90° EV/RO60AMG EV/RO80AMG EV/RO100AMG EV/RO125AMG 2-Leg Outside Corner, 90° E2L/RO80AMG			20.50 G) 27.55 30.80 11.45 11.45 11.45 11.45	EA EA EA EA EA EA	1/2" 3/8" x 8' 1/2" x 8' 1/4" 5/16" 3/8" 1/2"	I2L/RO125AGR  RO100AMG RO125AMG Inside Corner, 90° IV/RO60AMG IV/RO80AMG IV/RO100AMG IV/RO125AMG 2-Leg Inside Corner, 90° I2L/RO80AMG		20.50 34.85 39.75 11.45 11.45 11.45 11.45	
Color: 1/4" x 8' 5/16" x 8' 1/4" 5/16" 3/8" 1/2" 5/16" 3/8"	E2L/RO125AGR Polished Brass Anodized Alt RO60AMG RO80AMG Outside Corner, 90° EV/RO60AMG EV/RO80AMG EV/RO100AMG EV/RO125AMG 2-Leg Outside Corner, 90° E2L/RO80AMG E2L/RO100AMG			20.50 G) 27.55 30.80 11.45 11.45 11.45 11.45 20.10 20.10	EA EA EA EA EA EA	1/2" 3/8" x 8' 1/2" x 8' 1/4" 5/16" 3/8" 1/2"	I2L/RO125AGR  RO100AMG RO125AMG Inside Corner, 90° IV/RO60AMG IV/RO80AMG IV/RO100AMG IV/RO125AMG 2-Leg Inside Corner, 90° I2L/RO80AMG I2L/RO100AMG		20.50 34.85 39.75 11.45 11.45 11.45 20.10 20.10	
Color: 1/4" x 8' 5/16" x 8' 1/4" 5/16" 3/8" 1/2" 5/16" 3/8" 1/2"	E2L/RO125AGR  Polished Brass Anodized All RO60AMG RO80AMG Outside Corner, 90° EV/RO60AMG EV/RO80AMG EV/RO100AMG EV/RO125AMG 2-Leg Outside Corner, 90° E2L/RO80AMG E2L/RO100AMG E2L/RO1025AMG	uminun	n (AM	20.50 G) 27.55 30.80 11.45 11.45 11.45 20.10 20.10 20.10	EA EA EA EA EA EA	1/2" 3/8" x 8' 1/2" x 8' 1/4" 5/16" 3/8" 1/2"	I2L/RO125AGR  RO100AMG RO125AMG Inside Corner, 90° IV/RO60AMG IV/RO80AMG IV/RO100AMG IV/RO125AMG 2-Leg Inside Corner, 90° I2L/RO80AMG		20.50 34.85 39.75 11.45 11.45 11.45 11.45	
Color: 1/4" x 8' 5/16" x 8' 1/4" 5/16" 3/8" 1/2" 5/16" 3/8" 1/2"	E2L/RO125AGR  Polished Brass Anodized Alt RO60AMG RO80AMG Outside Corner, 90° EV/RO60AMG EV/RO80AMG EV/RO100AMG EV/RO125AMG 2-Leg Outside Corner, 90° E2L/RO80AMG E2L/RO100AMG	uminun	n (AM	20.50 G) 27.55 30.80 11.45 11.45 11.45 20.10 20.10 20.10	EA EA EA EA EA EA	1/2" 3/8" x 8' 1/2" x 8' 1/4" 5/16" 3/8" 1/2"	I2L/RO125AGR  RO100AMG RO125AMG Inside Corner, 90° IV/RO60AMG IV/RO80AMG IV/RO100AMG IV/RO125AMG 2-Leg Inside Corner, 90° I2L/RO80AMG I2L/RO100AMG		20.50 34.85 39.75 11.45 11.45 11.45 20.10 20.10	
Color: 1/4" x 8' 5/16" x 8'  1/4" 5/16" 3/8" 1/2"  5/16" 3/8" 1/2"  Color:	E2L/RO125AGR  Polished Brass Anodized All RO60AMG RO80AMG Outside Corner, 90° EV/RO60AMG EV/RO80AMG EV/RO100AMG EV/RO125AMG 2-Leg Outside Corner, 90° E2L/RO80AMG E2L/RO100AMG E2L/RO1025AMG	uminun	n (AM	20.50 G) 27.55 30.80 11.45 11.45 11.45 20.10 20.10 20.10	EA EA EA EA EA EA EA	1/2" 3/8" x 8' 1/2" x 8' 1/4" 5/16" 3/8" 1/2" 5/16" 3/8" 1/2"	I2L/RO125AGR  RO100AMG RO125AMG Inside Corner, 90° IV/RO60AMG IV/RO80AMG IV/RO100AMG IV/RO125AMG 2-Leg Inside Corner, 90° I2L/RO80AMG I2L/RO100AMG		20.50 34.85 39.75 11.45 11.45 11.45 20.10 20.10	
Color: 1/4" x 8' 5/16" x 8'  1/4" 5/16" 3/8" 1/2"  5/16" 3/8" 1/2"  Color: 1/4" x 8'	E2L/RO125AGR  Polished Brass Anodized Ale RO60AMG RO80AMG Outside Corner, 90° EV/RO60AMG EV/RO80AMG EV/RO100AMG EV/RO125AMG 2-Leg Outside Corner, 90° E2L/RO80AMG E2L/RO100AMG E2L/RO125AMG Polished Chrome Anodized	uminun	n (AM	20.50 G) 27.55 30.80 11.45 11.45 11.45 11.45 20.10 20.10 20.10 CG)	EA EA EA EA EA EA EA	1/2"  3/8" x 8' 1/2" x 8'  1/4" 5/16" 3/8" 1/2"  5/16" 3/8" 1/2"	I2L/RO125AGR  RO100AMG RO125AMG Inside Corner, 90° IV/RO60AMG IV/RO80AMG IV/RO100AMG IV/RO125AMG 2-Leg Inside Corner, 90° I2L/RO80AMG I2L/RO100AMG I2L/RO125AMG RO80ACG/300 RO100ACG/300		20.50 34.85 39.75 11.45 11.45 11.45 20.10 20.10 20.10 37.45 41.50	
Color: 1/4" x 8' 5/16" x 8'  1/4" 5/16" 3/8" 1/2"  5/16" 3/8" 1/2"  Color: 1/4" x 8' 5/16" x 8' 3/8" x 8'	E2L/RO125AGR  Polished Brass Anodized Ale RO60AMG RO80AMG Outside Corner, 90° EV/RO60AMG EV/RO80AMG EV/RO100AMG EV/RO125AMG 2-Leg Outside Corner, 90° E2L/RO80AMG E2L/RO100AMG E2L/RO125AMG Polished Chrome Anodized RO60ACG	uminun	n (AM	20.50 G) 27.55 30.80 11.45 11.45 11.45 11.45 20.10 20.10 CG) 26.75	EA EA EA EA EA EA EA EA EA	1/2"  3/8" x 8' 1/2" x 8'  1/4" 5/16" 3/8" 1/2"  5/16" 3/8" 1/2"	I2L/RO125AGR  RO100AMG RO125AMG Inside Corner, 90° IV/RO60AMG IV/RO80AMG IV/RO100AMG IV/RO125AMG 2-Leg Inside Corner, 90° I2L/RO80AMG I2L/RO100AMG I2L/RO105AMG I2L/RO105AMG IRO80ACG/300		20.50 34.85 39.75 11.45 11.45 11.45 20.10 20.10 20.10	



			Suga				<del></del>	Suga	$\neg$
Sizes & Shapes		Stock Note	Sugg. List	U/M	Sizes & Shapes		Stock Note	Sugg. List	U/M
RONDEC - cor	ntinued_								
Color:	Polished Chrome Anodized	Aluminum (A	(CG)						
	Outside Corner, 90°					Inside Corner, 90°			
1/4"	EV/RO60ACG		11.45	EΑ	1/4"	IV/RO60ACG		11.45	EΑ
	EV/RO80ACG		11.45	EΑ	5/16"	IV/RO80ACG		11.45	EΑ
3/8"	EV/RO100ACG		11.45	EΑ	3/8"	IV/RO100ACG		11.45	EΑ
1/2"	EV/RO125ACG		11.45	EΑ	1/2"	IV/RO125ACG		11.45	EΑ
	2-Leg Outside Corner, 90°					2-Leg Inside Corner, 90°			
5/16"	E2L/RO80ACG		19.95	EΑ	5/16"	I2L/RO80ACG		19.90	EΑ
3/8"	E2L/RO100ACG		19.95	EΑ	3/8"	I2L/RO100ACG		19.90	EΑ
1/2"	E2L/RO125ACG		19.95	EA	1/2"	I2L/RO125ACG		19.90	EA
Color:	Polished Copper Anodized	Aluminum (A	KG)						
1/4" x 8'	RO60AKG		29.20	EΑ	3/8" x 8'	RO100AKG		36.50	EΑ
5/16" x 8'	RO80AKG		30.80	EΑ	1/2" x 8'	RO125AKG		41.35	EΑ
	Outside Corner, 90°					Inside Corner, 90°			
1/4"	EV/RO60AKG		11.45	EΑ	1/4"	IV/RO60AKG		11.45	EΑ
5/16"	EV/RO80AKG		11.45	EΑ	5/16"	IV/RO80AKG		11.45	EΑ
	EV/RO100AKG		11.45	EΑ	3/8"	IV/RO100AKG			EΑ
1/2"	EV/RO125AKG		11.45	EΑ	1/2"	IV/RO125AKG		11.45	EΑ
	2-Leg Outside Corner, 90°					2-Leg Inside Corner, 90°			
	E2L/RO80AKG		20.50		5/16"	I2L/RO80AKG		20.50	
3/8"	E2L/RO100AKG		20.50		3/8"	I2L/RO100AKG		20.50	
	E2L/RO125AKG		20.50	EA	1/2"	I2L/RO125AKG		20.50	EA
Color:	Polished Nickel Anodized A	uminum (AT	G)						
1/4" x 8'	RO60ATG		29.20	EΑ	3/8" x 8'	RO100ATG		36.45	EΑ
5/16" x 8'	RO80ATG		30.80	EΑ	1/2" x 8'	RO125ATG		41.30	EΑ
	Outside Corner, 90°					Inside Corner, 90°			
1/4"	EV/RO60ATG		11.45	EΑ	1/4"	IV/RO60ATG		11.45	EΑ
	EV/RO80ATG		11.45	EΑ	5/16"	IV/RO80ATG		_	EΑ
	EV/RO100ATG		11.45	EΑ	3/8"	IV/RO100ATG			EΑ
1/2"	EV/RO125ATG		11.45	EA	1/2"	IV/RO125ATG		11.45	EΑ
	2-Leg Outside Corner, 90°					2-Leg Inside Corner, 90°			
	E2L/RO80ATG		20.70			I2L/RO80ATG			EA
3/8"			20.70		3/8"	I2L/RO100ATG		20.70	
1/2"			20.70	EA	1/2"	I2L/RO125ATG		20.70	EA
Color:	Satin Anodized Aluminum (A	AE)			•				
1/4" x 8'	RO60AE		21.90		5/16" x 10'	RO80AE/300			EΑ
	RO80AE	Stock	22.85	EΑ	3/8" x 10'	RO100AE/300			EΑ
	RO100AE	Stock	24.70		1/2" x 10"	RO125AE/300		34.40	EΑ
1/2 X O	RO125AE	Stock	27.60	EA		Inside Comes 200			
4/48	Outside Corner, 90°		0.05	_^	1 4748	Inside Corner, 90°		0.05	_,
	EV/RO60AE EV/RO80AE	Ctook	9.65	EΑ	1/4"	IV/RO60AE	Ctaals		EΑ
	EV/RO100AE	Stock Stock	9.65 9.65	EA EA	5/16" 3/8"	IV/RO80AE IV/RO100AE	Stock Stock	9.65 9.65	EA
	EV/RO125AE	Stock	9.65	EA		IV/RO125AE	Stock		EA
1/2	2-Leg Outside Corner, 90°	3.00.1	0.00	_/ \	1 1/2	2-Leg Inside Corner, 90°	0.00.1	0.70	_, `
5/16"	E2L/RO80AE		20.70	FΔ	5/16"	I2L/RO80AE		20.70	FΔ
	E2L/RO100AE		20.70	EA	3/8"	I2L/RO100AE			EA
1/2"	E2L/RO125AE		20.70		1/2"	I2L/RO125AE			EΑ
Color:	Satin Brass Anodized Alumi	num (AM)				· <del></del>		- <del>-</del>	
	RO60AM		23.50	EA	3/8" x 8'	RO100AM		30.00	EΑ
	RO80AM		26.80		3/8 x 8 1/2" x 8'			34.85	
3/10 / 0	Outside Corner, 90°		20.00		1/2 80	Inside Corner, 90°		J-1.00	<b>∟</b> /٦
1//"	EV/RO60AM		9.75	EA	1/4"	IV/RO60AM		9.75	EΑ
	EV/RO80AM		9.75	EA	5/16"	IV/RO80AM			EA
	EV/RO100AM		9.75	EA	3/8"	IV/RO100AM			EA
	EV/RO125AM		9.75	EA	1/2"	IV/RO125AM		9.75	
.,_	2-Leg Outside Corner, 90°		50			2-Leg Inside Corner, 90°		0	•
5/16"	E2L/RO80AM		20.10	FΑ	5/16"	I2L/RO80AM		20.10	FΑ
3/8"			20.10		3/8"	I2L/RO100AM		20.10	
1/2"	E2L/RO125AM		20.10		1/2"	I2L/RO125AM		20.10	



zes & Shapes		Stock	Note	Sugg. List	U/M	Sizes &	Shapes		Stock	Note	Sugg. List	U/N
ONDEC - con	tinued											
Color:	Satin Copper Anodized Alum	ninum	(AK)									
	RO60AK		` ,	23.50	EΑ	1	3/8" x 8'	RO100AK			26.75	EA
5/16" x 8'				25.15	ΕA			RO125AK			28.40	
	Outside Corner, 90°							Inside Corner, 90°				
1/4"	EV/RO60AK			9.65	EΑ	1	1/4"	IV/RO60AK			9.65	EA
5/16"	EV/RO80AK			9.65	EΑ		5/16"	IV/RO80AK			9.65	E/
3/8"	EV/RO100AK			9.65	EΑ		3/8"	IV/RO100AK			9.65	E/
1/2"	EV/RO125AK			9.65	EΑ		1/2"	IV/RO125AK			9.70	E/
	2-Leg Outside Corner, 90°							2-Leg Inside Corner, 90°				
	E2L/RO80AK			20.10	EΑ		5/16"	I2L/RO80AK			20.10	E/
	E2L/RO100AK			20.10	EΑ			I2L/RO100AK			20.10	
1/2"	E2L/RO125AK			20.10	EA		1/2"	I2L/RO125AK			20.10	E/
Color:	Satin Nickel Anodized Alumi	num (A	AT)									
1/4" x 8'	RO60AT			22.45	EΑ	1 :	5/16" x 10'	RO80AT/300			29.85	E/
5/16" x 8'	RO80AT			23.95	EΑ		3/8" x 10'	RO100AT/300			31.25	E/
3/8" x 8'	RO100AT	Stock		25.05	EΑ		1/2" x 10'	RO125AT/300			35.45	E
1/2" x 8'	RO125AT			28.40	EΑ							
	Outside Corner, 90°							Inside Corner, 90°				
1/4"	EV/RO60AT			9.75	EΑ	1	1/4"	IV/RO60AT			9.75	E
5/16"	EV/RO80AT			9.75	EΑ		5/16"	IV/RO80AT			9.75	E
	Outside Corner, 90°					•		Inside Corner, 90°				
3/8"	EV/RO100AT	Stock		9.75	EA	Ī	3/8"	IV/RO100AT	Stock		9.75	E
	EV/RO125AT			9.75	EΑ				••••		9.75	
	2-Leg Outside Corner, 90°							2-Leg Inside Corner, 90°				
5/16"	E2L/RO80AT			20.45	EΑ	I	5/16"	I2L/RO80AT			20.40	F
	E2L/RO100AT				EA		3/8"				20.40	
	E2L/RO125AT			20.45				12L/RO125AT			20.40	
	Stainless Steel 304 (E)											
3/16" x 8'	` '			55.25	EA	Ī	2/0" v 0'	RO100E			64.50	E/
1/4" x 8'				57.50	EA		7/16" x 8'				66.65	
9/32" x 8'				59.65	EA			RO125E			68.75	
5/16" x 8'				60.05	EA		9/16" x 8'				77.90	
11/32" x 8'				64.15	EA		0,10 %					
	Outside Corner, 90°			•		1						
3/16"	EV/RO45E			40.75	EΑ	Ī	3/8"	EV/RO100E			47.05	E
	EV/RO60E			40.75	EA			EV/RO110E			48.65	
	EV/RO70E			43.80	EΑ		1/2"	EV/RO125E			48.65	
	EV/RO80E			43.80	EΑ			EV/RO150E			49.80	
11/32"	EV/RO90E			47.05	EΑ							
	Sink Corner 3/8" Radius					•		Sink Corner 1-1/2" Radius				
5/16"	I2S/R080E/V2A			65.70	EΑ		5/16"	ISK/RO80E/38			34.25	F
3/8"	I2S/RO100E/V2A			65.75	EΑ		3/8"	ISK/RO100E/38			34.25	
1/2"	I2S/RO125E/V2A			65.75	ΕA		1/2"	ISK/RO125E/38			34.25	
	Aluminum w/ Stainless Stee	l appea	aranc			er. 90°						
1/4"	ED/RO60E			9.65		1	3/8"	ED/RO100E			9.65	E
	ED/RO80E			9.65			1/2"	ED/RO125E			9.65	
0/10	Aluminum w/ Stainless Stee	l annea	aranc			90°		25/1101202			0.00	
1/4"	ID/RO60E	, аррос	ar ar ro	9.65	EA	I	3/8"	ID/RO100E			9.65	E
	ID/RO80E				EA		1/2"	ID/RO125E			9.70	
		A I				<u> </u>						
	V/RO60			nnector				(For use with all Aluminum Rondec)			3.25	
	V/RO80 V/RO100			nnector				(For use with all Aluminum Rondec)			3.25 3.25	
	V/RO125			nnector				(For use with all Aluminum Rondec) (For use with all Aluminum Rondec)			3.25 3.25	
								`				
	V/RO60E			el Connector				use with all Stainless Steel Rondec)			7.70 7.70	
5/16" 3/8"	V/RO80E V/RO100E			el Connector el Connector			•	use with all Stainless Steel Rondec) use with all Stainless Steel Rondec			7.70	_
	V/RO110E			el Connector			,	use with all Stainless Steel Rondec;			7.70	_
	V/IAC/IIVE	-call lie	المال مال				(1 01 )					
	V/RO125E	Stainle	ss Ste	el Connector			(For	use with all Stainless Steel Rondec	)		7.70	) ⊢.





Sizes & Shapes		Stock	Note	Sugg. List	U/M	Sizes & Shapes		Stock	Note	Sugg. List	U/M
RONDEC - Col	or-Coated Aluminum (A	(C)						•			
Colors:	Bahama (BH) Black (GS) Black Brown (SB)	Bright Wh Classic G Grey (G)			Light (	Beige (HB) Grey (HG) ic Grey (GM)	Sand Pebble (SP) White (W)				
1/4" x 8'	RO60			25.75		3/8" x 8'	RO100	Stock	а	31.65	EΑ
5/16" x 8'	RO80	Stock	а	28.85	EA	1/2" x 8'	RO125			39.55	EΑ
	Outside Corner, 90°					1	Inside Corner, 90°				
1/4" 5/16"				5.80	EA EA	1/4" 5/16"	ID/RO60 ID/RO80			5.80 5.80	
3/8"	ED/RO100				EA	3/8"	ID/RO100			5.80	
	ED/RO125				EA		ID/RO125			5.80	
Notes:	Stocked in color Bright White     To complete part number replace		olor code	Evamnle R	060 for	Grev # is: RO60G					
RONDEC - TR	ENDLINE Textured Col				000 , 101	Oldy #15. 110000.					
	Beige (TSB)	Dark Anthr			Li	ght Anthracite (TS	SLA) Stone Grey (TSSG	3)			
Colore.	Bronze (TSOB) Cream (TSC)	Greige (TS Ivory (TSI)	BG) Ì	10271,	Р	ewter (TSG) ustic Brown (TSR	,	-,			
1/4" x 8'				50.55			RO60/300			63.20	
5/16" x 8' 3/8" x 8'		Stock		51.60 53.30			RO80/300 RO100/300			64.50 66.65	
	RO110	Stock	а	53.90			RO110/300 RO110/300			67.35	
	RO125			54.45			RO125/300			68.05	
	Outside Corner, 90°					•	Inside Corner, 90°				
1/4"	EV/RO60			18.05	EA	1/4"	IV/RO60			18.05	EΑ
5/16"	EV/RO80			18.05		5/16"	IV/RO80			18.05	
3/8"	EV/RO100	Stock	b	18.05		3/8"	IV/RO100	Stock	b	18.05	
7/16"	EV/RO110 EV/RO125			18.05 18.05		7/16"	IV/RO110 IV/RO125			18.05 18.05	
		NA-44- \A/	L:4- /N/		EA	1/2	1V/RO123			10.03	EA
<i>Colors:</i> 1/4" x 8'	Matte Black (MGS) R060	Matte W	nite (iv	40.50	EA	1/4" v 10'	RO60/300			50.60	ΕA
5/16" x 8'	RO80			41.30			RO80/300			51.65	
3/8" x 8'				42.65			RO100/300			53.30	
	RO110			43.15		7/16" x 10'	RO110/300			53.90	
1/2" x 8'	RO125			43.60	EA	1/2" x 10'	RO125/300			54.45	EΑ
	Outside Corner, 90°						Inside Corner, 90°				
1/4"	ED/RO60			14.00		1/4"	ID/RO60			14.00	
5/16" 3/8"	ED/RO80 ED/RO100			14.00 14.00		5/16" 3/8"	ID/RO80 ID/RO100			14.00 14.00	
	ED/RO110			14.00			ID/RO110			14.00	
1/2"	ED/RO125			14.00	EΑ	1/2"	ID/RO125			14.00	
	V/RO60		num Coi				(For use with all Aluminum Rondec			3.25	EΑ
	V/RO80	Alumir	num Coi	nnector			(For use with all Aluminum Rondec	,		3.25	
3/8"			num Coi				(For use with all Aluminum Rondec	,		3.25	
7/16"	V/RO110 V/RO125		num Coi num Coi				(For use with all Aluminum Rondec) (For use with all Aluminum Rondec)	,		3.25 3.25	
	a) Stocked in colors Beige (TSE	B), Bronze (TSOE	), Cream	(TSC), Greig			•	,		5.25	LA
	<ul> <li>b) Stocked in colors Greige (TS To complete part number replace</li> </ul>					rev#is: PO60G					
RONDEC - PV		20 Appliono With C	5101 0000	Lampio IX	- Jou , O	, ,, 10. 110000.					
	Bahama (BH)	Classic	Grev	(PG)	Lial	nt Grey (HG)					
00.0.0.	Black (GS)	Grey (G	-	(. •)	_	nd Pebble (SP)					
	Bright White (BW)	Light Be		IB)	Wh	ite (W)					
1/4" x 8'		_			EA		PRO110			11.30	
	PRO80	Stock			EΑ	1/2" x 8'	PRO125			12.60	EΑ
3/8" X 8"	PRO100	Stock	а	10.05	ĽΑ	I	Incide Corner 000				
1/4"	Outside Corner, 90° E/PR060			3.55	EA	1/4"	Inside Corner, 90° I/PRO60			3.55	FΔ
	E/PRO80				EA		I/PRO80			3.55	
3/8"	E/PRO100				EΑ		I/PRO100			3.55	
7/16"	E/PRO110			3.55	EA	7/16"	I/PRO110			3.55	EA
1/2"	E/PRO125				EA	1/2"	I/PRO125			3.55	EA
Notes:	<ul> <li>a) Stocked in colors Bright White To complete part number replace</li> </ul>				RO60 fr	or Light Beige # is: PRO	50HB.				
	. 5 complete part number replac	will C	2.2. Jour	ample I	, 10	g o.go					



				Sugg.					П	Sugg.	
Sizes & Shapes		Stock	Note	List	U/M	Sizes & Shapes		Stock	Note	List	U/M
RONDEC-CT											
A double-rail ed	dging profile for countertops. The to	p and bo	ottom e	edges of the	profile a	are symmetrically roun	ded and match the RONDEC profile	).			
Colors:	Brushed Brass Anodized Alu	uminum	ı (AM	GB)		Brushed Chi	ome Anodized Aluminum (AC	CGB)			
5/16" x 8'	RC8039		•	70.80	EΑ	1/2" x 8'	RC12539	,		73.75	EA
3/8" x 8'	RC10039			71.25	EΑ						
	Outside Corner, 90°					_	Outside Corner, 135°				
	E90RC8039			37.55	EΑ		E135RC8039			37.55	
	E90RC10039			37.55	EΑ		E135RC10039			37.55	
1/2"	E90RC12539			37.55	EA	1/2"	E135RC12539			37.55	EA
E/16"	Inside Corner, 90° 190RC8039			37.55	ΕA	5/16"	Inside Corner, 135° I135RC8039			37.55	EA
5/16" 3/8"	190RC10039			37.55	EA	3/8"	I135RC10039			37.55	
	I90RC12539			37.55	EA	1/2"	I135RC12539			37.55	
Colors:	Brushed Copper Anodized A	Juminu	m (Δ				kel Anodized Aluminum (ATG	:R\			
5/16" x 8'	RC8039	(idiiiiid	III (A	74.15	EA	_	RC12539	,ט,		76.15	FΔ
	RC10039			75.65		1/2 80	110120 00			70.10	
	Outside Corner, 90°					•	Outside Corner, 135°				
5/16"	E90RC8039			37.55	EΑ	5/16"	E135RC8039			37.55	EA
3/8"	E90RC10039			37.55	EΑ	3/8"	E135RC10039			37.55	EΑ
1/2"	E90RC12539			37.55	EΑ	1/2"	E135RC12539			37.55	EA
	Inside Corner, 90°						Inside Corner, 135°				
5/16"	I90RC8039			37.55	EΑ	5/16"	I135RC8039			37.55	
3/8"	190RC10039			37.55	EΑ	3/8"	I135RC10039			37.55	
1/2"	I90RC12539			37.55	EA	1/2"	I135RC12539			37.55	EA
	Satin Anodized Aluminum (A	λE)									
5/16" x 8'	RC80AE39			62.35	EΑ	1/2" x 8'	RC125AE39			66.35	EA
3/8" x 8'	RC100AE39			63.40	EA	ı	Outside Comes 125°				
E/40"	Outside Corner, 90°			32.60	EA	I FACT	Outside Corner, 135°			22.60	EA
	E90RC80AE39 E90RC100AE39			32.60	EA	5/16"	E135RC80AE39 E135RC100AE39			32.60 32.60	
	E90RC125AE39			32.60	EA		E135RC125AE39			32.60	
	Inside Corner, 90°			02.00	_, .		Inside Corner, 135°			02.00	
5/16"	I90RC80AE39			32.60	EA	5/16"	I135RC80AE39			32.60	EA
3/8"	I90RC100AE39			32.60	EΑ	3/8"	I135RC100AE39			32.60	
1/2"	I90RC125AE39			32.60	EΑ	1/2"	I135RC125AE39			32.60	EΑ
Color:	Satin Brass Anodized Alumi	num (A	M)								
5/16" x 8'	RC80AM39			64.35	EΑ	1/2" x 8'	RC125AM39			68.80	EΑ
3/8" x 8'	RC100AM39			65.90	EΑ						
	Outside Corner, 90°						Outside Corner, 135°				
	E90RC80AM39			32.60			E135RC80AM39			32.60	
	E90RC100AM39			32.60			E135RC100AM39			32.60	
1/2"	E90RC125AM39 Inside Corner, 90°			32.60	ĽΑ	1/2"	E135RC125AM39 Inside Corner, 135°			32.60	ĽΑ
E/16"	190RC80AM39			32.60	⊏∧	I 5/16"	Inside Comer, 135			32.60	⊏∧
5/16" 3/8"	190RC100AM39			32.60		5/16" 3/8"	1135RC100AM39			32.60 32.60	
1/2"	190RC125AM39			32.60		1/2"	I135RC125AM39			32.60	
Colors:	Satin Copper Anodized Alun	ninum (	AK)				Anodized Aluminum (AT)				
5/16" x 8'	RC8039	(	,,	68.25	FA	•	RC12539			72.70	FA
	RC10039			69.80		.,_ ,,					
	Outside Corner, 90°					•	Outside Corner, 135°				
5/16"	E90RC8039			32.60	EΑ	5/16"	E135RC8039			32.60	EA
3/8"	E90RC10039			32.60	EΑ	3/8"	E135RC10039			32.60	EΑ
1/2"	E90RC12539			32.60	EΑ	1/2"	E135RC12539			32.60	EA
	Inside Corner, 90°					•	Inside Corner, 135°				
	190RC8039			32.60			I135RC8039			32.60	
3/8"	190RC10039			32.60			I135RC10039			32.60	
1/2"	I90RC12539	no with a-	lor ocal	32.60		1/2"	I135RC12539			32.60	ĽΑ
Note:	To complete part number replace hyphe	IIS WILIT CO	ioi code	ъ. ⊏хапіріе R0	JOUJ	, IUI DIUSIIEU BI'ASS ANOO	izeu Aluminum # IS: KC0UAMGB39.				





r									
Sizes & Shapes		Stock No	Sugg. ote List	U/M	Sizes & Shapes		Stock Note	Sugg. List	U/M
	TRENDLINE Textured Color-	Coated A	luminum		· ·				
Colors:	Beige (TSB) Pewter (		Bronze (TS	SOB)					
5/16" x 8'	RC8039 RC10039	/	92.50 97.50	EA	1/2" x 8'	RC12539		99.90	EA
3/0 X 0	Outside Corner, 90°		97.50	LA	1	Outside Corner, 135°			
5/16"	E90RC8039		39.40	EA	5/16"	E135RC8039		39.40	ΕA
	E90RC10039		39.40			E135RC10039		39.40	
	E90RC12539		39.40			E135RC12539		39.40	
	Inside Corner, 90°				•	Inside Corner, 135°			
5/16"	I90RC8039		39.40	EΑ	5/16"	I135RC8039		39.40	EΑ
3/8"	I90RC10039		39.40	EΑ	3/8"	I135RC10039		39.40	EΑ
1/2"	I90RC12539		39.40	EΑ	1/2"	I135RC12539		39.40	EΑ
Note:	To complete part number replace hyphe	ns with color	code. Example R	C803	o, for Beige # is: RC80TS	SB39.			
RONDEC-DB									
A decorative pr	rofile for walls, wainscotings and tile	bases and	can also be use	d as a	inishing profile within v	wall surfaces.			
Color:	Satin Anodized Aluminum (A	ĄΕ)							
17/32" x 8'	DB14AE		39.45	EΑ	17/32" x 10'	DB14AE/300		49.30	EΑ
	Outside Corner, 90°				_				
17/32"	EV/DB14AE		15.40	EA					
17/32" x 8'	DB14AM	Satin Bras	s Anodized Alu	minum	(AM)			39.45	EA
17/32" x 8'	DB14AK	Satin Copp	oer Anodized Al	uminun	1 (AK)			41.70	EΑ
RONDEC-STE	<u>P</u>								
A finishing and	edging profile for countertops and s	stairs. The v	vertical leg of the	e profile	hides the exposed ed	lge of the sub-assembly.			
Colors:	Brushed Brass Anodized Ald Brushed Chrome Anodized	`	,		Brushed Co	pper Anodized Aluminum (Ak	(GB)		
=/40# OI	1-1/2" Vertical Leg Length				1 4/01 01	50405 00			
5/16" x 8'			73.65		1/2" x 8"	RS12539		77.05	ΕA
3/8 X 8	RS10039		74.50	EA	1	Outside Comer 1250			
E/16"	Outside Corner, 90° E90RS8039		29.55	EA	F/46"	Outside Corner, 135° E135RS8039		20 55	Ε,
3/8"			29.55		3/8"			29.55 29.55	
	E90RS12539		29.55		1/2"	E135RS12539		29.55	
	Inside Corner, 90°					Inside Corner, 135°			
5/16"	I90RS8039		29.55	EΑ	5/16"	,		29.55	EΑ
3/8"			29.55			I135RS10039		29.55	
1/2"	I90RS12539		29.55	EΑ	1/2"	I135RS12539		29.55	EΑ
	2-1/4" Vertical Leg Length				•				
5/16" x 8'	RS8057		75.05	EΑ	1/2" x 8'	RS12557		78.45	EΑ
3/8" x 8'	RS10057		75.95	EΑ					
	Outside Corner, 90°					Outside Corner, 135°			
5/16"	E90RS8057		29.55		5/16"	E135RS8057		29.55	
3/8"			29.55			E135RS10057		29.55	
1/2"	E90RS12557		29.55	EA	1/2"	E135RS12557		29.55	EΑ
	Inside Corner, 90°					Inside Corner, 135°			
5/16"	190RS8057		29.55			I135RS8057		29.55	
3/8" 1/2"			29.55 29.55			I135RS10057 I135RS12557		29.55 29.55	
		adiaad Ali					~D)	29.00	LA
Colors:	Brushed Antique Bronze An 1-1/2" Vertical Leg Length	odized Ait	ummum (Abo	JD)	brusned Nic	kel Anodized Aluminum (ATC	<b>3D</b> )		
5/16" x 8'	• •		73.65	⊏∧	1/2" v 0'	RS12539		77.05	⊏∧
	RS10039		73.65		1/2 1/0	NO 12003		11.03	LA
5/5 X 0	Outside Corner, 90°		. 4.00	_, \	1	Outside Corner, 135°			
5/16"	E90RS8039		29.55	EA	5/16"	E135RS8039		29.55	FΔ
	E90RS10039		29.55			E135RS10039		29.55	
	E90RS12539		29.55			E135RS12539		29.55	
	Inside Corner, 90°				•	Inside Corner, 135°			
5/16"	I90RS8039		29.55	EA	5/16"	I135RS8039		29.55	ΕA
3/8"	I90RS10039		29.55		3/8"	I135RS10039		29.55	
1/2"	I90RS12539		29.55	EA	1/2"	I135RS12539		29.55	EA



Sizes & Shapes		Stock No	Sugg. ote List	U/M	Sizes & Shapes		Stock	Note	Sugg. List	U/M
RONDEC-STER	P - continued				•		•			
Color:	Satin Anodized Aluminum (Al	≣)								
	1-1/2" Vertical Leg Length									
	RS80AE39		56.30	EΑ	1/2" x 8'	RS125AE39			59.20	EΑ
3/8" x 8'	RS100AE39		57.25	EΑ						
	Outside Corner, 90°					Outside Corner, 135°				
5/16"	E90RS80AE39		26.15	EΑ	5/16"	E135RS80AE39			26.15	EΑ
	E90RS100AE39		26.20			E135RS100AE39			26.15	
1/2"	E90RS125AE39		26.20	EΑ	1/2"	E135RS125AE39			26.20	E/
	Inside Corner, 90°				•	Inside Corner, 135°				
	I90RS80AE39		26.15		5/16"	I135RS80AE39			26.15	
	I90RS100AE39		26.15		3/8"	I135RS100AE39			26.15	
1/2"	190RS125AE39		26.20	EA	1/2"	I135RS125AE39			26.15	EF
=/40" 01	2-1/4" Vertical Leg Length				1 4/01 01	D04054555				
	RS80AE57		57.80		1/2" x 8'	RS125AE57			61.50	E
3/8 X 8	RS100AE57		58.75	EA	ı	0.45145 0.500 4050				
5/40"	Outside Corner, 90°		00.00	_ ^	I 5401	Outside Corner, 135°			00.00	_ ^
	E90RS80AE57 E90RS100AE57		26.20		5/16"	E135RS80AE57			26.20	
	E90RS125AE57		26.20 26.20		3/8" 1/2"	E135RS100AE57 E135RS125AE57			26.20 26.20	
1/2	Inside Corner, 90°		20.20	LA	1/2	Inside Corner, 135°			20.20	
5/16"	190RS80AE57		26.20	EA	5/16"	1135RS80AE57			26.20	
	190RS100AE57		26.20		3/8"	1135RS100AE57			26.20	
	190RS125AE57		26.20			I135RS125AE57			26.20	
	Satin Copper Anodized Alumi	inum (Ak				Anodized Aluminum (AT)				
Colors.	• • •	iliuili (Ar	<b>(</b> )		Sauli Nickei	Allouized Aldillillulli (A1)				
5/16" x 8'	1-1/2" Vertical Leg Length		E6 20	⊏ ^	1/2" v 0'	RS12539			E0 20	/
	RS10039		56.30 57.25		1/2 X 0	K312539			59.20	
3/0 X 0	Outside Corner, 90°		07.20		1	Outside Corner, 135°				
5/16"	E90RS8039		26.15	EA	5/16"	E135RS8039			26.15	FΔ
	E90RS10039		26.20			E135RS10039			26.15	
	E90RS12539		26.20			E135RS12539			26.20	
	Inside Corner, 90°				•	Inside Corner, 135°				
5/16"	190RS8039		26.15	EA	5/16"	I135RS8039			26.15	EΑ
	I90RS10039		26.15	EΑ	3/8"	I135RS10039			26.15	EA
1/2"	I90RS12539		26.20	EΑ	1/2"	I135RS12539			26.15	EA
	2-1/4" Vertical Leg Length									
5/16" x 8'	RS8057		57.80	EΑ	1/2" x 8'	RS12557			61.50	EA
3/8" x 8'	RS10057		58.75	EΑ						
	Outside Corner, 90°					Outside Corner, 135°				
5/16"	E90RS8057		26.20	EΑ	5/16"	E135RS8057			26.20	EΑ
3/8"	E90RS10057		26.20			E135RS10057			26.20	
1/2"	E90RS12557		26.20	EΑ	1/2"	E135RS12557			26.20	ΕA
	Inside Corner, 90°				•	Inside Corner, 135°				
	I90RS8057		26.20		5/16"	I135RS8057			26.20	
3/8"	I90RS10057		26.20		3/8"	I135RS10057			26.20	
1/2"	I90RS12557		26.20	EA	1/2"	I135RS12557			26.20	ΕA
Color:	Satin Brass Anodized Alumin	um (AM)	)							
	2-1/4" Vertical Leg Length				_					
	RS80AM57		57.80		1/2" x 8'	RS125AM57			61.50	EΑ
3/8" x 8'	RS100AM57		58.75	EΑ						
	Outside Corner, 90°				•	Outside Corner, 135°				
5/16"	E90RS80AM57		26.20		5/16"	E135RS80AM57			26.20	
3/8"	E90RS100AM57		26.20		3/8"	E135RS100AM57			26.20	
1/2"	E90RS125AM57		26.20	ĽΑ	1/2"	E135RS125AM57			26.20	E/
=110"	Inside Corner, 90°		00.0-	_,	1	Inside Corner, 135°			00.0-	
	190RS80AM57		26.20		5/16"	I135RS80AM57			26.20	
3/8"	I90RS100AM57 I90RS125AM57		26.20 26.20		3/8" 1/2"	I135RS100AM57 I135RS125AM57			26.20 26.20	
1/2"						LIGORO LZOMIVIO/				





			Sugg.					Sugg.	
Sizes & Shapes	Stock	Note	List	U/M	Sizes & Shapes	Stock	Note	List	U/M

### **SCHIENE**

Schluter-SCHIENE is an edging profile featuring an 87° angle designed to finish and protect external corners and other tile edges. Though SCHIENE is typically used in floor applications, the finishes listed in this section are specifically suited for use in wall applications. SCHIENE in sizes 1/4" and higher features an integrated joint spacer that establishes a defined joint cavity between the tile and the profile.

icatares air inte	grated joint spacer that establish	ics a definica joint cavity betwee	on the the	and the profile.			
Color:	Bright Black Anodized Alu	ıminum (AGSG)					
3/16" x 8'	A45AGSG	20.90	EA	3/8" x 8'	A100AGSG	24.20	EA
1/4" x 8'	A60AGSG	22.10	EA	1/2" x 8'	A125AGSG	24.95	EA
5/16" x 8'	A80AGSG	22.55	EA				
Color:	Brushed Graphite Anodize	ed Aluminum (AGRB)					
1/4" x 8'	A60AGRB	27.35	EA	3/8" x 8'	A100AGRB	30.20	EA
5/16" x 8'	A80AGRB	28.75	EA	1/2" x 8'	A125AGRB	32.10	EA
SCHIENE - Co	lor-Coated Aluminum (AC)						
Colors:	Bahama (BH) Black (GS) Black Brown (SB)	Bright White (BW) Classic Grey (PG) Grey (G)	Light	Beige (HB) Grey (HG) lic Grey (GM)	Red Brown (RB) Sand Pebble (SP) White (W)		
	DIACK DIOWII (OD)	City (C)	ivietai	iic Grey (Givi)	vville (vv)		

1/8" x 8' 20.15 EA 3/8" x 8' A100--24.20 EA а 20.90 EA 7/16" x 8' A110--3/16" x 8' A45-а 24.60 EA 1/4" x 8' A60--22.10 EA 1/2" x 8' A125--24.95 EA а 5/16" x 8' A80--22.55 EA

Notes: To complete part number replace hyphens with color code. Example A100--, for Bright White (BW) # is: A100BW.

a) Not available in color Red Brown (RB).

SCHIENE-STEP - see section: STAIR-NOSING PROFILES

#### STAIR-NOSING PROFILES

# RONDEC-STEP - see section: FINISHING & EDGE-PROTECTION PROFILES FOR WALLS & COUNTERTOPS

### **SCHIENE-STEP**

continued on next page

A finishing and edging profile for ceramic tile and natural stone installations on countertops, stairs and tile over tile applications on walls. The top of the profile features a vertical wall section that finishes and protects the tile from damage, while the vertical leg covers the edge of the sub-assembly, top of the riser or existing wall tile edge.

Available in anodized aluminum and brushed stainless steel versions which have different shapes and intended uses. The stainless steel version is available in three vertical leg lengths: 1-1/2" for countertops, 1-3/16" for stairs and 7/16" for tile over tile applications. The anodized aluminum version is intended for residential stair applications (stairs not exposed to heavy traffic). It is available in two vertical leg lengths, 1-3/16" and 1-1/2. The ribbed vertical leg covers the sub-assembly or top of the riser. The integrated joint spacer establishes a defined joint cavity between the tile and the profile.

Color:	Brushed Stainless Steel 304 (EB)			-	-	·		
	1-1/2" Vertical Leg Length							
1/4" x 8'	SS60EB39	170.35	EΑ	I	7/16" x 8'	SS110EB39	180.65	EΑ
11/32" x 8'	SS90EB39	177.45	EΑ		1/2" x 8'	SS125EB39	183.50	EΑ
	Outside Corner, 90° & End Cap			-		Outside Corner, 135°		
1/4"	E90/SS60EB39	22.50	EΑ	1	1/4"	E135/SS60EB39	22.50	EΑ
11/32"	E90/SS90EB39	22.50	EΑ		11/32"	E135/SS90EB39	22.50	EΑ
7/16"	E90/SS110EB39	22.50	EΑ		7/16"	E135/SS110EB39	22.50	EΑ
1/2"	E90/SS125EB39	22.50	EΑ		1/2"	E135/SS125EB39	22.50	EΑ
	Inside Corner, 90°					Inside Corner, 135°		
1/4"	I90/SS60EB39	22.50	EΑ		1/4"	I135/SS60EB39	22.50	EΑ
11/32"	I90/SS90EB39	22.50	EΑ		11/32"	I135/SS90EB39	22.50	EΑ
7/16"	I90/SS110EB39	22.50	EΑ		7/16"	I135/SS110EB39	22.50	EΑ
1/2"	I90/SS125EB39	22.50	EΑ		1/2"	I135/SS125EB39	22.50	EΑ
	Connector							
1/4"	V/SS60EB39	19.10	EΑ		7/16"	V/SS110EB39	19.10	EΑ
11/32"	V/SS90EB39	19.10	EΑ		1/2"	V/SS125EB39	19.10	EΑ
	1-3/16" Vertical Leg Length							
11/32" x 8'	SS90EB30	134.20			1/2" x 8'	SS125EB30	137.65	EΑ
7/16" x 8'	SS110EB30	135.95	EΑ					
	Outside Corner, 90° & End Cap			_		Connector		
11/32"	E90/SS90EB30	22.50	EΑ		11/32"	V/SS90EB30	19.10	
7/16"	E90/SS110EB30	22.50	EΑ		7/16"	V/SS110EB30	19.10	
1/2"	E90/SS125EB30	22.50	EΑ	ı	1/2"	V/SS125EB30	19.10	EΑ
	7/16" Vertical Leg Length							
1/4" x 8'	SS60EB11	129.00	EΑ	I	1/2" x 8'	SS125EB11	130.80	EΑ





# **Product Code 'I'**

Sizes & Shapes		Stock No	Sugg. te List	U/M	Sizes & Shapes		Stock Note	Sugg. List	U/M
SCHIENE-STE	P - continued		•						
Color:	Brushed Stainless Steel 30	4 (EB)							
4.48	Connector				1 4.00	\//004055D44			
	V/SS60EB11		19.10	EA	1/2"	V/SS125EB11		19.10	ΕA
Color:	Satin Anodized Aluminum (	•							
5/16" v 8'	1-3/16" Vertical Leg Length SS80AE30	1	46.90	EA	1/2" v 8'	SS125AE30		48.50	<b>E</b> 4
	SS100AE30		47.65			SS150AE30		49.25	
	1-1/2" Vertical Leg Length								
5/16" x 8'	SS80AE39		51.00	EA	1/2" x 8'	SS125AE39		52.55	ΕA
	SS100AE39		51.80	EA	9/16" x 8'	SS150AE39		53.40	EΑ
Color:	Satin Nickel Anodized Alum	, ,							
F/40II 0I	1-3/16" Vertical Leg Length	1	F4 70	Ε.	4/0101	004054720		<b>50.40</b>	_^
	SS80AT30 SS100AT30		51.70 52.25			SS125AT30 SS150AT30		53.10 53.85	
0/0 X 0	1-1/2" Vertical Leg Length		02.20		0/10 X 0	00100/1100		00.00	_,
5/16" x 8'	SS80AT39		55.60	EA	1/2" x 8'	SS125AT39		57.20	EΑ
3/8" x 8'	SS100AT39		56.45	EA	9/16" x 8'	SS150AT39		58.00	ΕA
REP-B									
Designed to pro	otect tiled stair edges and provide a	an easily visib	ole, slip-resistan	it wear s	surface.				
Colors:	Black (GS) Grey (G)	Light	Beige (HB)	N	ut Brown (NB)	Yellow (CG)			
	Aluminum Support with The	ermoplastic			•				
5/16" x 8'			90.80		5/16" x 4' 11"			56.75	
3/8" x 8' 1/2" x 8'			96.35 100.55		3/8" x 4' 11" 1/2" x 4' 11"			60.20 62.85	
9/16" x 8'			100.55		9/16" x 4' 11"			66.30	
	25B		108.50		1" x 4' 11"			67.85	
	E52/	End Cap						2.55	EA
	Aluminum Support Section	Only							
5/16" x 8'			56.40		5/16" x 4' 11"			28.25	ΕA
3/8" x 8' 1/2" x 8'			61.90 66.15		3/8" x 4' 11" 1/2" x 4' 11"			31.00 33.15	
9/16" x 8'			71.70		9/16" x 4' 11"			35.10	
	TAB25		74.10	EA		TAB25/150		37.10	
8'	PEA52/		ent Thermoplas		,			35.50	
	PEA52//300		ent Thermoplas		•			44.35	
	PEA52//50 To complete part number replace hyph	•	ent Thermoplas		•			221.40	EA
REP-E	To complete part number replace hypri	ens with color c	ode. Example	)D, 101 OI	еу # 13. ООД.				
	nrofile with a alin registant ourfoce (	and has an ar	oborina loa wh	ioh io or	nhaddad in tha tila ha	nd oost			
	profile with a slip-resistant surface a Stainless Steel 304 (E)	and nas an ar	icrioring leg wil	ich is ei	nbeaded in the tile bo	nu coat.			
Color.	1-3/16" Wide Wear Surface	,							
3/32" x 8'		•	58.60	EA	7/16" x 8'	TE110		64.25	ΕA
3/16" x 8'			60.60		5/8" x 8'			67.35	
5/16" x 8'	TE80		62.45	EA	1" x 8'	TE250		72.35	ΕA
3/32" x 4' 11"			36.70		7/16" x 4' 11"			40.15	
3/16" x 4' 11"			37.90		5/8" x 4' 11"			42.15	
5/16" x 4' 11"	E/TE	End Cap	39.05	ΕA	1" X 4" 11"	TE250/150		45.75 3.75	
	LIIL	спи Сар						3.73	
DED EEK	and the state of the same of t		. t	' CI .	f t	96 to 1 2 Pro 1 2 2 2 4 2 4 4 4 4 4 4 4 4 4 4 4 4 4 4			
TREP-EFK							urface for durable and safe	stairs.	
A retrofit stainle		in areae eiini		יטטו נומו	10, 30011 03 0111063 01	rasiio saliali igs.			
A retrofit stainle The profile is si	uitable for interior and exterior use	ın areas subje	Joint to Houry						
A retrofit stainle The profile is so Color:	uitable for interior and exterior use Stainless Steel 316L (E)	•	-	re				83.35	F
A retrofit stainle The profile is si Color: 8'	uitable for interior and exterior use	•	de Wear Surfac	e				83.35	EA
A retrofit stainle The profile is si Color: 8'	uitable for interior and exterior use Stainless Steel 316L (E) TEF56K/V4A	2-7/32" Wid	de Wear Surfac					83.35	ΕA
A retrofit stainle The profile is so Color: 8'  TREP-EK A stair-nosing p	uitable for interior and exterior use Stainless Steel 316L (E) TEF56K/V4A  profile with a slip-resistant surface a	2-7/32" Wid	de Wear Surfac		5.			83.35	ΕA
A retrofit stainle The profile is so Color: 8'  FREP-EK A stair-nosing p Color:	uitable for interior and exterior use Stainless Steel 316L (E) TEF56K/V4A	2-7/32" Wid	de Wear Surfac	tallations	<b>3</b> .			83.35	





				Sugg.		] [			1		Sugg.	
Sizes & Shapes		Stock	Note		U/M		Sizes & Shapes		Stock	Note	Sugg. List	U/M
TREP-FL						a 1	•					
A decorative st	air-nosing profile with a protruding ro	unded	edge t	hat can be in	tegrate	d in	to stairs covered wi	ith tile or stone.				
Color:	Brushed Stainless Steel 304	(EB)										
11/32" x 8'	FL90EB			95.30	EΑ	1	11/32" x 4' 11"	FL90EB/150			57.20	EA
	FL110EB			99.45	EΑ			FL110EB/150			59.65	
1/2" x 8'	FL125EB			103.85	EΑ		1/2" x 4' 11"	FL125EB/150			62.35	EΑ
	E/FLEB	End Ca	р								5.70	EA
Color:	Stainless Steel 304 (E)											
11/32" x 8'				79.45			11/32" x 4' 11"				47.65	
7/16" x 8'	. = =			82.95			7/16" x 4' 11"				49.80	
1/2" x 8'	FL125E			86.60	ΕA	ı	1/2" x 4' 11"	FL125E/150			52.00	
	E/FLEB	End Ca	р								5.70	ΕA
	Satin Anodized Aluminum (A	(E)										
11/32" x 8'				36.35			11/32" x 4' 11"				25.75	
	FL110AE			37.10				FL110AE/150			26.25	
1/2 X O	FL125AE	End C		37.80	EA	ı	1/2 X 4 11	FL125AE/150			28.15	EA
	E/FLAE	End Ca	ιþ								2.30	EA
TREP-G												
Protects tiled st	tair edges & has an easily visible, sli <sub>l</sub>	p-resista	ant we	ar surface. S	Suitable	for	interior & exterior u	se in areas subjected to heavy f	foot-traffic.			
Colors:	Black (GS) Transparer	` '										
	Brushed Stainless Steel Sup	port w	ith 1-	-3/16" Wide	Non-	-Sli <sub>l</sub>	p Tread					
	GSEB90			164.50			11/32" x 4' 11"				104.20	
	GSEB110			166.30				GSEB110/150			105.35	
	GSEB130			168.00				GSEB130/150		а	106.40	
	GSEB150			170.90			9/16" X 4" 11"	GSEB150/150		а	108.05	
60.	GSKB183 E/GSEB	End Ca		t Non-Slip Tre	ead On	ly					181.05 5.65	
			1P								3.03	EA
Colors:	Black (GS) Transparer	` '	:4: 0	E (00    14/1-1		ο <i>ι</i> :	T					
44/0011 01	Brushed Stainless Steel Sup	port w	ıth 2-			-511		ODEDO0 450			400.05	_^
	GBEB90			211.05			11/32" x 4' 11"				132.95	
	GBEB110 GBEB130			212.55 214.35				GBEB110/150 GBEB130/150		а	133.90 135.00	
	GBEB150			216.10				GBEB150/150		a	136.10	
	GBKB183	Replac	ement	t Non-Slip Tre		•	G/10 X 1 11	322.00 7.00		~	326.25	
	E/GBEB	End Ca		o op	Juu 0	.,						EA
Notes:	a) Special Order Only, call Customer Se			nt for availability	<i>i</i> .						0.00	_, ,
	To complete part number replace hypher					, for	Transparent # is: GSI	EB90T.				
TREP-GK												
Designed to pro traffic. The sur As such, can be	otect tiled stair edges & provide an e face features a self-adhesive non-sli e installed as a repair so that existing	p tread g damag	with a	n embedded	minera	l gra	ain coating. TREP-					
	Black (GS) Transparer	` '										
	GSEBK						1 1-3/16" Wide Non	•			139.05	
	GSEBK/150						1-3/16" Wide Non	-Silp Tread			88.15	
	GSKB183	•		t Non-Slip Tre		•	. O E/2011 M/L-1- N	Olin Tanad			181.05	
	GBEBK GBEBK/150						n 2-5/32" Wide Non n 2-5/32" Wide Non	•			185.40 116.75	
	GBEBK/150 GBKB183			niess Steel S t Non-Slip Tre			I Z-JIJZ VVIUE INON	-Olip Heau			326.25	
	To complete part number replace hypher					,	Black # is: GSERKGS				320.23	LA
	To complete part number replace hypries	15 WILLI CO	noi cod	ie. Example O	JLDIX,	IOI L	DIACK # 19. OOLDINGS					
TREP-S	and the state of t		2.00	-P								
	otect tiled stair edges and provide ar											
Colors:	Black (GS) Grey (G)			eige (HB)			Brown (NB)	Yellow (CG)				
	Aluminum Support with Their	mopla	stic F			1-1/						
5/16" x 8'				62.55			5/16" x 4' 11"				39.90	
3/8" x 8'				64.95			3/8" x 4' 11"				40.60	
1/2" x 8'		F. 10		69.00	ΕA	1	1/2" x 4' 11"	125/150			43.10	
	E26/	End Ca	р								2.10	ΕA
continued on n	ext page											





State & Shapes			т —		C		1				C	
TREP-S - continued   Colors   Black (GS)   Grey (G)   Light Beige (HB)   Nut Brown (NB)   Yellow (CG)	Sizes & Shanes		Stock	Note	Sugg. List	LI/M	l	Sizes & Shanes		Stock Note	Sugg. List	U/M
Black (GS)   Gray (G)   Light Beige (HB)   Nut Brown (NB)   Yellow (CG)		inued	Otock	NOIC	List	O/IVI	J	Olzes & Oliapes		Otock Note	LIST	O/IVI
### Administral Support Section Only    Sife x			Lie	aht B	oigo (HR)		Nlii	t Brown (NR)	Vellow (CG)			
1	001013.			grit Di	cigo (FID)		Nu	t Blown (NB)	reliew (OO)			
142" x 8   TAS12	5/16" x 8'	• • •	·y		41.30	EΑ	1	5/16" x 4' 11"	TAS8/150		20.70	EΑ
PEASE	3/8" x 8'	TAS10			43.65	EΑ		3/8" x 4' 11"	TAS10/150		21.90	EΑ
PEA26H-900   Replacement Thermoplastic Rubber Insert Only   132 A9   136 A5   136	1/2" x 8'				47.70	EΑ	ı	1/2" x 4' 11"	TAS12/150		23.95	EA
TREP-Note   To Complete part umber registes hyphren with cotro one. Example - 103, for Black #in. 6 St016.			•					•				
TREP-SE   Designed to proflect field stair adges and provide an early visible, silp-resistant wear surface.   Section   Sect												
Designed to protect titled stair edges and provide an easily visible, stip-resistant wear surface.					•			,			136.85	EA
Designed to protect illed stair edges and provide an easily visible, slip-residant wear surface.		To complete part number replace hypric	SIIS WILLI CI	DIOI COU	ie. Lxailipie	103, 101	ыа	CK # 15. G5 105.				
Colors:   Black (GS)   Crey (G)   Light Beige (HB)   Nut Brown (NB)   Yellow (CG)		ata at tilad atair adaga and provide a	برانموم م	ماطنمنى	alia rasistan			<del></del>				
Staffless Steel Support with Thermoplastic Rubber Insert & 1-1/32" Wide Wear Surface   \$1.01		· .	-						\(\alpha      - \dots \(\lambda \)			
Selfor x 8   Sele	Colors:	. , ,		-				` ,	` '			
1/2" x 8   -105E	E/46" v 0'	• • •	n Inern	nopia			ert (				E0 4E	Γ.
12" x 8"   -125E												
E26												
Stainleas Steel Support Section Only   Stife's #1 TES9		E26/	End Ca	ар			•				2.10	EΑ
Sific   No.   TESB		Stainless Steel Support Sec		•								
112" x 8" TES12	5/16" x 8'			,	71.35	EΑ	1	5/16" x 4' 11"	TES8/150		48.45	EΑ
Replacement Thermoplastic Rubber Insert Only   PE26ii-300   Replacement Thermoplastic Rubber Insert Only   PE26ii-300   Replacement Thermoplastic Rubber Insert Only   Replacement PVC Insert Only   Replacement P												
19   19   PEZB-/300   Replacement Thermoplastic Rubber Insert Only   10   Replacement PVC Insert Only   11   11   Replacement PVC Insert Only   11   11   12   11   12   10   10   10	1/2" x 8'						ı		TES12/150		50.25	EA
Note:   To complete part number replace hyphens with color code.   Example - 12SE/150, for Light Beige # is: HB12SE/150.								,				
TREP-TAP					•			•			27.40	EA
An Anodized Aluminum cover profile that integrates with the TREP-B and TREP-S stair-nosing profiles to conceal the top of the riser.  **Color:** Satin Anodized Aluminum (AE)**  **8	-	To complete part number replace hyphe	ens with c	olor cod	le. Example	12SE/15	0, t	or Light Beige # is: HB	12SE/150.			
Color:   Satin Anodized Aluminum (AE)   2" Wide with a Smooth Surface Finish   2" Wide with a Smooth Surface Finish   3" 3" TAP50AE/100   18.95   EA   4" 11"   TAP50AE/150   25.75   EA   3" 3"   TAP50AE/100   25.75   EA   4" 11"   TAP60AE/150   25.75   EA   3" 3"   TAP50AE/100   25.75   EA   4" 11"   TAP60AE/150   25.75   25.75   EA   4" 11"   TAP60AE/150   25.75   EA   4" 11"   TAP60A	TREP-TAP											
8	An Anodized A	luminum cover profile that integrate	s with th	e TRE	P-B and TRE	EP-S st	air-	nosing profiles to co	nceal the top of the riser.			
Replace	Color:	Satin Anodized Aluminum (	AE)									
TAP60AEI/100		2" Wide with a Smooth Surf	ace Fir	nish								
2-13/32" Wide with Horizontal Grooves   2-13/32" Wide with Horizontal Grooves   3-13/32" Wide with Horizontal Grooves   3-13/32" Wide With Elbaro   3-13/32" Wide Wide With Elbaro   3-13/32" Wide Wide Wide With Elbaro   3-13/32" Wide Wide Wide With Elbaro   3-13/32" Wide Wide Wide Wide Wide With Elbaro   3-13/32" Wide Wide Wide Wide Wide Wide Wide Wide	~							4' 11"	TAP50AE/150		25.75	EΑ
Table	3' 3"				18.95	EA	I					
An Anodized Aluminum profile with a PVC tread designed to protect tiled stair edges. The specially textured slip resistant tread makes TREP-V well suited for use in areas with heavy foot traffic, such as offices or public buildings. The replaceable PVC tread is available in a variety of colors including high visibility options. TREP-V is available with either a narrow (TREP-V 42) or wide (TREP-V 60) tread. End caps are also available.  **Colors:** Black (GS)** Light Beige (HB)** Nut Brown (NB)** Stone Grey (SG)**  **Grout Grey (FG)** Light Grey (HG)** Sand Pebble (SP)**  **Anodized Aluminum** Support with Slip-resistant PVC Insert & 1-21/32" Wide Tread**  **11/32" x 3" 3" TVL42-90/100 \$1.10 \$3.1.0 EA \$1.10 EA \$1.132" x 6" 7" TVL42-90/200 \$6.8.0 EA \$1/2" x 3" 3" TVL42-110/100 \$3.3.00 EA \$7/16" x 6" 7" TVL42-110/200 \$6.8.0 EA \$1/2" x 4" 11" TVL42-125/100 \$3.4.45 EA \$1/2" x 6" 7" TVL42-125/200 \$6.8.0 EA \$1/132" x 4" 11" TVL42-90/150 \$47.05 EA \$1/132" x 10" TVL42-90/300 \$99.95 EA \$7/16" x 4" 11" TVL42-125/150 \$52.10 EA \$1/132" x 10" TVL42-10/300 \$99.95 EA \$7/16" x 10" TVL42-110/300 \$99.95 EA \$1/2" x 4" 11" TVL42-125/150 \$52.10 EA \$1/2" x 10" TVL42-125/300 \$104.25 EA \$1.21/32" x 10" TVL42-300 Replacement PVC Insert Only \$37.40 EA \$1/2" x 10" TVL42-10/300 \$99.95 EA \$7/16" x 10" TVL42-10/300 \$99.95 EA \$1/2" x 10" TVL42-300 Replacement PVC Insert Only \$1/16" x 10" TVL42-10/300 \$99.95 EA \$1/2" x 10" TVL42-300 \$90.90 EA \$1/2" x 10" TVL42-10/300 \$90.90 EA \$1/2" x 10" TVL40-10/10/100 \$90.90 EA \$1/2" x 10" TVL40-10/1			tal Gro	oves								
An Anodized Aluminum profile with a PVC tread designed to protect tiled stair edges. The specially textured slip resistant tread makes TREP-V well suited for use in areas with heavy foot traffic, such as offices or public buildings. The replaceable PVC tread is available in a variety of colors including high visibility options. TREP-V is available with either a narrow (TREP-V 42) or wide (TREP-V 60) tread. End caps are also available.  **Colors:** Black (GS)** Light Beige (HB)** Nut Brrown (NB)** Stone Grey (SG)**  **Grout Grey (FG)** Light Grey (HG)** Sand Pebble (SP)** Anodized Aluminum Support with Slip-resistant PVC Insert & 1-21/32" Wide Tread**  **TIV42-90/100** 31.10 EA** 1/16" x 6" 7" TVL42-90/200** 66.80 EA** 1/1/2" x 3" TVL42-125/100 33.00 EA** 7/16" x 6" 7" TVL42-90/200 69.65 EA** 1/1/2" x 4" 11" TVL42-125/100 34.45 EA** 1/2" x 6" 7" TVL42-125/200 69.65 EA** 1/1/2" x 4" 11" TVL42-110/150 49.95 EA** 7/16" x 10" TVL42-90/300 94.25 EA** 1/1/2" x 4" 11" TVL42-110/150 49.95 EA** 7/16" x 10" TVL42-110/300 99.95 EA** 1/1/2" x 4" 11" TVL42-125/150 52.10 EA** 1/1/2" x 10" TVL42-110/300 99.95 EA** 1/1/2" x 10" TVL42-120/300 104.25 EA** 1-21/32" x 10" TVL42-1/300 Replacement PVC Insert Only 25.10 EA** 1/1/2" x 10" TVL42-125/300 104.25 EA** 1/1/32" x 10" TVL42-1/300 Replacement PVC Insert Only 25.10 EA** 1/1/2" x 6" 7" TVL60-90/200 87.40 EA** 1/1/2" x 3" TVL60-10/100 45.75 EA** 1/1/6" x 6" 7" TVL60-90/200 92.60 EA** 1/1/2" x 3" TVL60-10/100 45.75 EA** 1/1/6" x 6" 7" TVL60-10/200 92.60 EA** 1/1/2" x 4" 11" TVL60-110/100 45.75 EA** 1/1/6" x 6" 7" TVL60-110/200 92.60 EA** 1/1/2" x 4" 11" TVL60-110/100 92.60 EA** 1/1/2" x 6" 7" TVL60-110/200 92.60 EA** 1/1/2" x 4" 11" TVL60-110/100 92.60 EA** 1/1/2" x 6" 7" TVL60-10/300 130.65 EA** 1/1/2" x 4" 11" TVL60-110/100 92.60 EA** 1/1/2" x 6" 7" TVL60-110/300 130.65 EA** 1/1/2" x 4" 11" TVL60-110/100 92.60 EA** 1/1/2" x 10" TVL60-10/300 130.65 EA** 1/1/2" x 4" 11" TVL60-110/100 92.60 EA** 1/1/2" x 10" TVL60-10/300 130.65 EA** 1/1/2" x 4" 11" TVL60-125/150 PA** EPICO-100 PA**	8'	TAPR61AE			42.15	EA	ļ	4' 11"	TAPR61AE/150		25.75	EA
use in areas with heavy foot traffic, such as offices or public buildings. The replaceable PVC tread is available in a variety of colors including high visibility options. TREP-V is available with either a narrow (TREP-V 42) or wide (TREP-V 60) tread. End caps are also available.  **Colors:** Black (GS)	TREP-V											
options. TREP-V is available with either a narrow (TREP-V 42) or wide (TREP-V 60) tread.         End caps are also available.           Colors:         Black (GS)         Light Beige (HB)         Nut Brown (NB)         Stone Grey (SG)           Grout Grey (FG)         Light Grey (HG)         Sand Pebble (SP)           Anodized Aluminum Support with Slip-resistant PVC Insert & 1-21/32" Wide Tread           11/32" x 3' 3"         TVL42-90/100         31.10 EA         11/32" x 6' 7"         TVL42-90/200         62.95 EA         7/16" x 3' 3"         TVL42-110/100         66.80 EA           1/2" x 3' 3"         TVL42-90/150         34.45 EA         1/2" x 6' 7"         TVL42-90/300         94.25 EA         7/16" x 1"         7/16" x 1"         7/16" x 2" 2"         9.95 EA         1/2" x 10"         7/16" x 2" 2"         9.95 EA         1/2" x 10"         7/16" x 2" 2"         1/2" x 10"         7/142-110/300         99.95 EA         1/2" x 10"         1/2" x 1												
Colors:         Black (GS) Grout Grey (FG)         Light Beige (HB) Light Grey (HG)         Nut Brown (NB) Sand Pebble (SP)         Stone Grey (SG)           Anodized Aluminum         Support with Slip-resistant PVC Insert & 1-21/32" Wide Tread           11/32" x 3' 3" TVL42-90/100         31.10 EA         11/32" x 6' 7" TVL42-90/200         62.95 EA           7/16" x 3' 3" TVL42-125/100         33.00 EA         7/16" x 6' 7" TVL42-10/200         69.65 EA           11/2" x 3' 3" TVL42-125/100         47.05 EA         11/2" x 6' 7" TVL42-90/300         94.25 EA           7/16" x 4' 11" TVL42-90/150         47.05 EA         11/32" x 6' 7" TVL42-10/300         99.95 EA           1/2" x 4' 11" TVL42-125/150         52.10 EA         11/2" x 10" TVL42-110/300         99.95 EA           1/2" x 4' 11" TVL42-/200         Replacement PVC Insert Only ETVL         25.10 EA           1-21/32" x 10" TVL42-/300         Replacement PVC Insert Only ETVL         37.40 EA           ETTV42-         End Cap (1 left & 1 right)         43.20 EA         11/32" x 6' 7" TVL60-90/200         87.40 EA           1/1/32" x 3' 3" TVL60-90/100         43.20 EA         11/32" x 6' 7" TVL60-90/200         87.40 EA           1/1/32" x 4' 11" TVL60-90/150         47.75 EA         11/32" x 6' 7" TVL60-90/200         87.40 EA           1/1/32" x 4' 11" TVL60-90/150         47.75 EA         11/32" x 6'										nigh visibility		
Grout Grey (FG)   Light Grey (HG)   Sand Pebble (SP)	•				•	-		•				
Anodized Aluminum Support with Slip-resistant PVC Insert & 1-21/32" Wide Tread   11/32" x 3" 3"   TVL42-90/100   62.95   EA   11/32" x 3" 3"   TVL42-90/100   63.95   EA   11/32" x 3" 3"   TVL42-110/100   33.00   EA   7/16" x 3" 3"   TVL42-125/100   66.80   EA   11/32" x 4" 11"   TVL42-125/100   34.45   EA   11/32" x 4" 11"   TVL42-90/150   47.05   EA   11/32" x 10"   TVL42-125/200   94.25   EA   11/32" x 4" 11"   TVL42-90/150   49.95   EA   7/16" x 10"   TVL42-110/300   99.95   EA   11/2" x 4" 11"   TVL42-125/150   52.10   EA   11/2" x 10"   TVL42-125/300   104.25   EA   11/2" x 3" 3"   TVL42-1200   Replacement PVC Insert Only   25.10   EA   11/32" x 10"   TVL42-125/300   104.25   EA   11/32" x 3" 3"   TVL60-90/100   Replacement PVC Insert Not Not Not Not Not Not Not Not Not No	Colors:	Crout Crov (EC) Light (	Beige (I	HR)					ey (SG)			
11/32" x 3' 3" TVL42–90/100 31.10 EA 11/32" x 6' 7" TVL42–90/200 62.95 EA 7/16" x 3' 3" TVL42–110/100 33.00 EA 7/16" x 6' 7" TVL42–110/200 66.80 EA 1/2" x 3' 3" TVL42–125/100 34.45 EA 1/2" x 6' 7" TVL42–125/200 69.65 EA 11/32" x 4' 11" TVL42–10/150 49.95 EA 7/16" x 10' TVL42–90/300 99.95 EA 7/16" x 4' 11" TVL42–110/150 49.95 EA 7/16" x 10' TVL42–125/300 99.95 EA 1/2" x 4' 11" TVL42–125/150 52.10 EA 1/2" x 10' TVL42–125/300 104.25 EA 1/2" x 10' TVL42–125/300 104.25 EA 1/2" x 10' TVL42–300 Replacement PVC Insert Only E/TV42— End Cap (1 left & 1 right) 37.40 EA 1/2" x 10' TVL42–125/300 104.25 EA 1/32" x 10' TVL42–300 Replacement PVC Insert Only E/TV42— End Cap (1 left & 1 right) 48.0 SET 1/32" x 3' TVL60–10/100 45.75 EA 1/16" x 6' 7" TVL60–90/200 92.60 EA 1/2" x 3' 3" TVL60–125/100 47.75 EA 1/2" x 6' 7" TVL60–110/200 92.60 EA 1/2" x 3' 3" TVL60–125/100 47.75 EA 1/2" x 6' 7" TVL60–110/200 92.60 EA 1/2" x 4' 11" TVL60–90/150 65.35 EA 1/2" x 10' TVL60–90/300 130.65 EA 1/2" x 4' 11" TVL60–10/150 69.25 EA 7/16" x 10' TVL60–10/300 138.50 EA 1/2" x 4' 11" TVL60–10/150 Replacement PVC Insert Only 2-38" x 10' TVL60–125/100 Replacement PVC Insert Only 2-38" x 10' TVL60–125/100 Replacement PVC Insert Only 5-18.5 EA 1/2" x 10' TVL60–125/300 144.55 EA 1/2" x 10' TVL60–12									o Troad			
7/16" x 3' 3" TVL42–110/100 33.00 EA 7/16" x 6' 7" TVL42–110/200 66.80 EA 11/2" x 3' 3" TVL42–125/100 34.45 EA 11/2" x 6' 7" TVL42–125/200 69.65 EA 11/32" x 4' 11" TVL42–90/150 47.05 EA 11/32" x 10' TVL42–90/300 99.95 EA 7/16" x 1' 1" TVL42–110/150 49.95 EA 7/16" x 10' TVL42–110/300 99.95 EA 1/2" x 10' TVL42–125/150 52.10 EA 1/2" x 10' TVL42–125/300 104.25 EA 11/2" x 10' TVL42–1200 Replacement PVC Insert Only E/TV42 End Cap (1 left & 1 right) 4.80 SET 11/32" x 3' 3" TVL60–90/100 43.20 EA 11/32" x 6' 7" TVL60–90/200 87.40 EA 11/32" x 3' 3" TVL60–90/100 43.20 EA 11/32" x 6' 7" TVL60–90/200 92.60 EA 11/2" x 3' 3" TVL60–125/100 47.75 EA 11/2" x 6' 7" TVL60–110/200 92.60 EA 11/32" x 4' 11" TVL60–90/150 65.35 EA 11/2" x 6' 7" TVL60–125/200 96.60 EA 11/32" x 4' 11" TVL60–90/150 65.35 EA 11/32" x 10' TVL60–10/300 138.50 EA 11/32" x 4' 11" TVL60–10/150 69.25 EA 7/16" x 10' TVL60–10/300 138.50 EA 11/32" x 10' TVL60–10/300 Replacement PVC Insert Only TVL60–10/300 144.55 EA 2-3/8" x 10' TVL60–300 Replacement PVC Insert Only TVL60–10/300 144.55 EA EA 2-3/8" x 10' TVL60–300 Replacement PVC Insert Only TVL60–10/300 144.55 EA EA 5.65 SET	11/32" x 3' 3"	• • • • • • • • • • • • • • • • • • • •	t with	SIIP-IE			l				62 95	FΔ
1/2" x 3' 3"   TVL42-125/100   34.45   EA   1/2" x 6' 7"   TVL42-125/200   69.65   EA   11/32" x 4' 11"   TVL42-90/150   47.05   EA   11/32" x 10'   TVL42-90/300   94.25   EA   7/16" x 4' 11"   TVL42-110/150   49.95   EA   7/16" x 10'   TVL42-110/300   99.95   EA   1/2" x 10'   TVL42-125/300   104.25   EA   1/2" x 10'   TVL60-90/200   87.40   EA   1/2" x 10'   TVL60-90/200   87.40   EA   1/2" x 10'   TVL60-110/200   92.60   EA   1/2" x 10'   TVL60-110/200   92.60   EA   1/2" x 10'   TVL60-125/200   96.60   EA   1/2" x 10'   TVL60-125/200   96.60   EA   1/2" x 10'   TVL60-125/200   130.65   EA   1/2" x 10'   TVL60-110/300   130.65   EA   1/2" x 10'   TVL60-110/300   130.65   EA   1/2" x 10'   TVL60-110/300   130.65   EA   1/2" x 10'   TVL60-125/300   144.55   EA   2-3/8" x 10'   TVL60-2/300   Replacement PVC Insert Only   34.80   EA   2-3/8" x 10'   TVL60-3/300   Replacement PVC Insert Only   51.85   EA   EA   1/2" x 10'   TVL60-125/300   144.55   EA   1/2												
11/32" x 4' 11"												
1/2" x 4' 11"         TVL42-125/150         52.10         EA         1/2" x 10"         TVL42-125/300         104.25         EA           1-21/32" x 10"         TVL42-/200         Replacement PVC Insert Only         37.40         EA           1-21/32" x 10"         TVL42-/300         Replacement PVC Insert Only         37.40         EA           E/TV42         End Cap (1 left & 1 right)         4.80         SET           Anodized Aluminum Support with Slip-resistant PVC Insert & 2-3/8" Wide Tread           11/32" x 3' 3"         TVL60-90/100         43.20         EA         11/32" x 6' 7"         TVL60-90/200         87.40         EA           1/2" x 3' 3"         TVL60-110/100         45.75         EA         7/16" x 6' 7"         TVL60-110/200         92.60         EA           1/32" x 4' 11"         TVL60-90/150         65.35         EA         11/32" x 10"         TVL60-125/200         96.60         EA           7/16" x 4' 11"         TVL60-90/150         69.25         EA         7/16" x 10"         TVL60-90/300         130.65         EA           1/2" x 4' 11"         TVL60-125/150         72.25         EA         1/2" x 10"         TVL60-110/300         144.55         EA           2-3/8" x 10"         TVL60-/200         Replace					47.05	EΑ	ĺ	11/32" x 10'	TVL4290/300		94.25	EΑ
1-21/32" x 10"	7/16" x 4' 11"	TVL42110/150						7/16" x 10'	TVL42110/300		99.95	EΑ
1-21/32" x 10"       TVL42-/300 E/TV42       Replacement PVC Insert Only End Cap (1 left & 1 right)       37.40 EA       EA         Anodized Aluminum Support with Slip-resistant PVC Insert & 2-3/8" Wide Tread         11/32" x 3' 3"       TVL60-90/100       43.20 EA       11/32" x 6' 7" TVL60-90/200       87.40 EA         7/16" x 3' 3"       TVL60-110/100       45.75 EA       7/16" x 6' 7" TVL60-110/200       92.60 EA         11/32" x 4' 11"       TVL60-90/150       65.35 EA       11/2" x 6' 7" TVL60-125/200       96.60 EA         7/16" x 4' 11"       TVL60-90/150       65.35 EA       11/32" x 10' TVL60-90/300       130.65 EA         7/16" x 4' 11"       TVL60-110/150       69.25 EA       7/16" x 10' TVL60-110/300       138.50 EA         1/2" x 4' 11"       TVL60-125/150       72.25 EA       1/2" x 10' TVL60-125/300       144.55 EA         2-3/8" x 10'       TVL60-/200       Replacement PVC Insert Only       34.80 EA         2-3/8" x 10'       TVL60-/300 Replacement PVC Insert Only       51.85 EA         E/TV60       End Cap (1 left & 1 right)       5.66 SET	1/2" x 4' 11"	TVL42125/150					ı	1/2" x 10'	TVL42125/300		104.25	EΑ
E/TV42   End Cap (1 left & 1 right)												
Anodized Aluminum Support with Slip-resistant PVC Insert & 2-3/8" Wide Tread   11/32" x 3' 3"   TVL60-90/100	1-21/32" x 10'					Only						
11/32" x 3' 3"       TVL60-90/100       43.20       EA       11/32" x 6' 7"       TVL60-90/200       87.40       EA         7/16" x 3' 3"       TVL60-110/100       45.75       EA       7/16" x 6' 7"       TVL60-110/200       92.60       EA         1/2" x 3' 3"       TVL60-125/100       47.75       EA       1/2" x 6' 7"       TVL60-125/200       96.60       EA         11/32" x 4' 11"       TVL60-90/150       65.35       EA       11/32" x 10'       TVL60-90/300       130.65       EA         7/16" x 4' 11"       TVL60-110/150       69.25       EA       7/16" x 10'       TVL60110/300       138.50       EA         1/2" x 4' 11"       TVL60-125/150       72.25       EA       1/2" x 10'       TVL60125/300       144.55       EA         2-3/8" x 6' 7"       TVL60-/200       Replacement PVC Insert Only       34.80       EA         2-3/8" x 10'       TVL60-/300       Replacement PVC Insert Only       51.85       EA         E/TV60       End Cap (1 left & 1 right)       5.65       SET											4.80	SEI
7/16" x 3' 3" TVL60110/100	44/2011 21 211	• • • • • • • • • • • • • • • • • • • •	rt with S	Slip-re			en				07.40	_^
1/2" x 3' 3"       TVL60-125/100       47.75       EA       1/2" x 6' 7"       TVL60-125/200       96.60       EA         11/32" x 4' 11"       TVL60-90/150       65.35       EA       11/32" x 10'       TVL60-90/300       130.65       EA         7/16" x 4' 11"       TVL60-110/150       69.25       EA       7/16" x 10'       TVL60-110/300       138.50       EA         1/2" x 4' 11"       TVL60-125/150       72.25       EA       1/2" x 10'       TVL60-125/300       144.55       EA         2-3/8" x 6' 7"       TVL60-/200       Replacement PVC Insert Only E/INSERT Only E/INS												
11/32" x 4' 11"       TVL60-90/150       65.35       EA       11/32" x 10'       TVL60-90/300       130.65       EA         7/16" x 4' 11"       TVL60-110/150       69.25       EA       7/16" x 10'       TVL60-110/300       138.50       EA         1/2" x 4' 11"       TVL60-125/150       72.25       EA       1/2" x 10'       TVL60-125/300       144.55       EA         2-3/8" x 6' 7"       TVL60-/200       Replacement PVC Insert Only       34.80       EA         2-3/8" x 10'       TVL60-/300       Replacement PVC Insert Only       51.85       EA         E/TV60       End Cap (1 left & 1 right)       5.65       SET												
7/16" x 4' 11" TVL60110/150 69.25 EA 1/2" x 4' 11" TVL60125/150 72.25 EA 2-3/8" x 6' 7" TVL60/200 Replacement PVC Insert Only 2-3/8" x 10' TVL60/300 Replacement PVC Insert Only E/TV60 End Cap (1 left & 1 right) TVL60110/300 138.50 EA 1/2" x 10' TVL60125/300 144.55 EA 1/2" x 10' TVL60125/300 144.55 EA 1/2" x 10' TVL60125/300 144.55 EA 5.65 SET							i					
1/2" x 4' 11"       TVL60125/150       72.25 EA       1/2" x 10'       TVL60125/300       144.55 EA         2-3/8" x 6' 7"       TVL60/200       Replacement PVC Insert Only       34.80 EA         2-3/8" x 10'       TVL60/300 Replacement PVC Insert Only       51.85 EA         E/TV60       End Cap (1 left & 1 right)       5.65 SET												
2-3/8" x 6' 7"       TVL60/200       Replacement PVC Insert Only       34.80       EA         2-3/8" x 10'       TVL60/300       Replacement PVC Insert Only       51.85       EA         E/TV60       End Cap (1 left & 1 right)       5.65       SET												
2-3/8" x 10' TVL60/300 Replacement PVC Insert Only 51.85 EA E/TV60 End Cap (1 left & 1 right) 51.85 EA			Replac	ement			•					
						•					51.85	EA
Note: To complete part number replace hyphens with color code. Example TVL4290/100, for Black # is: TVL42GS90/100.					• ,						5.65	SET
	Note:	To complete part number replace hyphe	ens with c	olor cod	le. Example T\	/L4290	0/10	00, for Black # is: TVL4	2GS90/100.			





			Sugg.					Sugg.	
Sizes & Shapes	Stock	Note	List	U/M	Sizes & Shapes	Stock	Note	List	U/M

# **MOVEMENT JOINT & COVE-SHAPED PROFILES**

EX-AHK						
n anodized al	uminum, cove-shaped profile v	with a 3/8" radius for inside wall o	orners.	countertop/backspla	sh and floor/wall transitions.	
Color:	Brushed Brass Anodize		,			
5/16" x 8'	AHK1S80AMGB	59.95	EΔ	1/2" v 8	AHK1S125AMGB	63.25
	AHK1S100AMGB	61.50		1/2 X 0	ARK 13 125AWGB	03.23
3/0 X 0	E90/AHK1S/AMGB	Outside Corner, 90°	LA	I		37.55
	E135/AHK1S/AMGB	Outside Corner, 135°				37.55 37.55
	I90/AHK1S/AMGB	Inside Corner, 90°				37.55
	I135/AHK1S/AMGB	Inside Corner, 135°				37.55
	V/AHK	Connector				5.55
	E/AHK1S/AMGB	End Cap				24.50
Color:	Brushed Chrome Anodi	zed Aluminum (ACGB)				
	AHK1S80ACGB	57.70	FA	1/2" x 8	AHK1S125ACGB	61.05
	AHK1S100ACGB	59.30		172 80	711111012011002	01.00
	E90/AHK1S/ACGB	Outside Corner, 90°		1		37.55
	E135/AHK1S/ACGB	Outside Corner, 135°				37.55
	I90/AHK1S/ACGB	Inside Corner, 90°				37.55
	I135/AHK1S/ACGB	Inside Corner, 135°				37.55
Color:	Brushed Chrome Anodi	zed Aluminum (ACGB)				
	V/AHK	Connector				5.55
	E/AHK1S/ACGB	End Cap				24.50
Colors:	Brushed Copper Anodiz			Brushed Ni	ckel Anodized Aluminum (	ATGB)
001010.	Brushed Graphite Anod	,		2.0000	0.101711104120471141111114111	, ,
5/16" x 8'	AHK1S80	62.00	EA	1/2" x 8	AHK1S125	65.40
	AHK1S100	63.65			AHK1S150AGRB	a 67.40
	E90/AHK1S/	Outside Corner, 90°				37.55
	E135/AHK1S/	Outside Corner, 135°				37.55
	I90/AHK1S/	Inside Corner, 90°				37.55
	I135/AHK1S/	Inside Corner, 135°				37.55
	V/AHK	Connector				5.55
	E/AHK1S/	End Cap				24.50
Note:		Graphite Anodized Aluminum (AGRE	).			
Color:	Polished Brass Anodize	ed Aluminum (AMG)		_		
5/16" x 8'	AHK1S80AMG	66.35		1/2" x 8	AHK1S125AMG	69.20
3/8" x 8'	AHK1S100AMG	67.70	EA			
	E90/AHK1S/AMG	Outside Corner, 90°				37.55
	E135/AHK1S/AMG	Outside Corner, 135°				37.55
	I90/AHK1S/AMG	Inside Corner, 90°				37.55
	I135/AHK1S/AMG V/AHK	Inside Corner, 135° Connector				37.55 5.55
	E/AHK1S/AMG	End Cap				24.50
O-1						24.50
	Polished Chrome Anodi	` '	_^	4/01 0	ALUKA0405A00	07.00
	AHK1S80ACG AHK1S100ACG	64.45 65.80		1/2" X 8	AHK1S125ACG	67.30
3/0 X 0				H OLIADEC)		26.95
	E90Q/AHK1S/ACG E90/AHK1S/ACG	Outside Corner, 90° (Integoutside Corner, 90°	grates w	IIII QUADEC)		a 36.85 37.55
	E135/AHK1S/ACG	Outside Corner, 135°				37.55
	I90/AHK1S/ACG	Inside Corner, 90°				37.55
	I135/AHK1S/ACG	Inside Corner, 135°				37.55
	V/AHK	Connector				5.55
	E/AHK1S/ACG	End Cap				24.50
Note:	a) Features a square shape to alig	gn with the QUADEC profile when QUA	ADEC is	used on the vertical surfa	ace of the outside corner.	
Colors:	Polished Copper Anodiz	zed Aluminum (AKG)		Polished Ni	ckel Anodized Aluminum	(ATG)
5/16" x 8'	AHK1S80	68.10	EΑ	1/2" x 8	AHK1S125	70.95
	AHK1S100	69.50				. 5.00
	E90/AHK1S/	Outside Corner, 90°				37.55
	E135/AHK1S/	Outside Corner, 135°				37.55
		,				37.55
	I90/AHK1S/	Inside Corner, 90°				
	I90/AHK1S/ I135/AHK1S/	Inside Corner, 90° Inside Corner, 135°				37.55 5.55





os 9 Chanas		Ctook	Noto	Sugg. List	U/M	] [	Sizon & Shonon			Ctook	Note	Sugg.	U/N
es & Shapes		Stock	Note	LIST	U/IVI		Sizes & Shapes			Slock	Note	List	U/IV
<u>.EX-AHK - с</u>													
Colors:	Polished Copper Anodized		•	KG)			Polished Nic	kel Anoc	lized Aluminum (ATC	3)			
	E/AHK1S/	End Ca	р									24.50	ΕA
Color:	Satin Anodized Aluminum (A	AE)											
	AHK1S80AE			37.30			1/2" x 8'	AHK1S1	25AE			40.60	EΑ
3/8" x 8'	AHK1S100AE			38.80	EΑ								
	E90Q/AHK1S/AE			er, 90° (Inte	grates v	with C	QUADEC)				а	31.60	
	E90/AHK1S/AE	Outside		,								32.60	
	E135/AHK1S/AE	Outside		,								32.60	
	190/AHK1S/AE 1135/AHK1S/AE	Inside C		•								32.60 32.60	
	V/AHK	Connec		, 133								5.55	
	E/AHK1S/AE	End Ca										19.55	
Note:	a) Features a square shape to align with		•	ofile when QU	ADFC is	used	on the vertical surface	ce of the out	side corner			10.00	
	Satin Brass Anodized Alum								d Aluminum (AT)				
Colors.	Satin Copper Anodized Alum						Satiri Nickei	Allouize	u Alullillulli (AT)				
5/16" v 8'	AHK1S80	(	(,,	43.10	FΔ	ì	1/2" v 8'	AHK1S1	25			46.45	E
	AHK1S100			44.70				AHK1S1			а	48.25	
Gro A G	E90Q/AHK1S/AT	Outside	e Corne	er, 90° (Inte		vith (		7			a.b	31.60	
	E90/AHK1S/	Outside			J. 4.144 .						,	32.60	Е
	E135/AHK1S/	Outside	e Corne	er, 135°								32.60	Е
	I90/AHK1S/	Inside C		,								32.60	
	I135/AHK1S/	Inside C		, 135°								32.60	
	V/AHK	Connec										5.55	
	E/AHK1S/	End Ca				_ ,	5					19.55	E
Note:	To complete part number replace hyphe a) Only available in color Satin Nickel A b) Features a square shape to align with	nodized Al	luminun	n (AT).									
FY-AHK - T	RENDLINE Textured Color-C					- 4004		30 0. a.o oaa					
		Anthra				iaht	t Anthracite (TS	SI A)	Stone Grey (TSSG	2)			
001013.		ge (TSE		(ODA)			ter (TSG)	JLA)	Otoric Grey (1000	,,			
		/ (TSI)	-0,				ic Brown (TSR	)					
5/16" x 8'	AHK1S80	, ,		65.05	EΑ	l	1/2" x 8'	AHK1S1	25			67.40	Е
	AHK1S100			66.00	EΑ		9/16" x 8'					68.75	Е
	E90Q/AHK1S/	Outside	e Corne	er, 90° (Inte	grates v	with (	QUADEC)				а	36.55	Е
	E90/AHK1S/	Outside	e Corne	er, 90°	-		,					39.40	Е
	E135/AHK1S/	Outside	e Corne	er, 135°								39.40	Е
	I90/AHK1S/	Inside C		,								39.40	
	I135/AHK1S/	Inside C		, 135°								39.40	_
	V/AHK	Connec										5.55	
N1-1	E/AHK1S/	End Ca	•	. F	11/4040		)	05700				26.05	Е
Notes:	To complete part number replace hyphe	ens with co	olor code	e. ∟xample A	HK1512	5, F	ewter#is: AHK1S1	251SG.					

# **DILEX-AHKA**

An anodized aluminum, cove-shaped profile for transitions between walls to be tiled & previously finished floors. The profile features a single trapezoid-perforated anchoring leg that is secured in the mortar bond coat & a dovetailed channel, which can be bonded to floor surfaces using KERDI-FIX, epoxy resin, mortar, etc. A 3/8" radius cove section forms the visible surface & prevents the accumulation of dirt, making cleaning simple. Prevents surface water penetration & silicone, thin-set meets maintenance & hygienic requirements of commercial kitchens, bathrooms, food processing plants, or any tiled environment where a sanitary cove base is desired.

Color:	Brushed Chrome Anodize	ed Aluminum (ACGB)						
5/16" x 8'	AHKA80ACGB	57.60	EΑ	I	1/2" x 8'	AHKA125ACGB	61.00	EΑ
3/8" x 8'	AHKA100ACGB	59.20	EΑ	ı	9/16" x 8'	AHKA150ACGB	62.80	EΑ
	E90/AHKA/ACGB	Outside Corner, 90°					37.55	EΑ
	E135/AHKA/ACGB	Outside Corner, 135°					37.55	EΑ
	I90/AHKA/ACGB	Inside Corner, 90°					37.55	EΑ
	I135/AHKA/ACGB	Inside Corner, 135°					37.55	EΑ
	EL/AHKA/ACGB	End Cap - Left					24.50	EΑ
	ER/AHKA/ACGB	End Cap - Right					24.50	EΑ

continued on next page





Sizes & Shapes		Stock	Note	Sugg. List	U/M		Sizes & Shapes		Stock Note	Sugg. List	U/M
DILEX-AHKA -	continued					_			1		
Color:	Brushed Nickel Anodized A	luminum	۸. (۸.T.C.I	D)							
5/16" x 8'	AHKA80ATGB	aummum	i (ATG	61.95	ΕA	ı	1/2" v 8'	AHKA125ATGB		65.30	EA
	AHKA100ATGB			63.55	EA			AHKA150ATGB		67.30	
0/0 X 0	E90/AHKA/ATGB	Outside	Corner,		_, .	•	0/10 X 0	7.1.10 (100) (100)		37.55	
	E135/AHKA/ATGB		Corner,							37.55	
	I90/AHKA/ATGB	Inside C	Corner, 9	0°						37.55	EA
	I135/AHKA/ATGB		Corner, 1	35°						37.55	
	EL/AHKA/ATGB	End Cap								24.50	
	ER/AHKA/ATGB		p - Right							24.50	LA.
	Satin Anodized Aluminum (	(AE)									
5/16" x 8'				37.20				AHKA125AE		40.50	
3/8" x 8'	AHKA100AE	0.4-:4-	0	38.70	EΑ	ı	9/16" x 8'	AHKA150AE		41.70	
	E90/AHKA/AE E135/AHKA/AE		Corner, Corner,							32.60 32.60	
	190/AHKA/AE		Corner, 9							32.60	
	I135/AHKA/AE		Corner, 1							32.60	
	EL/AHKA/AE	End Cap	p - Left							19.55	EA
	ER/AHKA/AE	End Cap	p - Right							19.55	EA
Color:	Satin Nickel Anodized Alun	ninum (A	AT)								
5/16" x 8'	AHKA80AT			43.00	EΑ	1	1/2" x 8'	AHKA125AT		46.40	EA
3/8" x 8'	AHKA100AT			44.60	EΑ		9/16" x 8'	AHKA150AT		48.15	EA
	E90/AHKA/AT		Corner,							32.60	
	E135/AHKA/AT		Corner,							32.60	
	I90/AHKA/AT		Corner, 9							32.60	
	I135/AHKA/AT EL/AHKA/AT	End Ca	Corner, 1	35"						32.60 19.55	
	ER/AHKA/AT		p - Leit p - Right							19.55	
DII FX-AHKA -	TRENDLINE Textured Colo										
Colors:		k Anthra				Lial	nt Anthracite (TS	SLA) Stone Grey (TSSG	2)		
001010.		ige (TSE	•	5571)		_	vter (TSG)	SEATO Storie Grey (1996	-)		
	, ,	y (TSI)	- /				stic Brown (TSR)	)			
5/16" x 8'	AHKA80			65.05	EΑ	1	1/2" x 8'	AHKA125		67.40	EA
3/8" x 8'	AHKA100			66.00	EΑ		9/16" x 8'	AHKA150		68.75	EA
	E90/AHKA/		Corner,							39.35	EA
	E135/AHKA/		Corner,							39.35	
	190/AHKA/		Corner, 9							39.35	
	I135/AHKA/		Corner, 1	35°						39.35	
	EL/AHKA/ ER/AHKA/	End Car	p - Leit p - Right							25.40 25.40	
Note:	To complete part number replace hyph				-IKA80-	1i	oht Anthracite # is: AH	HKAROTSI A		20.40	LA
	To complete part number replace hypn	Olio With Col	ioi codo.	Example 71	110100	, ட	gitt / tiltindoite # 13. / til	110 100 1012 1.			
DILEX-AKWS	61				4.1	4	·				
	profile with aluminum anchoring leg										
	Black (GS) Classic Gre	y (PG)	Gre	y (G)	_		. ,	and Pebble (SP)		,= -	
	AKWS80			41.35				AKWS125		47.90	
	AKWS90 AKWS100			43.75 44.60				AKWS140 AKWS160		51.90 55.10	
	AKWS110			45.40				AKWS210		60.00	
	To complete part number replace hyph	ens with col	lor code.							00.00	
DILEX-AS	hh					, -					
						self.	-adhesive tape to bo	ond the profile to fixed building elem	nents.		
A perimeter joir	nt profile with a rigid PVC anchoring s 1/4" to 1/2" thick.	g leg and a	a flexible	joining le	g with		·				
A perimeter joir Suitable for tile	s 1/4" to 1/2" thick.	g leg and a	a flexible	joining le	g with	0011	·				
A perimeter joir Suitable for tile Color:	s 1/4" to 1/2" thick. Bright White (BW)	g leg and a	a flexible	ijoining le	g with	0011	·			38 UU	FΔ
A perimeter joir Suitable for tile Color:	s 1/4" to 1/2" thick. Bright White (BW) AS20BW	5			g with	00	·	,		38.00	
A perimeter joir Suitable for tile Color:	s 1/4" to 1/2" thick.  Bright White (BW)  AS20BW  EKR/AS20BW	Outside	End Ca	p (Right)	g with	0011	·	,		4.55	EA
A perimeter joir Suitable for tile Color:	s 1/4" to 1/2" thick. Bright White (BW) AS20BW	Outside	End Ca	p (Right)	g with	0011	·			4.55 4.55	





			Sugg.					Sugg.	
Sizes & Shapes	Stock	Note		U/M	Sizes & Shapes	Stock	Note		U/M

#### **DILEX-BT**

An expansion joint profile made of anodized aluminum that bridges expansion joints and accommodates movement via the 1-3/16" wide telescopic center section which also forms the visible surface. Protects tile edges and is suitable for tile surfaces exposed to foot traffic and vehicular traffic.

Color:	Satin Anodized Aluminum (A	E)
--------	----------------------------	----

5/16" x 8'	AEBT80	188.45	EΑ	9/16" x 8'	AEBT150	198.30	EΑ
3/8" x 8'	AEBT100	191.60	EΑ	11/16" x 8'	AEBT175	202.30	EΑ
1/2" x 8'	AEBT125	195.20	EΑ	3/4" x 8'	AEBT200	212.55	EΑ

#### **DILEX-BTO**

Expansion joint profile that bridges expansion joints at floor/wall transitions & accommodates movement via the 1-3/16" wide telescopic center section.

Color:	Satin Anodized Aluminum	(AE)
COIOI.	Jailli Allouized Aldillillulli	┌┌┖

5/16" x 8'	AEBT80/O125	194.35	EΑ	9/16" x 8'	AEBT150/O125	199.35	EΑ
3/8" x 8'	AEBT100/O125	195.85	EΑ	11/16" x 8'	AEBT175/O125	201.45	EΑ
1/2" x 8'	AEBT125/O125	197.70	EΑ	3/4" x 8'	AEBT200/O125	206.40	EΑ

### **DILEX-BTS**

An expansion joint profile made of anodized aluminum that bridges expansion joints and accommodates movement via the 1-3/16" wide telescopic center section. Installed in completed tile coverings & is suitable for tile surfaces exposed to foot & vehicular traffic.

Color: Satin Anodized Aluminum (AE)

3/8" x 8' AEBTS100 195.25 EA

### **DILEX-BWA**

A perimeter joint profile with a rigid PVC anchoring leg and a 7/32" wide soft CPE movement zone that isolates the tile covering from fixed building elements and forms the visible surface. Features a dovetailed channel made of rigid PVC that can be bonded to the fixed building elements.

Colors:	Classic Grey (PG)	Bright White (BW)	Grout Grey (FG)	Stone Grey (SG)
---------	-------------------	-------------------	-----------------	-----------------

Grey (G) Cream (C) Light Beige (HB)
Black (GS) Dark Anthracite (DA) Sand Pebble (SP)

3/16" x 8' BWA45-- a 24.30 EA 3/8" x 8' BWA100-- **Stock** b 28.35 EA 1/4" x 8' BWA60-- 25.90 EA 1/2" x 8' BWA125-- 29.15 EA

5/16" x 8' BWA80-- Stock b 27.55 EA

Notes: a) Not available in color Sand Pebble (SP) b) Stocked in color Bright White (BW) only.

To complete part number replace hyphens with color code. Example BWA45--, for Bright White # is: BWA45BW.

### **DILEX-BWB**

Profile with rigid PVC anchoring legs & a 3/8" wide soft CPE movement zone. Suitable for residential to medium-duty commercial applications.

Colors:	Classic Grey (PG)	Bright White (BW)	Grout Grey (FG)	Stone Grey (SG)
	Grey (G)	Cream (C)	Light Beige (HB)	
	Black (GS)	Dark Anthracite (DA)	Sand Pebble (SP)	

1/4" x 8' BWB60--24.50 EA 1/2" x 8' BWB125--26.35 EΑ а 30.50 EA 5/16" x 8' BWB80--25.15 EΑ 9/16" x 8' BWB150G b 3/8" x 8' BWB100--26.30 EA 3/4" x 8' BWB200G 32.65 EA

Notes: a) Not available in color Sand Pebble (SP). b) Available in color Grey (G) only.

To complete part number replace hyphens with color code. Example BWB60--, for Light Beige # is: BWB60HB.

Bright White (BW)

### **DILEX-BWS**

Colors: Classic Grey (PG)

Profile with rigid PVC anchoring legs & a 3/16" wide soft CPE movement zone. Suitable for residential to medium-duty commercial applications.

	Grey (G)	Cream (C)	Light Beige (HB)		
	Black (GS)	Dark Anthracite (DA)	Sand Pebble (SP)		
3/16" x 8'	BWS45	22.65 EA	3/8" x 8' BWS100	23.85	EΑ
1/4" x 8'	BWS60	22.65 EA	7/16" x 8' BWS110	23.85	EΑ
5/16" x 8'	BWS80	22.65 EA	1/2" x 8' BWS125	23.85	EΑ
11/32" x 8'	BWS90	23.85 FA			

Grout Grey (FG)

Stone Grey (SG)

Note: To complete part number replace hyphens with color code. Example BWS60--, for Grey # is: BWS60G.

### DILEX-EDP

A surface joint profile that protects tile edges and separates individual fields in the tile covering. Accommodates horizontal movement via the 15/32" wide tongue-and-groove connection. Suited for tile surfaces subject to heavy use, including areas exposed to continuous vehicular traffic.

Color:	Stainless Steel 304 (E)						
5/16" x 8'	EDP80	128.00	EA	5/8" x 8'	EDP160	139.85	EΑ
11/32" x 8'	EDP90	129.80	EA	23/32" x 8'	EDP185	143.20	EΑ
3/8" x 8'	EDP100	131.20	EA	13/16" x 8'	EDP210	146.40	EA
7/16" x 8'	EDP110	132.35	EA	1" x 8'	EDP250	152.45	EA
1/2" x 8'	EDP125	134.75	EΑ	1-3/16" x 8'	EDP300	159.30	EΑ
17/32" x 8'	EDP140	136.55	EΑ				

15.55 EA

301.95 EA



3/8" x 8' FCS100

100' FIS300--



### **Product Code 'I'**

				Sugg.		1 1					Sugg.	
Sizes & Shapes		Stock	Note		U/M	П	Sizes & Shapes		Stock	Note	List	U/M
DILEX-EHK		•							-			
Cove-shaped p	profile with a 23/32" radius for insid	le wall cor	ners, o	countertop/ba	ackspla	sh a	and floor/wall transiti	ions.				
Color:	Brushed Stainless Steel 30	04 (EB)										
9/32"x9/32"x8' 11/32"x11/32"x8'		,		123.80 127.45			7/16"x7/16"x8'	EBHKU11/O11			131.50	EA
	A/EBHK2R18	Outside	e Corn	er, 90°							14.55	ΕA
	E135/EBHK2R18			er, 135°							14.55	
	I/EBHK2R18 I/EBHK3R18			r, 90° (2 Way r, 90° (3 Way	,						14.55 14.55	
	I135/EBHK2R18	Inside			')						14.55	
	V/EBHK	Conne		.,							14.55	
	E/HKW/G	End Ca	ар							а	5.85	ΕÆ
Color:	Stainless Steel 304 (E)											
9/32"x9/32"x8'				95.30			7/16"x7/16"x8'	EHKU11/O11			101.15	EA
11/32"x11/32"x8'			_	98.05	EΑ	ı						_
	A/EHK2R18 E135/EHK2R18			er, 90° ier, 135°							11.20 11.20	
	I/EHK2R18			r, 90° (2 Way	<b>(</b> )						11.20	
	I/EHK3R18			r, 90° (3 Way							11.20	
	I135/EHK2R18	Inside		r, 135°							11.20	
	V/EHK E/HKW/G	Conne								_	11.20 5.85	
0-1		End Ca	ap							а	3.63	
	Stainless Steel 316 L (EV4 EHKU7/07/V4A	iA)		104.75	FΔ	ı	7/16"x7/16"x8'	EHKU11/O11/V4A			111.25	ΕÆ
	EHKU9/09/V4A			104.75				EHKU16/O16/V4A			113.60	
	a) Grey PVC only.				_, ,	•	ore here he	2				
OILEX-EKE												
	mont joint profile with a 3/16" wide	soft CDE	movo	mont zono th	nat can	arat	toe individual tilo field	ds at floor/wall transitions and inside	o wall o	ornore		
	ce water penetration and sound br								5 Wall CC	JIIIGI3.		
	Black (GS)	-	•	rey (PG)	,		ght Beige (HB)					
00.0.0.	Bright White (BW)	Grey		( -)		•	and Pebble (SP)					
5/16"x9/32"x8'	EKEU8/07			23.20	EΑ	1	33/64"x1/2"x8'	EKEU13/012			24.55	ΕA
11/32"x5/16"x8'				23.85			9/16"x17/32"x8'	EKEU15/O14			25.35	ΕA
	EKEU11/O10			24.00		_ l _						
	To complete part number replace hyp	nens with co	olor cod	le. Example El	KEU8/O	7, †	for Bright White # is: El	KEU8/O7BW.				
DILEX-EKSB												
•						ble	for residential to me	edium-duty commercial applications				
	Black (GS) Classic G	Grey (PG	i)	Grey (G	,	Ļi	ght Beige (HB)					
	EKSB25			102.65			1/4" x 8'	EKSB60			112.85	E/
	EKSB45 To complete part number replace hypl	hene with co	olor cod	108.55		for	Grov # is: EKSR25G					
		iens with co	JIOI COC	ie. Lxampie Li	NODZJ-	, 101	Oley # 15. LNOB250.					
DILEX-EZ 6 + 9	<del></del>	مد تمانم نام	~ f	tion for tile ou	- d otom		at in a thin had of ad	lho oirro				
•	nbines decorative design with stre		_				et in a thin bed of ad	mesive.				
1/4" x 8'	Brass Inlay/Grey (M/G)	Chro	me in	nlay/Yellow 20.70			11/32" x 8'	E7 / 0			24.60	<b>-</b> /
	To complete part number replace hypl	hene with co	olor cod								24.00	<i>⊏F</i>
	To complete part number replace hyp	iens with co	JIOI COC	ie. Lxampie L	L-70, IC	ום ול	ass illiay/Oley # is. LZ	IVI/OU.				
DILEX-F	one Classical and an analysis DVO and	ala a da a la					. T	a tanadh a dha Calda ta Cana a a ann		l. I .		
								s together tile fields to form a seam laced with the selected color of silic				
								ne special silicone inlay is equipped				
stretch properti	es and a low-friction coating that r	epels dus	t. The	inlay is appro	oximate	ly 1	/8" wide when instal	lled and available in 10 colors to ma	atch the			
The DILEX-F s	ystem is suitable for residential to	medium-d	luty co	mmercial app	olicatio	ns s	subject to light mecha	anical loads (e.g., offices and store	s).			
Colors:		eam (C)					• ( )	Stone Grey (SG)				
		rk Anthr	acite	(DA)			eige (HB)					
	, , ,	ey (G)	~ #		San	a P	ebble (SP)					
11/32" x 8'	Carrier Profile with Protect	ive Cove	er	15.55	⊏^	ı	7/16" x 8'	EC9110			15.55	E ^
	FCS100			15.55			7/10 X O 1/2" x 8'				15.55	

1/2" x 8' FCS125

15.55 EA

Silicone Inlay

Notes: a) An installation tool is included with each roll of silicone inlay to facilitate cleaning of the joint and insertion of the inlay.

To complete part number replace hyphens with color code. Example FIS300--, for Light Beige # is: FIS300HB.





				Sugg.						Sugg.	
Sizes & Shapes		Stock	Note	List	U/M	Sizes & Shapes		Stock	Note	List	U/M
DILEX-HK											
A cove-shaped	profile with an 11/16" radius and a	soft CPE	move	ment zone.	Preven	ts sound bridges maki	ng it ideal for sound-rated floors.				
<i>Colors:</i> 1/2"x11/32"x8'	Bright White (BW) Green HKU12/O9	y (G)	I	Light Beige	e (HB)					44.50	EA
1/2 X11/32 X0	A/HK/	Outside	Corn	ar 90°						5.85	
	I/HK2R18/			;, 90° (2 Way	')					5.85	
	I/HK3R18/	Inside	Corner	, 90° (3 Way	·)					5.85	
	V/HK EL/HK/G	Conne		4\					_	2.50	
	ER/HK/G	End Ca End Ca		,					a a	5.85 5.85	
Notes:	a) Only available in color Grey (G).			,					~		
	To complete part number replace hyphe	ns with co	olor cod	e. Example H	KU12/O9	, for Light Beige # is: Hh	(U12/O9HB.				
<b>DILEX-HKS</b>											
A Stainless Ste	el cove-shaped profile with a 23/32'	' radius t	or insi	de wall corne	ers and	floor/wall transitions in	applications.				
Colors:	Black (GS) Classic Gr	ey (PG	)	Grey (G)	)	Light Beige (HB)					
5/16"x9/32"x8'	HKSV2AU8/O7			167.75			HKSV2AU18/O7			175.20	
3/8"x9/32"x8'	HKSV2AU10/O7 HKSV2AU12/O7			169.40 170.20			HKSV2AU21/O7 HKSV2AU25/O7			176.80 180.10	
17/32"x9/32"x8'	HKSV2AU14/07			170.20			HKSV2AU30/07			182.60	
5/8"x9/32"x8'	HKSV2AU16/07			174.35		. 6/16/10/02/10					
	90° Outside Corner with Pre	-Cut P	rofile	Sections							
	E90V2AU8/O7		а	66.10			E90V2AU14/O7		а	66.10	
	E90V2AU10/O7 E90V2AU12/O7		a a	66.10 66.10			E90V2AU16/O7		а	66.10	EA
5/16"x11/32"x8'	HKSV2AU8/O9		а	167.75		1 22/20"5/11/20"50	HKSV2AU18/O9			175.20	EA
3/8"x11/32"x8'	HKSV2AU10/09			169.40			HKSV2AU21/O9			176.80	
15/32"x11/32"x8'	HKSV2AU12/09			170.20		1"x11/32"x8'	HKSV2AU25/O9			180.10	
17/32"x11/32"x8'	HKSV2AU14/09			172.65		1-3/16x11/32"x8'	HKSV2AU30/O9			182.60	EA
5/8"x11/32"x8'	HKSV2AU16/09	0.40	('') -	174.40	EA						
	90° Outside Corner with Pre E90V2AU8/O9	-Cut P		66.10	ΕA	ı	E90V2AU14/O9		•	66.10	EA
	E90V2AU10/O9		a a	66.10			E90V2AU16/O9		a a	66.10	
	E90V2AU12/O9		a	66.10			20012/10/10/00		~	000	
5/16"x7/16"x8'	HKSV2AU8/O11			167.75	EΑ	23/32"x7/16"x8'	HKSV2AU18/O11			175.20	EA
3/8"x7/16"x8'	HKSV2AU10/O11			169.45			HKSV2AU21/O11			176.85	
	HKSV2AU12/O11			170.25			HKSV2AU25/O11			180.15	
5/8"x7/16"x8'	HKSV2AU14/O11 HKSV2AU16/O11			172.70 174.35		1-3/10 X//10 X0	HKSV2AU30/O11			182.60	EA
	90° Outside Corner with Pre	-Cut P	rofile			•					
	E90V2AU8/O11		а	66.10	EΑ		E90V2AU14/O11		а	66.10	EA
	E90V2AU10/O11		а	66.10			E90V2AU16/O11		а	66.10	EA
	E90V2AU12/O11		а	66.10	EA						
	A/EHK2R18	Outside			۸					11.20	
	I/EHK2R18 I/EHK3R18			r, 90° (2 Way r, 90° (3 Way						11.20 11.20	
	V/EHK	Conne		, so (s ivay	,					11.20	
	E/HKW/G	End Ca							b	5.85	EA
Notes:	a) Special Order Only, call Customer Se	ervice Dep	artmen	t for availability	<b>'</b> .						
	<ul><li>b) Grey PVC only.</li><li>To complete part number replace hyphe</li></ul>	ns with ~	olor cod	e Fyamnla Hi	(S\/2411	R/O7 for Black # is: HK	SV2AU8/O7GS				
	10 complete part number replace hyprie	iio willi U	noi cou	o. Lauripie III	10 V Z/10	J. J. J. DIAUK # 13. TIK	0 1 L 100/01 00.				

### **DILEX-HKU**

A Stainless Steel cove-shaped profile for inside wall corners and floor/wall (including countertop/backsplash) transitions. May be used with floor coverings other than ceramic and stone tile, provided that the floor coverings are fastened or adhered (i.e., no floating floors). The profile features a single anchoring leg that turns inward, which allows it to be used with different thicknesses of tile. DILEX-HKU is available with either a 3/8" or 1-7/16" radius cove section. The cove section forms the visible surface and prevents the accumulation of dirt, making cleaning simple. It prevents surface water penetration and meets the maintenance and hygienic requirements of commercial kitchens, bathrooms and food-processing plants or any tiled environment where a sanitary cove base is desired.

3/8" Radius Cove Section

Color: Stainless Steel 304 (E)

8' HKUR10E 66.95 EA





Sizes & Shapes		Stock Not	e List	U/M	Sizes & Shapes		Stock Note	List	U/N
DILEX-HKU -	<u>continued</u>								
	Brushed Stainless Steel 30 HKUR10EB							73.30	Ε
Color: 8'	Stainless Steel 316 L (V4A HKUR10E/V4A	۸)						100.20	E
Colors:	Stainless Steel 304 (E)	Bru	ıshed Stainl	ess St	eel 304 (EB)				
	EQ/HKUR10 E135/HKUR10 I/HKU3R10 I135/HKUR10 V/HKUR10 EK/HKUR10	Outside Co Outside Corn Inside Corn Inside Corn Connector End Cap	rner, 135° er, 90°					7.65 7.30 7.65 7.30 6.95 6.35	E/ E/ E/
	1-7/16" Radius Cove Secti	on							
Color: 8'	Stainless Steel 304 (E) HKUR36E E/HKUR36E I/HKU3R3610E V/HKUR36E VI/HKUR36 EK/HKUR36E		,	oam				109.75 13.30 13.30 13.30 3.80 10.00	EA EA EA
Notes:	To complete part number replace hypa) Only available in color Brushed Sta	hens with color c	ode. Example E	Q/HKUR <sup>*</sup>	0, for Stainless Steel 3	304 (E) # is: EQ/HKUR10E.			
DILEX-HKW									
<u> </u>	naped profile with an 11/16" radius	for inside wall	corners and fle	oor/wall	transitions.				
	• •	lassic Grey		Grey (C		ge (HB)			
	HKWU7/07	,	30.95 30.95	EA		HKWU11/O11		30.95	E
	A/HKW/ I/HKW2R18/ I/HKW3R18/ E/HKW/G		rner, 90° er, 90° (2 Way er, 90° (3 Way	•			a	5.85 5.85 5.85 5.85	E/
Notes:	a) Grey PVC only.     To complete part number replace hyp	hens with color c	ode. Example H	KWU7/0	/, for Bright White # is	s: HKWU7/O7BW.			
DILEX-KSA									
	nt profile with a Stainless Steel or	Aluminum ancl	noring leg and	a 3/8" v	ride soft thermoplasti	c rubber movement zone.			
	Black (GS) Classic G	Grey (PG)	Grey (G		Light Beige (HB)				
5/16" v 9'	Aluminum (A) Anchoring L AKSA80	eg	45.40	EΔ	1/2" v 8'	AKSA125		48.25	<b>E</b> 4
	AKSA100		46.65			AKSA140		50.40	
	AKSA110		47.85						
	Stainless Steel 304 (E) An								
5/16" x 8'	EKSA80		81.75			EKSA160		107.35	
0/01 01	EKSA100		99.55			EKSA185		109.75	EΑ
			400 05		13/16" X 8	EKSA210		440.70	^
7/16" x 8'	EKSA110		102.05		1" v Q'	EK6V3EU		112.70	
7/16" x 8' 1/2" x 8'	EKSA125		102.60	EΑ		EKSA250		118.15	ΕA
7/16" x 8' 1/2" x 8' 17/32" x 8'	EKSA125 EKSA140	Ponlacomo	102.60 104.35	EA EA	1-3/16" x 8'	EKSA250 EKSA300		118.15 123.55	EA
7/16" x 8' 1/2" x 8' 17/32" x 8' 3/8" Wide	EKSA125 EKSA140 KSAE/	•	102.60 104.35 nt Thermoplas	EA EA tic Rubb	1-3/16" x 8' per Insert Only	EKSA300		118.15	EA
7/16" x 8' 1/2" x 8' 17/32" x 8' 3/8" Wide <i>Note:</i>	EKSA125 EKSA140	•	102.60 104.35 nt Thermoplas	EA EA tic Rubb	1-3/16" x 8' per Insert Only	EKSA300		118.15 123.55	EA
7/16" x 8' 1/2" x 8' 17/32" x 8' 3/8" Wide <i>Note:</i>	EKSA125 EKSA140 KSAE/ To complete part number replace hyp	hens with color o	102.60 104.35 nt Thermoplas ode. Example Al	EA EA tic Rubb	1-3/16" x 8' per Insert Only for Grey # is: AKSA800	EKSA300	al traffic	118.15 123.55	EA
7/16" x 8' 1/2" x 8' 17/32" x 8' 3/8" Wide <i>Note:</i> DILEX-KSN A surface joint	EKSA125 EKSA140 KSAE/ To complete part number replace hyp profile with a 7/16" wide movemen	hens with color control	102.60 104.35 nt Thermoplas ode. Example Al	EA EA tic Rubb	1-3/16" x 8' wer Insert Only for Grey # is: AKSA800 used for surfaces exp	EKSA300 6. osed to heavy-duty commercia	al traffic.	118.15 123.55	EA EA
7/16" x 8' 1/2" x 8' 17/32" x 8' 3/8" Wide <i>Note:</i> DILEX-KSN A surface joint	EKSA125 EKSA140 KSAE/ To complete part number replace hyp  profile with a 7/16" wide movemer Classic Grey (PG) Grey (G) Black (GS)	nt zone. The S Cream (O Dark Ant Grout Gr	102.60 104.35 nt Thermoplas ode. Example Al tainless Steel	EA EA tic Rubb (SA80,	1-3/16" x 8' per Insert Only for Grey # is: AKSA800	EKSA300  S.  osed to heavy-duty commercial (HB) le (SP)	al traffic.	118.15 123.55	E/
7/16" x 8' 1/2" x 8' 17/32" x 8' 3/8" Wide <i>Note:</i> DILEX-KSN A surface joint <i>Colors:</i>	EKSA125 EKSA140 KSAE/ To complete part number replace hyp  profile with a 7/16" wide movemer Classic Grey (PG) Grey (G) Black (GS) Aluminum (A) Anchoring L	nt zone. The S Cream (C Dark Ant Grout Gr	102.60 104.35 nt Thermoplas ode. Example Al tainless Steel (C) hracite (DA) ey (FG)	EA EA tic Rubb (SA80, can be u	1-3/16" x 8' er Insert Only for Grey # is: AKSA800 used for surfaces exp Light Beige Sand Pebbl Stone Grey	exsa300 cosed to heavy-duty commercial (HB) le (SP) (SG)		118.15 123.55 20.05	EA EA
7/16" x 8' 1/2" x 8' 17/32" x 8' 3/8" Wide Note: DILEX-KSN A surface joint Colors:	EKSA125 EKSA140 KSAE/ To complete part number replace hyp  profile with a 7/16" wide movemer Classic Grey (PG) Grey (G) Black (GS)	nt zone. The S Cream (O Dark Ant Grout Gr	102.60 104.35 nt Thermoplas ode. Example Al tainless Steel	EA EA tic Rubb (SA80-, can be u	1-3/16" x 8' er Insert Only for Grey # is: AKSA800 used for surfaces exp Light Beige Sand Pebbl Stone Grey  17/32" x 8'	EKSA300  S.  osed to heavy-duty commercial (HB) le (SP)	al traffic. a a a	118.15 123.55	EA





				Sugg.					Sugg.	
Sizes & Shapes		Stock	Note	List	U/M	Sizes & Shapes	Stock	Note	List	U/M
DILEX-KSN - (	continued_									
Colors:	Classic Grey (PG) Grey (G) Black (GS)	Dark		racite (DA) y (FG)	)	Light Beige (HB) Sand Pebble (SP) Stone Grey (SG)				
	Stainless Steel 304 (E) Anci	horing	Leg:							
5/16" x 8' 3/8" x 8' 7/16" x 8' 1/2" x 8' 17/32" x 8'	EKSN110 EKSN125		а	117.25 140.10 143.55 144.30 146.80	EA EA	5/8" x 8' EKSN160 23/32" x 8' EKSN185 13/16" x 8' EKSN210 1" x 8' EKSN250 1-3/16" x 8' EKSN300		a a a	151.00 154.35 158.55 166.20 173.70	EA EA
		ark Anthra	cite (DA	Thermoplas a), Grout Grey	tic Rubb (FG) and	er Insert Only Stone Grey (SG).		•	18.75	
DILEX-MOP -	Mortar Bed Movement Joint									
A screed joint p	profile with a 5/16" wide movement a	zone. De	esigne	d to provide	moveme	ent joints in tile installations that are set in a mortar bed.				
Color:	Grey (G)									
	MOP35G MOP50G			21.75 27.75		2-5/8" x 8' MOP65G			32.25	EA
DILEX-MP/-MF	ν									
A screed joint p	profile with a 5/16" wide movement a	zone. Ad	djusts t	o the thickne	ess of th	e mortar bed & tile surface using the DILEX-MPV extensi	ons.			
Colors:	Black (GS) Brick Red	(ZR)	G	rey (G)	Lig	ht Beige (HB)			05.50	_,
1-3/8" x 8' 9/16" x 8'		Extens	ion Pro	nfile					25.50 17.25	
1" x 8'		Extens							18.55	
Note:	To complete part number replace hyphe	ens with co	olor cod	e. Example M	P35, fo	Brick Red # is: MP35ZR.				
DILEX-PHK										
DILEX-PHK pr	ovides a 3/8" radius to prevent the a	ccumula	ation of	dirt & makes	s cleanii	& floor/wall transitions in applications where limited move ag simple. Also prevents surface water penetration & me , or any tiled environment where a sanitary cove base is	ets the m			
Colors:		lassic		(PG)		Beige (HB) White (W)				

Colors:	Bahama (BH) Bright White (BW)	Classic Grey (PG) Grey (G)	Light Beige (HB) Sand Pebble (SP)	White (W)		
5/16" x 8'		27.45	EA 1/2" x 8'	PHK1S125	29.35	EΑ
3/8" x 8'	PHK1S100	28.90	EA			
	E90/PHK1S/	Outside Corner, 90°			3.90	EΑ
	E135/PHK1S/	Outside Corner, 135°			3.90	EA
	I90/PHK1S/	Inside Corner, 90°			3.90	EΑ
	I135/PHK1S/	Inside Corner, 135°			3.90	EΑ
	E/PHK1S/	End Cap			3.90	EΑ
	V/PHK	Connector			2.20	EΑ

## FINISHING, EDGE-PROTECTION & TRANSITION PROFILES FOR RESILIENT FLOOR AND WALL COVERINGS

## VINPRO-RO

A finishing and edging profile for resilient covering (e.g., LVT) installations on stairs and outside corners of resilient surfaces. The reveal of the profile forms a symmetrically rounded corner along the surface edge.

Color:	Brushed Antique Bronze Anodized Alum	ninum (ABG	iB)				
1/8" x 8'	VPRO30ABGB	31.85	EΑ	19/64" x 8'	VPROL75ABGB	43.15	EA
5/32" x 8'	VPRO40ABGB	32.20	EΑ	5/16" x 8'	VPROL80ABGB	43.60	EΑ
3/16" x 8'	VPRO50ABGB	32.75	EΑ	21/64" x 8'	VPROL85ABGB	44.05	EA
7/32" x 8'	VPROL55ABGB	41.50	EΑ	11/32" x 8'	VPROL90ABGB	44.45	EΑ
1/4" x 8'	VPROL60ABGB	41.90	EΑ	3/8" x 8'	VPROL100ABGB	44.90	EΑ
17/64" x 8'	VPROL65ABGB	42.30	EΑ	7/16" x 8'	VPROL110ABGB	45.35	EΑ
9/32" x 8'	VPROL70ABGB	42.75	EΑ	1/2" x 8'	VPROL125ABGB	45.85	EA
Color:	Brushed Chrome Anodized Aluminum (A	ACGB)					
1/8" x 8'	VPRO30ACGB	28.60	EΑ	19/64" x 8'	VPROL75ACGB	41.15	EΑ
5/32" x 8'	VPRO40ACGB	28.95	EΑ	5/16" x 8'	VPROL80ACGB	41.60	EΑ
3/16" x 8'	VPRO50ACGB	29.50	EΑ	21/64" x 8'	VPROL85ACGB	42.00	EΑ
7/32" x 8'	VPROL55ACGB	39.55	EΑ	11/32" x 8'	VPROL90ACGB	42.40	EΑ
1/4" x 8'	VPROL60ACGB	39.95	EΑ	3/8" x 8'	VPROL100ACGB	42.85	EΑ
17/64" x 8'	VPROL65ACGB	40.35	EΑ	7/16" x 8'	VPROL110ACGB	43.25	EA
9/32" x 8'	VPROL70ACGB	40.75	EA	1/2" x 8'	VPROL125ACGB	43.70	EA





				Sugg.						Sugg.	
Sizes & Shapes		Stock	Note	Sugg. List	U/M	Sizes & Shapes		Stock	Note	Sugg. List	U/M
<u> </u>		OLOUR	14016	LIST	J/IVI	Oizos & Oilapes		Stock	14016	LIST	J/IVI
VINPRO-RO - contin											
	hed Nickel Anodized Alun	mınur	n (A I	•		10/04/1 0/	VDD 01 = 5.4 T.O.D				
1/8" x 8' VPRC				30.45			VPROL75ATGB			42.75	
5/32" x 8' VPRC 3/16" x 8' VPRC	050ATGB			30.80 31.35			VPROL86ATGB			43.20 43.65	EA EA
7/32" x 8' VPRC				41.10		21/64" x 8'	VPROL85ATGB VPROL90ATGB			44.05	
1/4" x 8' VPRC				41.55	EA		VPROL100ATGB			44.50	
	DL65ATGB			41.95	EΑ		VPROL110ATGB			45.00	
9/32" x 8' VPRC				42.40			VPROL125ATGB			45.45	
VINPRO-S											
	daing for reciliant coverings (a	a 1\/	T\ Tv	nical applicat	ione inc	ludo adas protection	where the resilient covering is borde	rod by a	arnot		
	ar heights, or as a finishing edg					idde edge protection	where the resilient covering is borde	ieu by c	aipei,		
	hed Antique Bronze Anod										
	ned Antique Bronze Anod 0ABGB	uizeu	Alulli	•	•	19/64" x 8'	VPSL75ABGB			29.10	EA
5/32" x 8' VPS4				22.05 22.40			VPSL80ABGB			29.10	
3/16" x 8' VPS5				22.55			VPSL85ABGB			29.75	
7/32" x 8' VPSL				28.00			VPSL90ABGB			30.00	
1/4" x 8' VPSL				28.25	EΑ		VPSL100ABGB			30.30	
17/64" x 8' VPSL	65ABGB			28.55	EΑ	7/16" x 8'	VPSL110ABGB			30.60	EΑ
9/32" x 8' VPSL	70ABGB			28.85	EΑ	1/2" x 8'	VPSL125ABGB			30.95	
Color: Brus	hed Chrome Anodized Ali	lumin	um ( <i>F</i>	CGB)							
	0ACGB		`	19.75	EΑ	19/64" x 8'	VPSL75ACGB			26.85	EA
5/32" x 8' VPS4	0ACGB			20.00	EΑ	5/16" x 8'	VPSL80ACGB			27.10	EΑ
3/16" x 8' VPS5	0ACGB			20.20	EΑ	21/64" x 8'	VPSL85ACGB			27.40	EΑ
7/32" x 8' VPSL	55ACGB			25.80	EΑ	11/32" x 8'	VPSL90ACGB			27.65	EΑ
1/4" x 8' VPSL				26.05	EΑ	3/8" x 8'	VPSL100ACGB			27.95	EΑ
17/64" x 8' VPSL				26.30	EΑ	7/16" x 8'				28.20	
9/32" x 8' VPSL				26.60	EA	1/2" x 8'	VPSL125ACGB			28.50	EA
	hed Nickel Anodized Alun	minur	n (AT	GB)		_					
	0ATGB			21.10		19/64" x 8'				28.15	
	0ATGB			21.35	EΑ	5/16" x 8'				28.45	
3/16" x 8' VPS5				21.55			VPSL85ATGB			28.70	EΑ
7/32" x 8' VPSL				27.05 27.30	EA EA	11/32" x 8'				29.00 29.30	
1/4" x 8' VPSL 17/64" x 8' VPSL				27.60			VPSL100ATGB VPSL110ATGB			29.60	
9/32" x 8' VPSL				27.90	EA	1/2" x 8'				29.85	
VINPRO-STEP	7.07(1.02)					1/2 X 0	VI 02 120/VI 0B				
	and the fear and the state of t	. 11	T\ :	-U-C		h		0			
A finishing and edging that is ribbed to provid		.g., LV	I) inst	allations on s	stairs. I	he top of the profile to	eatures a square design and a cappi	ng flang	je		
				. (450	20)						
	hed Antique Bronze Anod	dized	Alum	•	,	10/04/1 0/	VD071 75 4 D 0 D				
1/8" x 8' VPST				29.75			VPSTL75ABGB			40.85	
5/32" x 8' VPST				30.05			VPSTL80ABGB			42.05	
3/16" x 8' VPST 7/32" x 8' VPST				30.30 36.30			VPSTL85ABGB VPSTL90ABGB			43.30 44.60	
1/4" x 8' VPST				37.35			VPSTL100ABGB			45.95	
17/64" x 8' VPST				38.50			VPSTL110ABGB			47.35	
9/32" x 8' VPST				39.65			VPSTL125ABGB			48.75	
	hed Chrome Anodized Ali	umin	um (A								
1/8" x 8' VPST		unin	uiii ( <i>r</i>	27.85	FΔ	10/6/1" v 8'	VPSTL75ACGB			36.05	FΔ
5/32" x 8' VPST				28.05			VPSTL80ACGB			37.10	
3/16" x 8' VPST				28.30			VPSTL85ACGB			38.20	
7/32" x 8' VPST				32.00			VPSTL90ACGB			39.35	
1/4" x 8' VPST				32.95		3/8" x 8'	VPSTL100ACGB			40.50	
17/64" x 8' VPST	L65ACGB			33.95	EΑ	7/16" x 8'	VPSTL110ACGB			41.75	EΑ
9/32" x 8' VPST	L70ACGB			34.95	EA	1/2" x 8'	VPSTL125ACGB			43.00	EA
Color: Brus	hed Nickel Anodized Alun	minur	n (AT	GB)							
1/8" x 8' VPST			•	29.75	EΑ	19/64" x 8'	VPSTL75ATGB			38.05	EA
5/32" x 8' VPST				30.05			VPSTL80ATGB			39.15	
3/16" x 8' VPST	50ATGB			30.30			VPSTL85ATGB			40.35	
7/32" x 8' VPST				33.80			VPSTL90ATGB			41.55	
1/4" x 8' VPST				34.80			VPSTL100ATGB			42.80	
17/64" x 8' VPST				35.85			VPSTL110ATGB			44.10	
9/32" x 8' VPST	LIUAIGB			36.90	ĽΑ	1/2" X 8	VPSTL125ATGB			45.40	EA





Cino & Charas		Charle	اعلما	Sugg.	U/M	Cimos & Charac		Charle Meter	Sugg.	11/84
Sizes & Shapes	_	Stock N	vote	List	U/IVI	Sizes & Shapes		Stock Note	e List	U/M
VINPRO-STEP										
	for resilient covering (e.g., LVT) insta vertical section provides increased vi		n stair:	s. The top of	of the pro	ofile features a cappin	g flange with a rounded leading	edge, while		
Color:	Brushed Antique Bronze And	odized A	lumi	num (AB	GB)					
	VPSTRL30ABGB			56.40			VPSTRL75ABGB		60.45	
	VPSTRL40ABGB			56.95			VPSTRL80ABGB		61.05	
	VPSTRL50ABGB VPSTRL55ABGB			57.50 58.10			VPSTRL85ABGB VPSTRL90ABGB		61.65 62.30	
	VPSTRL60ABGB			58.70			VPSTRL90ABGB		62.90	
	VPSTRL65ABGB			59.25			VPSTRL110ABGB		63.55	
	VPSTRL70ABGB			59.85			VPSTRL125ABGB		64.15	
Color:	Brushed Chrome Anodized	Aluminur	m (A)	CGB)						
	VPSTRL30ACGB		(,	51.95	EΑ	19/64" x 8'	VPSTRL75ACGB		55.70	EΑ
	VPSTRL40ACGB			52.45			VPSTRL80ACGB		56.25	
3/16" x 8'	VPSTRL50ACGB			53.00	EA	21/64" x 8'	VPSTRL85ACGB		56.80	EA
7/32" x 8'	VPSTRL55ACGB			53.55	EΑ	11/32" x 8'	VPSTRL90ACGB		57.35	EA
1/4" x 8'	VPSTRL60ACGB			54.05	EA		VPSTRL100ACGB		57.95	EA
	VPSTRL65ACGB			54.60			VPSTRL110ACGB		58.55	
	VPSTRL70ACGB			55.15	EA	1/2" x 8'	VPSTRL125ACGB		59.45	EA
	Brushed Nickel Anodized Al	uminum	(ATC	,		•				
	VPSTRL30ATGB			56.30			VPSTRL75ATGB		60.40	
	VPSTRL40ATGB			56.90			VPSTRL80ATGB		61.00	
	VPSTRL50ATGB			57.45			VPSTRL85ATGB		61.60	
	VPSTRL55ATGB			58.00			VPSTRL90ATGB VPSTRL100ATGB		62.20	
	VPSTRL60ATGB VPSTRL65ATGB			58.60 59.20			VPSTRL100ATGB		62.85 63.45	
	VPSTRL70ATGB			59.75			VPSTRL110ATGB		64.10	
	VI OTTE OTTE			00.70		172 X 0	VI OTILE IZONI OB			
VINPRO-T	and the transfer of the transf	. 1. 1 27			/ IX	(T) and an add to be an too Ci	P P			
	ovide transitions between same-hei	•		•	, .	, .	••			
Colors:	Brushed Chrome Anodized			CGB)	•	Brushed Nic	kel Anodized Aluminum (A	.TGB)		
17/32" x 8'	VPT3/14			16.65		•	VPTL3/25		21.20	EA
Note:	To complete part number replace hyphe	ns with colo	r code.	Example V	PT3/14	, for Brushed Antique Bro	onze Anodized Aluminum # is: VPT3/	14ABGB.		
<u>VINPRO-U</u>										
	ovide a smooth transition between reface eliminates trip hazards.	esilient floo	or cov	erings (e.g.	, LVT) a	nd floor coverings at I	ower elevations or finished conc	rete.		
Color:	Brushed Antique Bronze And	odized A	lumii	num (AB	GB)					
	VPU30ABGB			25.35		19/64" x 8'	VPUL75ABGB		45.90	EA
5/32" x 8'	VPU40ABGB			25.90	EA	5/16" x 8'	VPUL80ABGB		47.30	EA
3/16" x 8'	VPU50ABGB			26.75	EΑ	21/64" x 8'	VPUL85ABGB		48.70	EΑ
	VPUL55ABGB			40.75			VPUL90ABGB		50.15	
	VPUL60ABGB			42.00			VPUL100ABGB		62.50	
	VPUL65ABGB			43.25			VPUL110ABGB		64.35	
9/32" x 8'	VPUL70ABGB			44.55	ĿΑ	1/2" x 8'	VPUL125ABGB		66.30	ΕA
Color:		Aluminur	m (A	•		•				
	VPU30ACGB			22.70			VPUL75ACGB		41.75	
	VPU40ACGB			23.15			VPUL80ACGB		43.00	
	VPU50ACGB			24.00			VPUL85ACGB		44.25	
	VPUL55ACGB			37.05			VPUL90ACGB		45.60	
	VPUL60ACGB VPUL65ACGB			38.20 39.35			VPUL100ACGB VPUL110ACGB		49.70 51.20	
	VPUL70ACGB			40.55			VPUL125ACGB		52.75	
	Brushed Nickel Anodized Al	uminum	(ΔΤ)			172 X 0	VI 02120/100B		02.70	
		ummum	(// (	,	⊏∧	10/6/11 v 01	VDI II 75 ATOD		44.00	ΕΛ
	VPU30ATGB VPU40ATGB			24.25 24.65			VPUL75ATGB VPUL80ATGB		44.80 46.15	
	VPU50ATGB			25.50			VPUL85ATGB		47.55	
	VPUL55ATGB			39.80			VPUL90ATGB		48.95	
	VPUL60ATGB			41.00			VPUL100ATGB		56.90	
	VPUL65ATGB			42.25			VPUL110ATGB		58.60	
9/32" x 8'	VPUL70ATGB			43.50	EΑ		VPUL125ATGB		60.35	EA



### **Product Code 'I'**

			Sugg.					Sugg.	
Sizes & Shapes	Stock	Note	List	U/M	Sizes & Shapes	Stock	Note	List	U/M

### MODULAR SCREED SYSTEM FOR CONVENTIONAL & RADIANT-HEATED SCREEDS

### **BEKOTEC-, BEKOTEC-F & BEKOTEC-THERM-RH 75**

A lightweight modular studded screed system that is used to create continuous screed surfaces without control joints or reinforcement. Since it is a floating system, the assembly can be customized to meet a range of heat and sound requirements.

1-3/8" Thick	EN/US/P	24" x 48"	(8 SF Sheet - 12 Sheets/Box)	288.20	вх
29/32" Thick	EN23F10	47-1/4" x 35-7/16"	(11.63 SF Sheet - 10 Sheets/Box)	446.95	BX
4"x5/16"x164'	BRS810	Edge strip for conventional screed		106.85	ROLL
4"x5/16"x164'	BRSK810	Edge strip for conventional screed, with adhes	ive strip	138.80	ROLL
3-1/8"x5/16"x82'	BRS808KF	Edge strip for poured screeds, with PE-adhesi	ve leg	201.40	ROLL
3-1/8"x5/16"x82'	BRS808KSF	Self-supporting edge strip for poured screed, v	vith PE-adhesive leg	271.75	ROLL
2-3/8" x 3'3"	DFP6/100	Movement joint profile for installation at door a	reas or for dividing screed surfaces	20.60	EA
3-1/8" x 3'3"	DFP8/100	Movement joint profile for installation at door a	reas or for dividing screed surfaces	24.70	EA
4" x 3'3"	DFP10/100	Movement joint profile for installation at door a	reas or for dividing screed surfaces	28.80	EA
100/Package	BTZRH75/100	PVC Heating Clamps; Used to attach radiant h	leating pipes to the EN/US/P panel.	85.80	EA

#### THIN-SET MORTARS

### **SET**

A premium unmodified thin-set approved to set porcelain tile over Schluter Systems membranes and boards. Meets the requirements of ANSI A118.1T

### **ALL-SET**

A specialized modified thin-set engineered for use both under and over all DITRA and KERDI products. Meets the requirements of ANSI A118.4T, A118.11, and A118.15T

50-lb Bag SETA50G (Grey) **Stock** 58.55 EA 50-lb Bag SETA50W (White) **Stock** 61.65 EA

## **FAST-SET**

A specialized rapid-setting modified thin-set mortar ready to grout in 4 hours for fast-track projects. Meets the requirements of ANIS A118.4TF, A118.11, and A118.15TF

50-lb Bag SETF50G (Grey) a 104.65 EA | 50-lb Bag SETF50W (White) a 113.80 EA Note: Available in Full Pallets of 56 Bags only.

### PRIMER-U

PRIMER-U is a ready-to-use, universal primer used to enhance adhesion of mortars for hard-to-bond substrates such as gypsum underlayment, raised access panels, and existing tile.

1 Quart PRMUQT1 Universal Primer 32.00 EA 5 Gallon PRMU5 Universal Primer 354.00 EA 1 Gallon PRMU1 Universal Primer Stock 88.25 EA

### WATERPROOFING, UNCOUPLING & DRAINAGE MEMBRANES

## DITRA/-DITRA-XL

Uncoupling membrane with a grid structure and an anchoring fleece laminated to the underside. In conjunction with tile coverings forms an uncoupling, waterproofing and vapor management layer while providing support/load distribution. Waterproofs and allows moisture in the substrate to evaporate. Allows ceramic tile installations over single-layer plywood or OSB subfloors. Ideal for interior or exterior tile and stone installations.

1/8"x3' 3"x16' 5" DITRA5M (54 SF/Roll) 151 90 ROLL 1/8"x3' 3"x98' 5" DITRA30M (323 SF/Roll) 773.30 ROLL Stock Stock 391.15 ROLL 5/16"x3' 3"x53' 3" DITRA-XL/175 1/8"x3' 3"x45' 9" DITRA150 (150 SF/Roll) Stock (175 SF/Roll) Stock 504.40 ROLL 14-1/2" Wide DIRO **DITRA Roller** 315.80 EA

TRL-DIT DITRA Trowel - 11/64" x 11/64" Square-Notched a
TRL-DHXL DITRA-HEAT/DITRA-XL Trowel - 1/4" x 1/4" Square-Notched a

Note: a) Schluter Trowels are listed on the Tools Price List under Trowels.

### **DITRA-PS**

The ORIGINAL Schluter-DITRA uncoupling membrane for tiled floors is now available in a peel and stick option. Quick & Easy Installations: The peel and stick technology ensures a quick and hassle-free installation process. No thin-set required to install the membrane, saving you time and labor costs.

3' 2-3/4"x34' 3/4" DITRAPS110 (110 SF/Roll) 361.20 ROLL 3' 2-3/4"x2' 5" DITRAPSMA (7.75 SF/Sheet) 27.35 Sheet 3' 2-3/4"x83' 4" DITRAPS25M (269 SF/Roll) 837.45 ROLL

## **PRIMER-PS**

Schluter-PRIMER-PS is a ready-to-use topical primer engineered for Schluter peel & stick membranes. PRIMER-PS optimizes adhesion, creating a uniform layer that enhances the bond between various substrates and the membrane, ensuring a stronger, more reliable connection. Can also be used with Schluter-DITRA-HEAT-PS, and Schluter-DITRA-HEAT-DUO-PS peel & stick membranes.

1 Quart PRMPSQT1 Primer 23.65 EA 1 Gallon PRMPS1 Primer 66.10 EA

## **DITRA-DRAIN**

A drainage membrane designed for use within thin-bed ceramic and stone tile assemblies in exterior applications. It consists of a studded polyethylene sheet with a laminated polypropylene filter fabric. DITRA-DRAIN provides uncoupling and drainage for use in a variety of exterior applications, including exterior floors, patios, walkways and balconies.

5/32"x3' 3"x33' DITRA-DRAIN10M (108 SF/Roll) 395.55 EA 5/32"x3' 3"x82' DITRA-DRAIN25M (269 SF/Roll) 926.35 EA 3-1/2" x 16' 5" STUVKB90/5M 61.45 EA 3-1/2" x 98' 5" STUVKB90/30M 324.35 EA



а

### **Product Code 'I'**

			Sugg.					Sugg.	
Sizes & Shapes	Stock	Note		U/M	Sizes & Shapes	Stock	Note		U/M

### **KERDI**

A pliable sheet-applied waterproofing membrane and vapor retarder that guarantees uniform thickness. It is covered with an anchoring fleece on both sides to anchor the membrane in thin-set mortar.

3' 3" x 16' 5"	KERDI200/5M	(54 SF/Roll)	Stock	151.45 ROLL	3' 3" x 98' 5"	KERDI200	(323 SF/Roll)	Stock	792.50 ROLL
3' 3" x 23'	KERDI200/7M	(75 SF/Roll)		207.40 ROLL	6' 7" x 49' 2-1/2"	KERDI200200/1	5M(323 SF/Roll)		792.50 ROLL
3' 3" x 33'	KERDI200/10M	(108 SF/Roll)	Stock	294.05 ROLL	6' 7" x 98' 5"	KERDI200200	(646 SF/Roll)		1,518.55 ROLL
3' 3" x 65' 7"	KFRDI200/20M	(214 SF/Roll)		562.00 ROLL					

TRL-KER KERDI Trowel - 1/8" x 1/8" Square-Notched

Note: a) Schluter Trowels are listed on the Tools Price List under Trowels.

### **KERDI-BAND**

A waterproofing strip used to seal butt joints and floor/wall connections with the KERDI, DITRA and DITRA-HEAT membranes, as well as joints, corners and fastener penetrations with the KERDI-BOARD building panels.

5" x 16' 5"	KEBA100/125/5M	Stock	28.10	EΑ	7-1/4" x 16' 5"	KEBA100/185/5M	Stock	36.80	EΑ
5" x 33'	KEBA100/125/10M	Stock	53.35	EΑ	7-1/4" x 98' 5"	KEBA100/185	Stock	182.20	EΑ
5" x 98' 5"	KEBA100/125	Stock	131.80	EΑ	10" x 16' 5"	KEBA100/250/5M		45.85	EΑ
5" x 984' 3"	KEBA100/125/300		1,184.70	EΑ	10" x 98' 5"	KEBA100/250		234.30	EΑ

### **KERDI-DS**

A bonded waterproofing membrane and vapor retarder with very low water vapor permeance for use in continuous use steam rooms and similar applications. It is 20-mil thick and features additives to produce a water vapor permeance of 0.18 perms.

3' 3" x 98' 5" KERDI-DS (323 SF/Roll) 1,075.25 EA

### **KERDI-FIX**

A single-component sealing and bonding compound with a silane-modified polymer base. It is odor-neutral, UV- and weather-resistant and contains no solvents. Elastomeric and bonds well to most materials such as wood, stone, concrete, metal, glass and many plastics. Suitable for bonding the KERDI waterproofing membrane and KERDI-BAND to fixed building elements. Also suitable for use as a sealant.

Colors:	Bright White (BW)	Grey (G)				
9.81 Ounce	KERDIFIX/	Cartridge	Stock	а	36.40	EΑ
100 ml	KERDIFIX100G	Tube - Grey (G)			21.10	EΑ

Note: a) To complete part number replace hyphens with color code. Example KERDIFIX/--, for Grey # is: KERDIFIX/G.

### **KERDI-FLEX**

A waterproofing strip with a fleece-free central zone for sealing movement joints.

5" x 16' 5"	FLEX125/5M	53.10	EA	5" x 98' 5"	FLEX125/30	242.10	EΑ
10" x 16' 5"	FLEX250/5M	86.05	EA	10" x 98' 5"	FLEX250/30	440.45	EΑ

## **KERDI-KERECK-F**

Pre-formed corners made of KERDI for waterproofing inside and outside corners.

KERECK/FI2	Inside Corner, 90°	(2 each per Package)	Stock	21.65 PKG
KERECK135/FI2	Inside Corner, 135°	(2 each per Package)		24.00 PKG
KERECK/FA2	Outside Corner, 90°	(2 each per Package)	Stock	21.65 PKG
KERECK/FI10	Inside Corner, 90°	(10 each per Package)	Stock	103.00 PKG
KERECK135/FI10	Inside Corner, 135°	(10 each per Package)		113.80 PKG
KERECK/FA10	Outside Corner, 90°	(10 each per Package)	Stock	103.00 PKG

### **KERDI-KERS**

Pre-formed, seamless corners made of KERDI for waterproofing floor/wall/shower base connections in curbless shower applications where the KERDI-LINE linear drain is installed adjacent to the wall.

3/4"	KERS20L	Left Inside Corner	29.10 EA	1-7/64"	KERS28L	Left Inside Corner	29.10	EΑ
3/4"	KERS20R	Right Inside Corner	29.10 EA	1-7/64"	KERS28R	Right Inside Corner	29.10	EΑ

### **KERDI-KERS-B**

Preformed, seamless corners for waterproofing 135° angles between triangular shower benches & walls or the tops of curbs in neo-angle shower applications.

KERECK135/FI2	Inside Corner, 135°	(2 each per Package)		24.00 PKG
KERECK135/FI10	Inside Corner, 135°	(10 each per Package)		113.80 PKG
KERSB135KLR	Bench Corner, 135°	(1 Right & 1 Left per Package)		50.60 PKG
KERSB135K5LR	Bench Corner, 135°	(5 Right & 5 Left per Package)		240.10 PKG
KERSB135K	Bench/Neo-Angle Corner Kit		а	74.55 PKG
	N. I I. I. G. 1050 D. I. G I. 1050 I. I. I.			

Note: a) Each package contains 1 Right and 1 Left, 135° Bench Corner, and 2 each 135° Inside corners.

## **KERDI-KM**

Prefabricated seals that are designed to seal protrusions through the KERDI or DITRA/DITRA-XL membranes. Designed to be used in conjunction with KERDI-FIX or equivalent sealant to seal around pipes or other similar elements.

7" x 7" KM5117/22 7/8" Pipe nipple opening diameter (5 each per Package) 12.60 PKG



			Sugg.		ſ				Sugg.	
Sizes & Shapes	Stock	Note	List	U/M	Į	Sizes & Shapes	Stock	Note	List	U/M

### **KERDI-SEAL-MV**

Prefabricated seals with over-molded rubber gaskets that are designed to seal and protect protrusions at the mixing valve.

9.25" Diameter KMSMV235/114 4-1/2" Mixing valve opening diameter (1 each per Package) **Stock** 12.30 PKG 9.25" Diameter KMSMV10235/114 4-1/2" Mixing valve opening diameter (10 each per Package) 110.75 PKG

### **KERDI-SEAL-PS**

Prefabricated seals that are designed to seal protrusions through the KERDI or DITRA/DITRA-XL membranes. Feature over-molded rubber gaskets and are used to seal pipe protrusions and protect moisture-sensitive solid backing panels at the mixing valve.

7.30" Diameter	KMS172/12	1/2" Pipe nipple opening diameter	(1 each per Package)	Stock	10.70 PKG
7.30" Diameter	KMS172/20	3/4" Pipe nipple opening diameter	(1 each per Package)	Stock	10.70 PKG
7.30" Diameter	KMS10172/12	1/2" Pipe nipple opening diameter	(10 each per Package)		95.90 PKG
7.30" Diameter	KMS10172/20	3/4" Pipe nipple opening diameter	(10 each per Package)		95.95 PKG

### REMOVABLE FLEECE

### **SCHLUTER-REFLEECE**

Schluter-REFLEECE is a removable fleece used to create temporary floor coverings. Made of recycled PET with a self-adhesive coating on the back, REFLEECE measures 1/32" thick and is suitable for the application of temporary, removable tile and natural stone coverings. REFLEECE is easy to install and can be removed during deconstruction without causing damage to the existing subfloor. An impact sound improvement value up to 9dB was measured (according to DIN EN ISO 10140) for this assembly. Install with the Schluter-KERDI-BOARD-ZSA adhesive tape for connecting REFLEECE at the seams.

3' 3" x 98' 5" REFL30M (323 SF/Roll) 796.30 EA

Note: See the Schluter Kerdi-Board Price List for the KERDI-BOARD-ZSA adhesive tape pricing

#### SHOWER SYSTEM

### **KERDI-DRAIN and KERDI-DRAIN-H**

KERDI-DRAIN and KERDI-DRAIN-H are floor drains with an integrated bonding flange that provides a large contact area for a secure connection to the KERDI waterproofing membrane at the top of the assembly. Both KERDI-DRAIN and KERDI-DRAIN-H are appropriate for both mortar bed and KERDI-SHOWER-T/-TS/-TT shower tray applications. The bonding flange is sloped to simplify installation of the mortar bed. The KERDI-DRAIN flange provides a vertical connection to the drain pipe and is available in ABS or PVC with 2" or 3" outlet, and stainless steel with a 2" or 3" no-hub outlet or 2" threaded outlet. The KERDI-DRAIN-H flange provides a horizontal connection to the drain pipe and is available in ABS or PVC with a 2" outlet. It is ideal for applications where the use of a vertical connection to the drain pipe is not possible or practical. The horizontal outlet allows the positioning of the drain in the desired area regardless of drain pipe location.

KD2FLKABS	ABS Flange with 2" Drain Outlet		а	105.85	EΑ
KD2FLKPVC	PVC Flange with 2" Drain Outlet	Stock	а	105.85	EΑ
KDH2FLKABS	ABS Flange with 2" Horizontal Drain Outlet		а	105.85	EΑ
KDH2FLKPVC	PVC Flange with 2" Horizontal Drain Outlet	Stock	а	105.85	EΑ
KD2FLKE	Stainless Steel Flange with 2" Drain Outlet (No-hub)		a,b	303.55	EΑ
KD2FLKETH	Stainless Steel Flange with 2" Drain Outlet (Threaded)		a,b	337.75	EΑ
KD3FLKABS	ABS Flange with 3" Drain Outlet		a,c	119.65	EΑ
KD3FLKPVC	PVC Flange with 3" Drain Outlet		a,c	119.65	EΑ
KD3FLKE	Stainless Steel Flange with 3" Drain Outlet (No-hub)		a,b,c	303.55	EΑ
KD2FLKABS10	ABS Flange with 2" Drain Outlet	(10 Pack)	d	952.65	EΑ
KD2FLKPVC10	PVC Flange with 2" Drain Outlet	(10 Pack) Stock	d	952.65	EA

Notes: KERDI-DRAIN Grates are sold separately.

a) Includes 4 inside corners, 2 outside corners, 3/4" pipe seal and 4-1/2" mixing valve seal.

b) Also contains a 3.38 oz. tube of KERDI-FIX. c) When using a flange with 3" outlet, a 6" grate is recommended.

d) Includes 40 inside corners, 20 outside corners, 10 - 3/4" pipe seals and 10 - 4-1/2" mixing valve seals.

## KERDI-DRAIN-F

KERDI-DRAIN-F is a floor drain specifically designed to allow connections to Schluter-DITRA and DITRA-HEAT uncoupling membranes in floor applications. The drain body is available in polypropylene or stainless steel, each with a laminated Schluter-KERDI collar that ensures a simple connection to the uncoupling membrane on the floor and at wall transitions. KERDI-DRAIN-F features a flat, narrow bonding flange to allow for placement against walls or in corners on floors. It can be combined with virtually any KERDI-DRAIN grate assembly, with the exception of the tileable grate and the 6" square and round grates.

 KDF2FL
 Polypropylene with 2" NPT Outlet
 64.40
 EA

 KDF2EFL
 Stainless Steel with 2" No-Hub Outlet
 292.25
 EA

 KDF2ETHFL
 Stainless Steel with 2" Threaded Outlet
 325.25
 EA

Notes: The grate assembly is sold separately. Includes 1 Vertical height adjustment collar and 1 construction cover.

### **KERDI-DRAIN-A**

KERDI-DRAIN Adaptor Kits are used to convert traditional clamping ring drains to integrated bonding flange drains when removal of the clamping ring drain is not practical. A stainless steel adaptor ring with an overmolded rubber gasket replaces the clamping ring and is sealed to the existing drain body using KERDI-FIX. The bonding flange then slides into the adaptor ring and seals against the rubber gasket. Adaptor kits are suitable for both mortar bed and KERDI-SHOWER-T/-TS/-TT shower tray applications.

KDA5FLKABS	Adaptor Kit with Flange, height adjustment collar and 5-1/4" Adaptor Ring		а	105.85	EΑ
KDA7FLKABS	Adaptor Kit with Flange, lateral adjustment ring and 7-1/2" Adaptor Ring		а	145.15	EΑ
KDA5FLKABS10	Adaptor Kit with Flange, height adjustment collar and 5-1/4" Adaptor Ring	(10 Pack)	b	952.65	EΑ

Notes: KERDI-DRAIN Grates are sold separately. a) Includes 4 inside corners, 2 outside corners, 3/4" pipe seal, 4-1/2" mixing valve seal and 3.38 oz. tube of KERDI-FIX.

b) Includes 40 inside corners, 20 outside corners, 10 - 3/4" pipe seals, 10 - 4-1/2" mixing valve seals and 10 - 3.38 oz. tubes of KERDI-FIX.





zes & Shapes		Stock	Sugg Note List		Sizes & Shape	S		Stock	Note	Sugg. List	U/
ERDI-DRAIN	- DRAIN KITS				· ·						
	Stainless Steel 304 (E)										
	KD2/ABS/E	ABS flar	nge 2" Drain (	Outlet and	4" Square Grate				а	180.60	Е
	KD2/PVC/E		•		4" Square Grate			Stock		180.60	
	KERDI-DRAIN Adaptor Kit		•						•	.00.00	_
	KDAR/ABS/E		•	-	dard ABS Flance a	nd 4" Square Grate		Stock	h	180.70	_
Mataar					•	•		SIUCK	b	100.70	_
Notes:	<ul><li>a) Includes height adjustment collar, la</li><li>b) Includes height adjustment collar, ad</li></ul>							RDI-FIX			
ERDI-DRAIN	- FLANGES (without Seals	and Co	rners)								
	KD2/ABS/FL	Flange,	ABS with 2" D	rain Outlet						36.90	Ε
	KD2/PVC/FL	U ,	PVC with 2" D							36.95	
	KDH2/ABS/FL	_	ABS with 2" H							36.90	
	KDH2/PVC/FL	•	PVC with 2" F							36.95	
	KD2/E/FL				rain Outlet (No-hub				a	249.50	
	KD2/ETH/FL	•			rain Outlet (Thread	ea)			a	254.10	
	KD3/ABS/FL KD3/PVC/FL	•	ABS with 3" D PVC with 3" D						b b	50.70 50.75	
	KD3/E/FL				rain Outlet (No-hub	١			a,b	249.50	
	KD2/ABS/FL10	_	ABS with 2" D			1	(10 Pack)		u,b	331.85	
	KD2/PVC/FL10	U ,	PVC with 2" D				(10 Pack)	Stock		332.15	
	KD2/E/FL10	•			rain Outlet (No-hub	)	(10 Pack)	Olock		2,038.05	
Notes:	KERDI-DRAIN Grates are sold separat	•	Otali licoo Otot	, with Z D	•	oz. tube of KERDI-FIX.	(10 1 dolt)			2,000.00	
Notes.	b) When using a flange with 3" outlet, a	•	recommended.		a) includes 5.50 c	2. tube of NENDI-FIX.					
ERDI-DRAIN	- GRATES										
The classically	-inspired KERDI-DRAIN is available	e with a va	riety of grate f	inishes, an	d accommodates a	wide range of tile thicknesse	es.				
·	KERDI-DRAIN-STYLE Stat					=					
Colors:	•	CG)			Rose Gold (EBR	,					
	Brushed Nickel (EBT)				/intage Gold (El	BVG)					
	KDIF4GRKD6		esign 4" Squa						a,b	192.20	
	KDIF4GRKD5		esign 4" Squa						a,b	192.20	
	KDIF4GRKD8	Pure De	sign 4" Squar	e Grate					a,b	192.20	E
Color:	Brushed Stainless Steel 30	` '									
	KDIF4GRKEBD6		esign 4" Squa					Stock		121.95	
	KDIF4GRKEBD5		esign 4" Squa					Stock		121.95	
	KDIF4GRKEBD8	Pure De	sign 4" Squar	e Grate				Stock	а	121.95	Е
	KERDI-DRAIN-STYLE TRE	ENDLINE	Textured (	Color-Coa	ated Aluminum (	Grates for use with Flan	ges with 2	2" Outi	et		
Colors:	Bronze (TSOB)	Greig	ge (TSBG)		Matte White (M	MBW)					
	Cream (TSC)		(TSI)		Pewter (TSG)						
	Dark Anthracite (TSDA)	Matte	e Black (MC	SS)	Stone Grey (T	SSG)					
	KDIF4GRKD6	Curve D	esign 4" Squa	re Grate				Stock	a,b,c	192.10	Е
	KDIF4GRKD5	Floral D	esign 4" Squa	re Grate				Stock		192.10	Е
	KDIF4GRKD8	Pure De	sign 4" Squar	e Grate				Stock	a,b,c	192.10	Е
	Stainless Steel Grates for u	ıse with	Flanges wit	h 2" Outle	et						
Color:	Chrome (EP)										
	KD4GRKEP	4" Saus	re Grate (Desi	an 1)				Stock	а	74.90	F
0-1	NDTONNEI							Olock	u	74.50	
Colors:	Classia Cald (ECC)		Rose Gold	FR(-)							
00.0.0.	Classic Gold (ECG)			` '							
00.0.0.	Nickel (ET)	,	Vintage Go	d (EVG)						404.00	_
	' '	,		d (EVG)					a,b	121.00	E
Color:	Nickel (ET) KD4GRK Oil-Rubbed Bronze (EOB)	,	Vintage Go	d (EVG)					a,b	121.00	E
	Nickel (ET) KD4GRK	4" Squa	Vintage Go	d (EVG) gn 1)				Stock		121.00 105.10	
	Nickel (ET) KD4GRK Oil-Rubbed Bronze (EOB)	4" Squa	Vintage Go re Grate (Des	d (EVG) gn 1)				Stock			
Color:	Nickel (ET) KD4GRK Oil-Rubbed Bronze (EOB) KD4GRKEOB Stainless Steel 304 (E)	4" Squa	Vintage Gol re Grate (Desi re Grate (Desi	d (EVG) gn 1) gn 1)					а	105.10	E
Color:	Nickel (ET) KD4GRK Oil-Rubbed Bronze (EOB) KD4GRKEOB Stainless Steel 304 (E) KD4GRKE	4" Squa 4" Squa 4" Squa	Vintage Gol re Grate (Desi re Grate (Desi	gn 1) gn 1) gn 1)			(10 Dook)	Stock	a	105.10 74.90	E
Color:	Nickel (ET) KD4GRK Oil-Rubbed Bronze (EOB) KD4GRKEOB Stainless Steel 304 (E) KD4GRKE KD4GRKE10	4" Squa 4" Squa 4" Squa 4" Squa	Vintage Gol re Grate (Desi re Grate (Desi re Grate (Desi re Grate (Desi	gn 1) gn 1) gn 1) gn 1) gn 1)			(10 Pack)	Stock	a	105.10	E
Color:	Nickel (ET) KD4GRK Oil-Rubbed Bronze (EOB) KD4GRKEOB Stainless Steel 304 (E) KD4GRKE KD4GRKE10 Anodized Aluminum Grates	4" Squa 4" Squa 4" Squa 4" Squa 4" Squa	Vintage Goi re Grate (Desi re Grate (Desi re Grate (Desi with Flange	gn 1) gn 1) gn 1) gn 1) gn 1)				Stock Stock	a	105.10 74.90	E
Color:	Nickel (ET) KD4GRK Oil-Rubbed Bronze (EOB) KD4GRKEOB Stainless Steel 304 (E) KD4GRKE KD4GRKE10 Anodized Aluminum Grates Brushed Brass Anodized A	4" Squa  4" Squa  4" Squa  4" Squa  5 for use	Vintage Goi re Grate (Desi re Grate (Desi re Grate (Desi with Flanger (AMGB)	gn 1) gn 1) gn 1) gn 1) gn 1)		Nickel Anodized Alumin		Stock Stock	a	105.10 74.90	E
Color:	Nickel (ET) KD4GRK Oil-Rubbed Bronze (EOB) KD4GRKEOB Stainless Steel 304 (E) KD4GRKE KD4GRKE10 Anodized Aluminum Grates	4" Squa  4" Squa  4" Squa  4" Squa  5 for use  1uminum	Vintage Goi re Grate (Desi re Grate (Desi re Grate (Desi with Flanger (AMGB)	gn 1) gn 1) gn 1) gn 1) gn 1) s with 2"		Nickel Anodized Alumin		Stock Stock	a a d	105.10 74.90	E



## **Product Code 'I'**

KERRI RRAINI GRATEG					•					
Sizes & Shapes	Stock	Note	List	U/M		Sizes & Shapes	Stock	Note	List	U/M
			Sugg.						Sugg.	

**KERDI-DRAIN - GRATES - continued** 

Tileable Grate for use with Flanges with 2" Outlet

KD4GRKECS 4" Square Tileable Grate Stock f 74.95 EA

Stainless Steel Grates for use with Flanges with 2" or 3" Outlet

Color: Stainless Steel 304 (E)

 KD6GRKE
 6" Square Grate
 g
 100.50
 EA

 KD-GR6C-E
 6" Square Clean Out Cover
 202.80
 EA

 KD6GRKRE
 6" Round Grate
 g
 100.50
 EA

Notes: a) Includes grate, frame, height adjustment collar and lateral adjustment ring.

b) To complete part number replace hyphens with color code. Example KDIF4GRK----D6, for Brushed Classic Gold # is: KDIF4GRKEBCGD6.

c) Stocked in color Matte Black (MGS) only. d) Includes 10 - grates, 10 - height adjustment collars and 10 - lateral adjustment rings.

e) Stocked in colors Brushed Brass Anodized Aluminum (AMGB) and Brushed Nickel Anodized Aluminum (ATGB) only.

f) Includes tileable covering support, spacer and lateral adjustment ring.

g) Includes grate and frame with integrated height adjustment collar and lateral adjustment ring.

### **KERDI-DRAIN - TAMPER PROOF SCREWS**

Designed as a high security accessory for the KERDI-DRAIN. Ideal for loss prevention and anti-theft, these tamper proof screws are used in environments where tamper resistance is desired or required (e.g., healthcare or education facilities, etc.). Phillips head screws are included with the KERDI-DRAIN. The tamper-proof screws as well as the driver bit must be purchased separately.

 KD/TPSCRW
 Tamper Proof Screw
 3.55
 EA

 KD/TPWRCH
 Driver Bit
 17.20
 EA

KD/TFWKCH DIIVELDI

## **KERDI-DRAIN - STRAINER**

The KERDI-DRAIN Strainer is a hair catcher customized to fit inside the KERDI-DRAIN flange to trap and collect hair. Simple to remove and clean, the hair catcher fits discreetly into the drain to prevent hair clogs that can lead to blocked pipes.

KD-STR Strainer Stock 3.95 EA

### **KERDI-SHOWER-CB**

A height compensation board made of lightweight expanded polystyrene used to accommodate the drain body and waste pipe height, when installing the KERDI-DRAIN-H in conjunction with the KERDI-SHOWER-T/TS/TT shower trays. The compensation board can easily be cut to size to fit around the drain and waste pipe, and multiple boards can be used to fit the size and shape of the shower.

48" x 24" x 3-1/2" KSCB906101220 Compensation Board 48" x 24" x 3-1/2" 128.45 EA

## **KERDI-LINE**

A low profile linear floor drain specifically designed for bonded waterproofing assemblies. KERDI-LINE can be installed adjacent to walls or at intermediate locations in showers, wet rooms, and other applications that require waterproofing and drainage. The floor can be sloped on a single plane to KERDI-LINE, which enables the use of large-format tiles and creates interesting design opportunities. The KERDI-LINE channel body is made of formed stainless steel and features a collar made of KERDI for a secure waterproof connection. The grate assembly is available in six design options: A - closed-design, B - perforated, D - frameless, tileable covering support, E - Floral, F - Curve and G - Pure. If KERDI-LINE is placed at shower entrance it is recommended that grate assembly A or D is chosen and that the drainage openings span the maximum width of the entrance to limit potential overflow; secondary drainage (e.g., KERDI-DRAIN) may be required in the drying area. Grate and frame assemblies A and B are available in brushed stainless steel or stainless steel with chrome finish, and can be adjusted for use with tile coverings from 1/8" to 1" thick. The tileable covering support can accommodate any thickness of tile covering. Grate and frame assemblies E, F and G (KERDI-LINE-STYLE) are available in brushed stainless steel and can accommodate file coverings from 1/4" to 11/16" thick.

Color: Stainless Steel 304 (E)

Channel Body w/Center Drain	Outlet (The bonding flange extends 7/8	" beyond the channel on all sides.)

Length: 20"	KL1V60E50		428.75	EΑ	Length:	48"	KL1V60E120	Stock	556.65	EΑ
Length: 24"	KL1V60E60		442.40	EA	Length:	52"	KL1V60E130		674.50	EΑ
Length: 28"	KL1V60E70		480.50	EA	Length:	56"	KL1V60E140	Stock	691.60	EΑ
Length: 32"	KL1V60E80		485.20	EA	Length:	60"	KL1V60E150	Stock	708.20	EΑ
Length: 36"	KL1V60E90	Stock	506.75	EΑ	Length:	64"	KL1V60E160		722.05	EΑ
Length: 40"	KL1V60E100		521.00	EΑ	Length:	68"	KL1V60E170		733.30	EΑ
Length: 44"	KL1V60E110		531.85	EA	Length:	72"	KL1V60E180	Stock	746.05	EΑ
	Channel Body w/Off-Set Dr	ain Outlet (The	e bonding	flange	extends 7/8	" bey	ond the channel on all sides.	)		
Length: 28"	KL1VO60E70		486.40	EΑ	Length:	40"	KL1VO60E100		546.85	EΑ
Length: 32"	KL1VO60E80		491.20	EΑ	Length:	44"	KL1VO60E110		569.05	EΑ
Length: 36"	KL1VO60E90		513.65	EΑ	Length:	48"	KL1VO60E120		596.05	EΑ
Notes:	Includes channel body, channel support	. no-hub coupling, 4	inside corne	rs. 2 outs	ide corners. 3/4" pi	pe sea	al and 4-1/2" mixing valve seal.			

Color: Brushed Stainless Steel 304 (EB)

Grate Assembly - Closed Design (A) - 3/4" frame height for 1/8" to 9/16" thick coverings

 Length: 20"
 KL1AR19EB50
 398.45
 EA
 Length: 32"
 KL1AR19EB80
 437.80
 EA

 Length: 24"
 KL1AR19EB60
 409.95
 EA
 Length: 36"
 KL1AR19EB90
 458.40
 EA

 Length: 28"
 KL1AR19EB70
 426.80
 EA
 Length: 40"
 KL1AR19EB100
 485.90
 EA

continued on next page





				Sugg.					Sugg.	
Sizes & Shapes		Stock	Note		U/M	Sizes & Shapes	Stock	Note	List	U/M
KERDI-LINE -	continued					-				
Color:	Brushed Stainless Steel 304	(EB)								
	Grate Assembly - Closed De	esign (/	4) - 3	/4" frame h	neight f	or 1/8" to 9/16" thick coverings				
Length: 44"	KL1AR19EB110			497.85		Length: 60" KL1AR19EB150			730.15	
Length: 48"	KL1AR19EB120			506.85		Length: 64" KL1AR19EB160			777.35	
Length: 52"	KL1AR19EB130			660.70		Length: 68" KL1AR19EB170			810.45	
Length: 56"	KL1AR19EB140	/	<b>4</b>	693.80		Length: 72" KL1AR19EB180			856.85	EA
Lanath, 20"		esign ( <i>i</i>	4) - 1	-1/8" trame 410.00		for 1/2" to 1" thick coverings Length: 36" KL1AR30EB90			480.55	⊏∧
Length: 20" Length: 24"	KL1AR30EB50 KL1AR30EB60			423.95		Length: 40" KL1AR30EB100			510.50	
Length: 28"	KL1AR30EB70			443.35		Length: 44" KL1AR30EB110			523.95	
	KL1AR30EB80			456.10		Length: 48" KL1AR30EB120			533.00	
	Grate Assembly - Perforated	d Desig	n (B)	) - 3/4" fran	ne heig	ht for 1/8" to 9/16" thick coverings				
Length: 20"	KL1B19EB50			362.45	EA	Length: 48" KL1B19EB120	Stock		454.60	EΑ
Length: 24"	KL1B19EB60			369.40		Length: 52" KL1B19EB130			660.35	
Length: 28"	KL1B19EB70			389.85		Length: 56" KL1B19EB140	Stock		693.45	
Length: 32"	KL1B19EB80	٠		396.95		Length: 60" KL1B19EB150	Stock		729.80	
-	KL1B19EB90	Stock		418.55		Length: 64" KL1B19EB160			777.00	
Length: 40"	KL1B19EB100 KL1B19EB110			430.70 446.10		Length: 68" KL1B19EB170 Length: 72" KL1B19EB180	Stock		810.05 856.50	
Lengin. 44		l Doois	un (Di				Olock		030.30	LA
Longth: 20"	KL1B30EB50	Desig	JII (D)	372.90		ight for 1/2" to 1" thick coverings Length: 36" KL1B30EB90			438.75	⊏∧
Length: 20" Length: 24"	KL1B30EB60			382.10		Length: 40" KL1B30EB90			450.75	
Length: 28"	KL1B30EB70			405.00		Length: 44" KL1B30EB110			469.55	
Length: 32"	KL1B30EB80			413.45		Length: 48" KL1B30EB120			478.00	
Color:	Chrome (EP)					<u> </u>				
	,	esian (	4) - 3	2/4" frame h	neiaht f	or 1/8" to 9/16" thick coverings				
Length: 20"	KL1AR19EP50	oigii (i	., 0	438.30	_	Length: 36" KL1AR19EP90			504.20	FA
Length: 24"	KL1AR19EP60			450.90		Length: 40" KL1AR19EP100			534.40	
Length: 28"	KL1AR19EP70			469.40		Length: 44" KL1AR19EP110			547.50	EA
Length: 32"	KL1AR19EP80			481.55	EΑ	Length: 48" KL1AR19EP120			557.45	EΑ
	Grate Assembly - Perforated	l Desig	n (B)			ht for 1/8" to 9/16" thick coverings				
Length: 20"	KL1B19EP50			398.65	EA	Length: 36" KL1B19EP90			460.35	EΑ
Length: 24"	KL1B19EP60			406.35		Length: 40" KL1B19EP100			473.70	
Length: 28"	KL1B19EP70			428.80		Length: 44" KL1B19EP110			490.65	
Length: 32"	KL1B19EP80					Length: 48" KL1B19EP120			500.05	EA
	- ::	ss Tile	able i			with Center Outlet Channel Body				
Length: 20"	KL1DRE50		а	184.85		Length: 48" KL1DRE120		а	270.40	
Length: 24"			а	193.80		Length: 52" KL1DRE130		а	326.00	
Length: 28" Length: 32"			a	202.80 211.80		Length: 56" KL1DRE140 Length: 60" KL1DRE150		a	328.85 332.20	
Length: 36"			a	227.10		Length: 64" KL1DRE160		a	364.90	
•	KL1DRE100		а	252.60		Length: 68" KL1DRE170		а	368.50	
	KL1DRE110		а	261.50		Length: 72" KL1DRE180		а	371.55	
_	Covering Support - Frameles	ss Tile	able i	Desian (D)	for use	with Off-Set Outlet Channel Body				
Length: 28"	KL1DROE70		а	202.80		Length: 40" KL1DROE100		а	252.60	EA
Length: 32"	KL1DROE80		а	211.80		Length: 44" KL1DROE110		а	261.50	
Length: 36"			а	227.10		Length: 48" KL1DROE120		а	270.40	EA
Color:	Matte Black (MGS)					<u> </u>				
	, ,	esian ()	4) - 3	/4" frame h	neiaht f	or 1/8" to 9/16" thick coverings				
Length: 20"	KL1AR19MGS50	ر) ، بری. د	., 3	461.15		Length: 48" KL1AR19MGS120			586.55	EΑ
Length: 24"	KL1AR19MGS60			474.40		Length: 52" KL1AR19MGS130			764.55	
	KL1AR19MGS70			493.90		Length: 56" KL1AR19MGS140			802.85	
•	KL1AR19MGS80			506.65		Length: 60" KL1AR19MGS150			844.95	
_	KL1AR19MGS90			530.45		Length: 64" KL1AR19MGS160			899.60	
_	KL1AR19MGS100			562.25		Length: 68" KL1AR19MGS170			937.85	
· ·	KL1AR19MGS110			576.10	ΕA	Length: 72" KL1AR19MGS180			991.55	ΕA
continued on ne	ext page									

KLVZSF

Strainer



# File 'S' - **Schluter** 4/1/24 (Updated)

3.95 EA

Sizes & Shapes		Stock Note	Sugg. List	U/M	Sizes & Shapes		Stock Note	Sugg. List	U/M
KERDI-LINE -	continued								
·	Matte Black (MGS)								
00101.	Grate Assembly - Perforated	d Dosian (R)	2/1" from	no hoio	ht for 1/9" to 0/16	" thick coverings			
Length: 20"	KL1B19MGS50	u Desigii (b)	419.70	_	•	KL1B19MGS120		526.35	EΛ
•	KL1B19MGS60		427.75			KL1B19MGS130		764.55	
•	KL1B19MGS70		451.40			KL1B19MGS140		802.85	
	KL1B19MGS80		459.55			KL1B19MGS150		844.90	
•	KL1B19MGS90		484.60			KL1B19MGS160		899.60	
Length: 40"	KL1B19MGS100		498.65	EΑ		KL1B19MGS170		937.85	EΑ
Length: 44"	KL1B19MGS110		516.50	EA	Length: 72"	KL1B19MGS180		991.55	EΑ
Color:	Brushed Stainless Steel 304	4 (EB)							
	Grate Assembly - Perforated	d Design (B)	w/Locking	g Mech	anism - 3/4" frame	e height for 1/8" to 9/16" thick	k coverings		
Length: 20"	KL1BL19EB50	3 ( )	401.30			KL1BL19EB120	Ü	486.20	EΑ
Length: 24"	KL1BL19EB60		406.55			KL1BL19EB130		712.30	
Length: 28"	KL1BL19EB70		426.30	EΑ	Length: 56"	KL1BL19EB140		745.45	EΑ
	KL1BL19EB80		432.25			KL1BL19EB150		781.75	
	KL1BL19EB90		455.25			KL1BL19EB160		828.95	
	KL1BL19EB100		464.30			KL1BL19EB170		862.05	
J	KL1BL19EB110		479.95		, –	KL1BL19EB180		908.40	ΕA
Notes:	Includes grate and grate frame with height					skeen tile and in seed without a fermi			
	<ul><li>a) A Stainless Steel Plate with Schluter</li><li>b) Driver Bit for tamper-proof screws is seen as a series of the series</li></ul>				or bonding of ceramic or	stone tile, and is used without a frame.			
		solu separately. 1	icase see pa	ge 57.					
KERDI-LINE-S									
	drain grates feature brand new desi						ower floors.		
	stainless steel with elegant brushed		reet frame a	and adjus	table to fit all commo	n tile thicknesses.			
Color:	Brushed Stainless Steel 304	4 (EB)							
	Grate Assembly - Curve De-	sign - 29/32"	frame he	ight for	1/4" to 11/16" thic	ck coverings			
Length: 20"	KL1IFF23EB50		412.80	EΑ	Length: 36"	KL1IFF23EB90		493.90	EΑ
•	KL1IFF23EB60		429.00		- U	KL1IFF23EB100		518.25	
Length: 28"	KL1IFF23EB70		445.30			KL1IFF23EB110		542.55	
Length: 32"	KL1IFF23EB80		469.60			KL1IFF23EB120		566.90	ΕA
	Grate Assembly - Floral Des	sign - 29/32"		_	_	3			
	KL1IFE23EB50		428.90			KL1IFE23EB90		526.10	
•	KL1IFE23EB60		445.15			KL1IFE23EB100		558.55	
	KL1IFE23EB70		461.35			KL1IFE23EB110		590.95	
Length: 32"	KL1IFE23EB80		493.75			KL1IFE23EB120		623.35	ΕA
	Grate Assembly - Pure Desi	ign - 29/32" f							
	KL1IFG23EB50		461.25			KL1IFG23EB90		542.40	
	KL1IFG23EB60		477.50 497.75		_	KL1IFG23EB100		566.75	
U	KL1IFG23EB70 KL1IFG23EB80		518.05		- U	KL1IFG23EB110 KL1IFG23EB120		599.10 631.50	
Notes:	Includes grate and grate frame with heigh	aht adjustment sas					atoly	031.30	LA
		giit aujustiileiit spa	icers (not inch	uueu witii	rameless theable grate).	NEINDI-EINE Onaimei body soid sepair	atery.		
KERDI-LINE-F	<u>C</u>								
	cover plate for use with the Schluter-KERI C is designed for use with either the			ite a seam	less look in applications	where multiple drains are installed end to	o end.		
Color:	Brushed Stainless Steel 304	4 (EB)							
Width: 1-3/8"	V/KLEB35	Cover Plate						21.55	EΑ
Color:	Chrome (EP)								
Width: 1-3/8"	` '	Cover Plate						21.55	FΔ
								21.00	
	Matte Black (MGS)	Onum Dist						04.05	г,
Width: 1-3/8"	V/KLMGS35	Cover Plate						24.85	ĿΑ
KERDI-LINE S	<u>TRAINER</u>								
The KERDI-LINE	Strainer is a hair catcher customized to fi	it inside the KERD	I-LINE channe	el body to	rap and collect hair. Sim	ple to remove and clean, the hair catche	er fits		
	he drain to prevent hair clogs that c			•					



## **Product Code 'I'**

			Sugg.					Sugg.	
Sizes & Shapes	Stock	Note		U/M	Sizes & Shapes	Stock	Note		U/M

### **KERDI-LINE-VARIO**

The KERDI-LINE-VARIO grate and channel are made of formed stainless steel and are designed to be trimmed to length to ensure a perfect fit in custom applications. The channel features a drainage opening cut in the center that can be positioned anywhere within the overall trimmed length of the channel to avoid obstacles encountered during construction (e.g., floor joists). This allows for increased flexibility in the placement of the flange within the shower.

Grate & Channel Kit -	Brushed Stainless Steel,	1-11/16" Wide
I/L //DIDEED400	/ [] D	

Length: 48	" KLVRID5EB122	w/ Floral Design Grate	а	297.45	EΑ
Length: 48	" KLVRID13EB122	w/ Herringbone Design Grate	а	297.45	EΑ
Length: 48	" KLVRID14EB122	w/ Slant Design Grate	а	297.45	EΑ
Length: 48	" KLVRID3EB122	w/ Square Design Grate	а	312.05	EΑ
Length: 96	" KLVRID5EB244	w/ Floral Design Grate	а	560.00	EΑ
Length: 96	" KLVRID13EB244	w/ Herringbone Design Grate	а	560.00	EΑ
Length: 96	" KLVRID14EB244	w/ Slant Design Grate	а	560.00	EΑ
Length: 96	" KLVRID3EB244	w/ Square Design Grate	а	570.60	EΑ
	KLVR2FLK	Flange Kit, Polypropylene Drain Body with 2" Drain Outlet (Threaded)	b	146.30	EΑ

Notes: a) The shortest allowable length to cut the channel and grate is 10" and the minimum recommended tile thickness to use with the

KERDI-LINE-VARIO channel is 3/8". The kit includes the grate, channel and 2 end caps.

b) The KERDI-LINE-VARIO flange is suitable for use with KERDI-SHOWER-LT/-LTS prefabricated shower trays as well as in mortar bed applications. Includes construction cover, downspout, polypropylene flange w/integrated KERDI collar, ABS and PVC coupling, flange support, waterproofing corners (4 inside, 2 outside), 3/4" pipe seal, 4-1/2" mixing valve seal, cleaning brush and grate removal tool.

## **PREFABRICATED SUBSTRATES**

## KERDI-SHOWER-LT/-LTS

Polystyrene sloped trays with integrated Schluter-KERDI waterproofing. These prefabricated shower trays are designed to integrate with the Schluter-KERDI-LINE.

39" x 39"	KSL11000		260.55	ΕA	55" x 55"	KSL11395		438.05	ĿΑ
48" x 48"	KSLT1220		347.55	EA					
	KERDI-SHOWER-LTS - Tra	y with Perime	ter Linear	Drain	Placement				
39" x 39"	KSLT1000S		261.05	EΑ	36" x 72"	KSLT915/1830S	Stock	409.80	EΑ
48" x 48"	KSLT1220S	Stock	347.90	EΑ	38" x 76"	KSLT965/1930S		452.45	EA
55" x 55"	KSLT1395S	Stock	438.50	EΑ	76" x 38"	KSLT1930/965S		451.85	EA
36" x 55"	KSLT915/1395S		305.65	EΑ					

## KERDI-SHOWER-T/-TS/-TT

Sloped shower trays with integrated KERDI waterproofing. The trays are made of lightweight, expanded polystyrene (PS 40) for constructing mortar-free shower bases. Each of these prefabricated shower trays is designed to integrate with the Schluter-KERDI-DRAIN.

## KERDI-SHOWER-T - Standard Tray with Center Drain Placement

38" x 60"	KST965/1525	Stock	174.40	EΑ	60" x 60"	KST1525	Stock	340.45	EΑ
48" x 60"	KST1220/1525	Stock	259.15	EΑ	72" x 72"	KST1830	Stock	370.55	EΑ
48" x 72"	KST1220/1830	Stock	278.05	EΑ					

## KERDI-SHOWER-TS - Standard Tray with Off-Center Drain Placement

KERDI-SHOWER-TT - Features a thin perimeter height that simplifies the

construction of curbless showers. Tray with Center Drain Placement

32" x 38"	KST965/810BF	а	170.20	EA	38" x 38"	KST965BF	Stock	а	144.65	EΑ
36" x 36"	KST915BF	b	130.05	EA	36" x 48"	KST915/1220BF	Stock	d	200.25	EΑ
38" x 38" Neo-Angle	KST965NA/BF	С	177.85	EA	48" x 48"	KST1220BF	Stock	d	159.65	EΑ
	) 00/00# D : / / / / / /	) 4 4/00U D : .				•				

Notes: a) 29/32" Perimeter Height. c) 1-1/32" Perimeter Height. Includes 2 Kerdi-Kereck 135° Inside Corners.

b) 7/8" Perimeter Height. d) 1" Perimeter Height.

### **KERDI-SHOWER-R**

A lightweight, expanded polystyrene shower ramp with integrated Schluter-KERDI waterproofing designed to facilitate the construction of access ramps for tiled showers. The ramp integrates with the Schluter-Shower System to create accessible, curbless showers and adheres to the ADA's slope ratio.

48" x 12" KSR305/1220 Shower Ramp **Stock** 132.10 EA



## **Product Code 'I'**

			Sugg.					Sugg.	
Sizes & Shapes	Stock	Note	List	U/M	Sizes & Shapes	Stock	Note	List	U/M

## **KERDI-SHOWER KITS**

### **KERDI-SHOWER-KIT**

An all-inclusive package containing each of the integrated family of components required to create a maintenance-free, watertight shower assembly without a mortar bed.

Complete Show	war Kite with l	KEBDI-DBAINI	Stainlage Sta	el 304 (E) arate

48" x 48"	KSK1220ABSE		а	750.00	EΑ	38" x 60"	KSK9651525PVCE		b	813.40	EΑ
48" x 48"	KSK1220PVCE		а	750.00	EA	38" x 60" OC	KSK9651525SABSE		b	813.40	EA
38" x 60"	KSK9651525ABSE		b	813.40	EΑ	38" x 60" OC	KSK9651525SPVCE		b	813.40	EΑ
	Shower Kits without the KERI	DI-DR	4IN gi	ate (SOL	D SEP	PARATELY)					
48" x 48"	KSK1220ABS		С	681.95	EA	38" x 60" OC	KSK9651525SPVC	Stock	d	745.60	EA
48" x 48"	KSK1220PVC	Stock	С	681.95	EΑ	48" x 72"	KSK12201830ABS		е	1,002.50	EΑ
38" x 60"	KSK9651525ABS		d	745.60	EA	48" x 72"	KSK12201830PVC	Stock	е	1,002.50	EA
38" x 60"	KSK9651525PVC	Stock	d	745.60	EA	72" x 72"	KSK1830ABS		f	1,169.65	EA
38" x 60" OC	KSK9651525SABS		d	745.60	EA	72" x 72"	KSK1830PVC	Stock	f	1,169.65	EA
	Shower Kits without the KER	DI-DR	4IN gi	ate and f	lange (	SOLD SEPARAT	ELY)				
48" x 48"	KSK1220		g	576.40	EA	48" x 72"	KSK12201830		i	895.40	EA
38" x 60"	KSK9651525	Stock	h	639.95	EA	72" x 72"	KSK1830		j	1,062.15	EA
38" x 60" OC	KSK9651525S	Stock	h	639.95	EA						

- Notes: a) Kit includes shower tray, 48" x 6" x 4-1/2" shower curb, 3' 3" x 33' waterproofing membrane roll, 5" x 33' waterproofing strip roll, flange with 2" outlet and stainless steel grate, 4 inside corners, 2 outside corners, 3/4" pipe seal, 4-1/2" mixing valve seal.
  - b) Kit includes shower tray, 2 each 38" x 6" x 4-1/2" shower curbs, 3' 3" x 33' waterproofing membrane roll, 5" x 33' waterproofing strip roll, flange with 2" outlet and stainless steel grate, 4 inside corners, 2 outside corners, 3/4" pipe seal, 4-1/2" mixing valve seal.
  - c) Kit includes shower tray, 48" x 6" x 4-1/2" shower curb, 3' 3" x 33' waterproofing membrane roll, 5" x 33' waterproofing strip roll, flange with 2" outlet,
  - 4 inside corners, 2 outside corners, 3/4" pipe seal, 4-1/2" mixing valve seal.
  - d) Kit includes shower tray, 2 each 38" x 6" x 4-1/2" shower curbs, 3' 3" x 33' waterproofing membrane roll, 5" x 33' waterproofing strip roll, flange with 2" outlet, 4 inside corners, 2 outside corners, 3/4" pipe seal, 4-1/2" mixing valve seal.
  - e) Kit includes shower tray, 2 each 38" x 6" x 4-1/2" shower curbs, 3' 3" x 39' 4" waterproofing membrane roll, 2 each 5" x 33' waterproofing strip rolls, flange with 2" outlet, 4 inside corners, 2 outside corners, 3/4" pipe seal, 4-1/2" mixing valve seal
  - f) Kit includes shower tray, 2 each 38" x 6" x 4-1/2" shower curbs, 3' 3" x 16' 5" waterproofing membrane roll, 3' 3" x 33' waterproofing membrane roll, 2 each
  - 5" x 33' waterproofing strip rolls, flange with 2" outlet, 4 inside corners, 2 outside corners, 3/4" pipe seal, 4-1/2" mixing valve seal.
  - g) Kit includes shower tray, 48" x 6" x 4-1/2" shower curb, 3' 3" x 33' waterproofing membrane roll, 5" x 33' waterproofing strip roll.
  - h) Kit includes shower tray, 2 each 38" x 6" x 4-1/2" shower curbs, 3' 3" x 33' waterproofing membrane roll, 5" x 33' waterproofing strip roll.
  - i) Kit includes shower tray, 2 each 38" x 6" x 4-1/2" shower curbs, 3' 3" x 39' 4" waterproofing membrane roll, 2 each 5" x 33' waterproofing strip rolls.
  - j) Kit includes shower tray, 2 each 38" x 6" x 4-1/2" shower curbs, 3' 3" x 16' 5" waterproofing membrane roll, 3' 3" x 33' waterproofing membrane roll, 2 each
  - 5" x 33' waterproofing strip rolls.

## **KERDI-TUBKIT**

KERDI-TUBKIT contains all the components necessary to create a fully waterproof and vapor tight bathtub surround assembly.

315.70 EA 75 SF Coverage KKB7

Note: Kit includes 1 each: KERDI 7M 3' 3" x 23' Waterproofing membrane roll, KERDI-BAND 5" x 16' 5" Waterproofing strip roll, KERDI-SEAL-PS 3/4" Pipe seal, KERDI-SEAL-MV 4-1/2" Mixing valve seal & KERDI-FIX Bright White sealing and bonding compound.

## **KERDI-SHOWER ACCESSORIES**

Accessories are used to enhance tiled shower applications, providing shelving, splashquards at the entrances to curbless showers, support channels for glass walls, and wall finishing that eliminates the need to cut wedges of tile in KERDI-LINE applications.

A brushed stainless steel corner shelf designed for tiled walls. Available in 3 shapes and in the Floral and Curve STYLE designs, the shelf features 3/32" thick anchoring tabs which allow for easy installation either in tandem with the tile, or as a retrofit application.

Color:	Brushed Stainless S	teel 304 (EB)	
	SES2D6EB	Curve Design Pentagonal Corner Shelf	134.05 E
	SES3D6EB	Curve Design Quadrilateral Corner Shelf	181.95 E
	SES1D6EB	Curve Design Triangular Corner Shelf	134.00 E
	SES2D5EB	Floral Design Pentagonal Corner Shelf	139.70 E
	SES3D5EB	Floral Design Quadrilateral Corner Shelf	181.95 E
	SES1D5EB	Floral Design Triangular Corner Shelf	139.65 E
	SES2D7EB	Pure Design Pentagonal Corner Shelf	134.20 E
	SES3D7EB	Pure Design Quadrilateral Corner Shelf	182.10 E
	SES1D7EB	Pure Design Triangular Corner Shelf	134.20 E
	SES2D3EB	Square Design Pentagonal Corner Shelf	139.80 E
	SES3D3EB	Square Design Quadrilateral Corner Shelf	182.10 E
	SES1D3EB	Square Design Triangular Corner Shelf	139.80 E
	SES2D10EB	Wave Design Pentagonal Corner Shelf	139.80 E
	SES3D10EB	Wave Design Quadrilateral Corner Shelf	182.10 E
	SES1D10EB	Wave Design Triangular Corner Shelf	139.80 E



				Suga		Г			1 1	Suga	
Sizes & Shapes		Stock	Note	Sugg. List	U/M	,	Sizes & Shapes	Stock	Note	Sugg. List	U/M
SHELF-E - TRE	ENDLINE Textured Color-Coa	ted Alu	ıminı	<u>ım</u>		_		Ī			
	Bronze (TSOB) Cream (TSC) Dark Anthracite (TSDA) SES2D6 SES3D6 SES1D6 SES1D5 SES1D5 SES2D7 SES2D7 SES1D7 SES2D3 SES2D10	Gree Ivory Mat Curve I Curve I Floral E Floral E Pure D Pure D Square Square Square Wave I	ige (Ty (TS) (TS) (TS) (TS) (TS) (TS) (TS) (TS)	TSBG) I) ack (MGS) I Pentagonal I Quadrilatera Triangular C Pentagonal C Quadrilateral Triangular C In Pentagonal I Quadrilateral I C I Quadrilateral I Triangular C I I Pentagonal I Quadrilateral I Triangular C I Pentagonal I Pentagonal	al Corner S Corner S Corner S Corner S Corner S al Corner Corner Corner Corner Corner	She	helf If Delf nelf f If elf Shelf Blelf			111.55 125.60 98.85 120.00 139.70 105.90 111.65 125.75 98.95 120.10 139.80 106.00 120.10	EA EA EA EA EA EA EA EA EA
	SES3D10 SES1D10			Quadrilatera Triangular C						139.80 106.00	
Note:	To complete part number replace hyphe		_	=						. 55.50	_, ,
SHELF-N				*							
A rectangular, the shelf can be	e easily installed in tandem with the	tile.	nto KE	RDI-BOARD	)-SN pr	efab	pricated niches. Available in the Floral and Curve S	TYLE des	gns,		
Calor.	Brushed Stainless Steel 304 SNS1D6EB SNS1D5EB SNS1D7EB SNS1D3EB SNS1D10EB	Curve I Floral I Pure D Square	Design esign Desig	Rectangular Rectangular Rectangular In Rectangular Rectangular	Niche Niche S ar Niche	She helf She Sh	elf	Stoci	τ	148.10 155.10 148.30 155.30	EA EA
SHELF-N - TRI	ENDLINE Textured Color-Coa	ted Alu	ıminı	<u>ım</u>							
Colors:	Bronze (TSOB) Cream (TSC) Dark Anthracite (TSDA) SNS1D6 SNS1D5 SNS1D7 SNS1D3 SNS1D10	Ivor Mat Curve I Floral I Pure D Square	y (TS) te Bla Design Design esign Design	SBG) I) ack (MGS) Rectangular Rectangular Rectangular In Rectangular Rectangular	Niche Niche S ar Niche	Pe St She She shelf e Sh	lf f nelf			112.95 120.00 113.05 120.10 120.10	EA EA
Note:	To complete part number replace hyphe	ns with c	olor cod	de. Example S	NS1D6	, fo	or Bronze # is: SNS1D6TSOB.				
anchoring leg for	brushed stainless steel shelf designer or installation in tandem with the tile Brushed Stainless Steel 304		ed wall	s. Available	in the F	lora	al and Curve STYLE designs, the shelf features a d	ouble			
	SWS1D6EB SWS1D5EB SWS1D7EB SWS1D3EB SWS1D10EB	Curve I Floral I Pure D Square	Design esign Desig	Rectangular Rectangular Rectangular In Rectangular Rectangular	Wall S Wall Sh ar Wall	helf elf She	elf			155.15 162.20 155.30 162.35 162.35	EA EA
SHELF-W - TR	ENDLINE Textured Color-Co	ated Al	umin	um							
	Bronze (TSOB) Cream (TSC) Dark Anthracite (TSDA) SWS1D6 SWS1D5 SWS1D7 SWS1D3 SWS1D10	Ivor Mat Curve I Floral I Pure D Square Wave I	y (TS) te Bla Design Design Esign Design Design Design	ack (MGS) I Rectangular Rectangular Rectangular In Rectangular Rectangular	Wall S Wall Sh ar Wall Wall S	Pe St helf helf elf She helf	elf			115.70 138.25 115.90 138.40	EA EA
Note:	To complete part number replace hyphe	IIS WITH C	UIUI COC	ие. Example S	449 ID0-	, 10	OI DIVILE # IS. SWS ID015UB.				



### **Product Code 'I'**

			Sugg.						Sugg.	
Sizes & Shapes	Stock	Note		U/M	ı	Sizes & Shapes	Stock	Note		U/M

### **SHOWERPROFILE-R**

A two part wall transition profile made of brushed stainless steel for covering the exposed wall area where the floor slopes down to a perimeter linear drain. A fleece fabric is laminated on the reverse of the profile for bonding with the tile adhesive. The two-part design can be seamlessly adjusted to any height between 29/32" and 1-25/32". The profile is available in lengths of 39" and 55" and can be cut to the desired length.

Color:	Brushed Stainless Steel 304	4 (EB)		
Length: 39"	SPRA23EB/100	Height adjustment from 29/32" to 1-3/8"	110.30	EΑ
Length: 39"	SPRA33EB/100	Height adjustment from 1-5/16" to 1-25/32"	120.20	EΑ
Length: 55"	SPRA23EB/140	Height adjustment from 29/32" to 1-3/8"	126.95	EΑ
Length: 55"	SPRA33EB/140	Height adjustment from 1-5/16" to 1-25/32"	142.10	EΑ

#### SHOWERPROFILE-S (-SA/-SB)

A two part profile with a tapered edge, designed to cover adjoining tile edges that become exposed as the shower floor slopes to accommodate drainage to the KERDI-LINE. The tapered profile features a visible surface of brushed stainless steel and a fleece fabric on the reverse for bonding with the tile adhesive. It is designed to be inserted into the U-shaped groove of the matching hard PVC support profile. The profile can be used for lateral transitions to the wall or the adjoining floor.

Color:	Brushed Stainless Steel 304 (EB)						
3/16" x 47-1/4"	SPSA50EB/120	90.70	EΑ	3/8" x 78-3/4"	SPSB100EB/200	294.40	EΑ
3/16" x 63"	SPSA50EB/160	118.70	EA	1/2" x 47-1/4"	SPSB125EB/120	101.05	EA
3/16" x 78-3/4"	SPSA50EB/200	263.95	EA	1/2" x 63"	SPSB125EB/160	131.45	EA
3/8" x 47-1/4"	SPSB100EB/120	90.75	EΑ	1/2" x 78-3/4"	SPSB125EB/200	294.45	EΑ
3/8" x 63"	SPSB100EB/160	118.70	EΑ				

### **SHOWERPROFILE-WS**

A two-part profile that forms a splashguard at the entrance of barrier-free showers. The anodized aluminum support profile is set in conjunction with the tile covering and can be combined with either a semi-circular lip or a collapsible upright straight lip. Both variants allow for wheelchair accessibility.

	Satin Anodized Aluminum (A SPWS19AE/100	AE)	30.80	EA	l	5/16" x 8'	SPWS19AE	68.85	EA
Color:	Black (GS)								
39"	SPWSC16GS/100	Semi-Circular Lip						16.15	EΑ
8'	SPWSC16GS	Semi-Circular Lip						35.50	EΑ
Color:	Transparent (T)								
39"	SPWSL30T/100	Straight Lip						19.45	EΑ
8'	SPWSI 30T	Straight Lip						42.75	EΑ

## **SHOWERPROFILE-WSK**

Color: Satin Anodized Aluminum (AE)

A two-part profile that forms a splashguard at the entrance of barrier-free showers. The anodized aluminum support profile is adhered to existing coverings and can be combined with either a semi-circular lip or a collapsible upright straight lip. Both variants allow for wheelchair accessibility.

00101.	Catili / tiloaizea / tialililiaili (/	\L)							
5/16" x 39"	SPWSK52AE/100		36.15	EΑ		5/16" x 8'	SPWSK52AE	82.45	EΑ
5/16"	EK/SPWSK52AE	End Cap			-			6.65	EΑ
Color:	Black (GS)								
39"	SPWSC16GS/100	Semi-Circular Lip						16.15	EΑ
8'	SPWSC16GS	Semi-Circular Lip						35.50	EΑ
Color:	Transparent (T)								
39"	SPWSL30T/100	Straight Lip						19.45	EΑ
8'	SPWSL30T	Straight Lip						42.75	EΑ

## PAVER SUPPORT SYSTEM

## **TROBA-LEVEL-PL 10**

Stackable paver supports that are designed to support tile pavers of different formats and thicknesses. The 1/8" joint spacers enable a uniform joint appearance while protecting against lateral movements in the covering. TROBA-LEVEL-PL 10 can be stacked up to heights of 7-7/8" and can also be combined with other TROBA-LEVEL paver supports.

3/8" TLPL10/10 Stackable Paver Support (10 each per Package)	37.25 PKG
--	-----------

### **TROBA-LEVEL-PLA 30**

Stackable paver support extensions that can be inserted between two TROBA-LEVEL-PL 10 stackable paver supports for a more economical way to achieve assembly heights of 2" or greater.

1-3/16"	TLPLA30/10	Stackable Paver Support Extension	(10 each per Package)	43.20 PKG

### **TROBA-LEVEL-AP 1**

Leveling shims that are used to level the tile surface by adjusting the corners of each tile paver. These leveling shims are designed to lock in between the spacer tabs of the TROBA-LEVEL-LV 3, TROBALEVEL-PL 10, and TROBA-LEVEL-PLV 60 paver supports. The TROBA-LEVEL-AP 1 leveling shims can be stacked up to 10 shims high under each corner of the tile paver to compensate for variations in the substrate and/or paver thickness.

1/32" TLAP1 Leveling Shim (250 each per Package)	56.50 PKG
--	-----------





### **Product Code 'I'**

			Sugg.					Sugg.	
Sizes & Shapes	Stock	Note	List	U/M	Sizes & Shapes	Stock	Note	List	U/M

### **TROBA-LEVEL-PLV 60**

Preassembled, adjustable paver supports that can be variably adjusted from 2-3/8" to 5-1/8" using the adjustment ring and two opposing threads. The joint spacer configuration of the TROBA-LEVEL-PLV 60 paver support enables stacking in combination with TROBA-LEVEL-PL 10 and -PLA 30. If necessary, TROBA-LEVEL-AP 1 leveling plates can be used for precision adjustment and leveling of the tile surface.

2-3/8" - 5-1/8" TLPLV60/6 Adjustable Paver Support (6 each per Package) 86.54 PKG

#### **TROBA-LEVEL-LV 3**

Stackable paver supports that are intended for low assembly heights. The supports can be cut for perimeter applications and feature 1/8" joint spacers. The joint spacer configuration of the TROBALEVEL-LV 3 paver support enables stacking in combination with TROBA-LEVEL-PL 10 and -PLA30.

1/8" TLLV3/10 Stackable Paver Support (10 each per Package) 67.05 PKG

### **TROBA-LEVEL-PLA 70**

Adjustable paver support height extensions that are designed to be added to the TROBA-LEVEL-PLV 60 adjustable paver supports between the height adjustment ring and the base plate. Multiple TROBA-LEVEL-PLA 70 paver support extensions can be used to reach the desired height (recommended maximum height: 15").

2-3/4" TLPLA70/6 Adjustable Paver Support Extension (6 each per Package) 56.65 PKG

### **TROBA-LEVEL-PLS 6**

Protective pads that provide additional protection to the waterproofing membrane under the base plates of TROBA-LEVEL-LV 3, TROBA-LEVEL-PL 10, or TROBA-LEVEL-PLV 60 paver supports. These protective pads feature four perforated tabs designed to maintain the position of the paver support on the pad.

1/4" TLPLS6 Protective Pad (10 each per Package) 35.83 PKG

### TROBA-ZFK

Joint spacers that ensure a uniform joint appearance for self-supporting porcelain tiles, natural stone, or concrete pavers installed directly on sand, gravel, or crushed stone beds. The joint width is 1/8", and the joint spacer height is 9/16". When thicker pavers are being installed, a joint spacer height of 1-3/16" can be achieved by snapping two joint spacers together.

9/16" TZFK3 Joint Spacer (50 each per Package) 19.08 PKG

## **EXTERIOR DRAINAGE MEMBRANES**

### **TROBA-PLUS**

A durable subsurface drainage system that permits water to drain off freely and reliably. The closely positioned, cone-shaped studs are covered by a water permeable filter fabric. They serve to support the floor covering over the entire surface, thus creating a continuous drainage area above the waterproofing layer.

3' 3" x 41' TROBA-PLUS8 (134.50 SF/Roll) Sub-surface Drainage System 401.30 EA

### **ACCESSORIES**

## **DITRA/KERDI Trowels**

Used to install DITRA and KERDI membranes.

 TRL-DIT
 DITRA Trowel - 11/64" x 11/64" Square-Notched
 a

 TRL-KER
 KERDI Trowel - 1/8" x 1/8" Square-Notched
 a

 TRL-DHXL
 DITRA-HEAT/DITRA-XL Trowel - 1/4" x 1/4" Square-Notched
 a

Note: a) Schluter Trowels are listed on the Tools Price List under Trowels.

### **PROCUT-TSM**

A cutting wheel with a diameter of 4-1/2" for conventional angle grinders. It produces especially clean cuts of Stainless Steel, Aluminum and Brass

TSM115/1 Cutting Wheel 17.55 EA

## **SNIPS**

Specifically designed to cut PVC trim profiles.

 PSF
 Cutting Tool
 108.55
 EA

 PS90/45EK
 Replacement Blade
 33.25
 EA