

$L\quad 0\quad 0\quad M$

$Italian\ Design\ \&\ Craftsmanship$

MADE IN USA





$L \quad 0 \quad 0 \quad M$

FLOOR TILE

LINEN



SILK



VELVET



Cover Photo: Loom Linen (Floor), Loom Suede (Wall)

C O T T O N



S U E D E



$W \ 0 \ 0 \ L$



MADE WITH










12" X 24" FLOOR TILE




HIGH DEFINITION INKJET PORCELAIN




















12" X 24" FLOOR TILE





L O O M

Ever since its invention over 700 years ago, the Loom has been an indispensable tool in the making of fabrics. While modern technology has transformed other industries and production methods, the Loom - in more sophisticated forms — remains capable of creating some of the most compelling weaves and design looks of our modern age, influencing today's trends on fashion runways from New York to Milan.

Inspired by this time-tested marvel, Mediterranea has launched the LOOM series for floors and walls. Mediterranea's design team has taken the very best graphics from fine fabrics, and created a designer's dream - an all-new palette of 7 colors that creates limitless options in any fine residential or commercial project.

For wall tile, Loom is offered in 7 colors in a 4" x 12" size — Cotton, Denim, Linen, Silk, Suede, Velvet and Wool. This high-glaze ceramic tile is perfect for bathroom walls, kitchen backsplashes and accent walls demanding a high-end design statement.

For floors, Loom is offered in a 12" x 24" size - a glazed porcelain with graphics softened ever so slightly from their wall counterparts. When installed, this unique and fine-tuned graphic mix makes Loom floor and wall tiles coordinate perfectly, creating beautiful layouts with the possibility of nearly limitless color combinations.

Mediterranea's Loom series offers a spectrum of perfectly balanced colors for floors and walls - a classic look, never more in demand than today.

TECHNICAL SPECIFICATION TABLE - FLOOR TILE			
PHYSICAL PROPERTIES		TEST	AVG.RESULTS
•	Visible Abrasion Resistance	ASTM C1027	4
	Water Absorption	ASTM C373	< 0.5%
A	Staining Resistance	ASTM C650	Class A
	Dynamic C.O.F.	BOT 3000	> .42
	MOHS		7
<u></u>	Breaking Strength	ASTM C648	> 250 lbf

www.mediterranea-usa.com







