

Zera Annex, Color Body Porcelain.

Woven charm: a fabric inspired design with a dynamic pattern and neutral tones.



Colors at a glance



Bianco



Oyster



Silver




Olive



Carbon

Formats and finishes at a glance




12 x 24 in / 30 x 60 cm
Rectified
Matte

Trim




3 x 24 in / 7.1 x 60 cm
Bullnose
Matte

Mosaics



2 x 2 in / 5 x 5 cm
Mosaic
Matte




1 x 6 in / 2.5 x 15 cm
Straight Stacked Mosaic
Matte



12 x 24 in / 30 x 60 cm Zera Annex Carbon Matte Rectified Color Body Porcelain Tile



Zera Annex, *Bianco*




12 x 24 in / 29.8 x 60 cm
Rectified
Matte 4500-0712-1

Trim




3 x 24 in / 7.1 x 60 cm
Bullnose
Matte 4502-0259-1


Mosaics



2 x 2 in / 5 x 5 cm
Mosaic
Matte 4501-0302-1



1 x 6 in / 2.5 x 15 cm
Straight Stacked Mosaic
Matte 4501-0301-1



12 x 24 in / 30 x 60 cm image variations

Zera Annex, *Oyster*



12 x 24 in / 29.8 x 60 cm
Rectified
Matte 4500-0716-1

Trim



3 x 24 in / 7.1 x 60 cm
Bullnose
Matte 4502-0262-1


Mosaics



2 x 2 in / 5 x 5 cm
Mosaic
Matte 4501-0308-1



1 x 6 in / 2.5 x 15 cm
Straight Stacked Mosaic
Matte 4501-0307-1



12 x 24 in / 30 x 60 cm image variations

Zera Annex, *Silver*



12 x 24 in / 29.8 x 60 cm
Rectified
Matte 4500-0718-1

Trim



3 x 24 in / 7.1 x 60 cm
Bullnose
Matte 4502-0264-1


Mosaics



2 x 2 in / 5 x 5 cm
Mosaic
Matte 4501-0312-1



1 x 6 in / 2.5 x 15 cm
Straight Stacked Mosaic
Matte 4501-0311-1



12 x 24 in / 30 x 60 cm image variations

Zera Annex, Olive



12 x 24 in / 29.8 x 60 cm
Rectified
Matte 4500-0715-1

Trim



3 x 24 in / 7.1 x 60 cm
Bullnose
Matte 4502-0261-1


Mosaics



2 x 2 in / 5 x 5 cm
Mosaic
Matte 4501-0306-1



1 x 6 in / 2.5 x 15 cm
Straight Stacked Mosaic
Matte 4501-0305-1



12 x 24 in / 30 x 60 cm image variations

Zera Annex, *Carbon*



12 x 24 in / 29.8 x 60 cm
Rectified
Matte 4500-0714-1

Trim



3 x 24 in / 7.1 x 60 cm
Bullnose
Matte 4502-0260-1


Mosaics



2 x 2 in / 5 x 5 cm
Mosaic
Matte 4501-0304-1



1 x 6 in / 2.5 x 15 cm
Straight Stacked Mosaic
Matte 4501-0303-1



12 x 24 in / 30 x 60 cm image variations

Packaging information

Key logistical details including item codes and product specifications.

Zera Amex Product & Packaging Information

	ACTUAL DIMENSIONS	THICKNESS	BIANCO ITEM CODE	CARBON ITEM CODE	OLIVE ITEM CODE	OYSTER ITEM CODE	SILVER ITEM CODE	LBS BOX	KGS BOX	PCS BOX	SOFT BOX	M ² BOX	BXS SKID	SOFT SKID	M ² SKID
12 x 24 in / 30 x 60 cm ZERA ANNEX MATTE RECTIFIED COLOR BODY PORCELAIN TILE	300 x 600 mm	9 mm	4500-0712-1	4500-0714-1	4500-0715-1	4500-0716-1	4500-0718-1	64.06	29.06	8	15.5	1.44	32	496	46.08
MOSAICS															
2 x 2 in / 5 x 5 cm ZERA ANNEX MATTE COLOR BODY PORCELAIN MOSAIC	298 x 298 mm	9 mm	4501-0302-1	4501-0304-1	4501-0306-1	4501-0308-1	4501-0312-1	41.24	18.71	10	9.58	0.89	45	431.1	40.05
1 x 6 in / 2.5 x 15 cm ZERA ANNEX STACKED MATTE COLOR BODY PORCELAIN MOSAIC	298 x 298 mm	9 mm	4501-0301-1	4501-0303-1	4501-0305-1	4501-0307-1	4501-0311-1	41.11	18.65	10	9.58	0.89	45	431.1	40.05
TRIM															
3 x 24 in / 7.1 x 60 cm ZERA ANNEX MATTE COLOR BODY PORCELAIN BULLNOSE	71 x 600 mm	9 mm	4502-0259-1	4502-0260-1	4502-0261-1	4502-0262-1	4502-0264-1	41.8	18.96	20	N/A	N/A	56		1120 PCS

Technical information

Tile collection performance based on industry standards.

Technical Information

	WATER ABSORPTION	ANSI / ISO - (%)	≤0.1%T
	ABRASION RESISTANCE	ANSI / ISO	CLASS 4
	SCRATCH HARDNESS	ANSI / ISO - (Mohs)	7
	BREAKING STRENGTH	ANSI - (lbf) ISO - (N)	≥600 ≥2600
	SHADE VARIATION		V1
	SLIP RESISTANCE	ANSI - DCOF (WET) ISO - R VALUE	MATTE ≥0.50 (ID, IW, IW+) MATTE R(-)
	CHEMICAL RESISTANCE	ANSI / ISO	CLASS A
	STAIN RESISTANCE	ANSI / ISO	CLASS A / CLASS 5
	FROST RESISTANCE	ANSI / ISO	PASS

Test values are based on ANSI / ISO standards according to: ANSI A137.1 - Porcelain tile P1 Class, ISO 13006 - G - Bia Group, En 14411 - G - Bia Group. Variances in test values can occur in different production lots.

Usage recommendations

recommendations for suitable applications.

Usage Recommendations*		MATTE COLOR BODY PORCELAIN	
APPLICATION		WALL	FLOOR
INTERIOR	RESIDENTIAL	•	ID, IW, IW+
	COMMERCIAL	•	ID, IW, IW+
	HEAVY COMMERCIAL	•	
EXTERIOR	RESIDENTIAL / COMMERCIAL	•	

* These recommendations are not defined by ANSI/ISO standards.

DCOF Classifications per ANSI A326.3: (ID): Interior, Dry (IW): Interior, Wet (IW+): Interior, Wet Plus (EW): Exterior, Wet (O/G): Oils/Greases

* Factors other than the noted DCOF result must also be taken into consideration. Such factors include, but are not limited to, expected contaminants, drainage, surface texture, effect of structure on the DCOF measurement, number of grout joints, traction-enhancing features, and intended use in addition to the other criteria noted in standard ANSI A326.3