

Coliseo, *Glazed Porcelain*.
Showcasing limestone's enduring strength
and nature's timeless artistry.



Colors at a glance



Pearl



Desert




Platinum




Graphite

Formats at a glance



20 x 20 in / 50 x 50 cm
Pressed
Matte




13 x 13 in / 33 x 33 cm
Pressed
Matte



12 x 24 in / 30 x 60 cm
Pressed
Matte / Strati Texture

Mosaic



2 x 2 in / 5 x 5 cm Mosaic
Matte

Coliseo, Pearl



20 x 20 in / 50 x 50 cm
Pressed
Matte 4500-1040-0



13 x 13 in / 33 x 33 cm
Pressed
Matte 4500-1033-0



12 x 24 in / 30 x 60 cm
Pressed
Matte 4500-1025-0



12 x 24 in / 30 x 60 cm
Pressed
Strati Texture 4500-1029-0

Mosaic



2 x 2 in / 5 x 5 cm
Mosaic
Matte 4501-0566-0


IMAGE VARIATIONS

This collection has a wide variety of tile facings by size to maximize the realism it can convey within a design space.

20 x 20 in / 50 x 50 cm
Actual: 497 x 497 x 8,5 mm
22 images

13 x 13 in / 33 x 33 cm
Actual: 330 x 330 x 7,6 mm
30 images

12 x 24 in / 30 x 60 cm
Actual: 300 x 600 x 8,4 mm
30 images



12 x 24 in / 30 x 60 cm image variations

Coliseo, *Desert*



20 x 20 in / 50 x 50 cm
Pressed
Matte 4500-1039-0



13 x 13 in / 33 x 33 cm
Pressed
Matte 4500-1034-0



12 x 24 in / 30 x 60 cm
Pressed
Matte 4500-1026-0



12 x 24 in / 30 x 60 cm
Pressed
Strati Texture 4500-1030-0

Mosaic



2 x 2 in / 5 x 5 cm
Mosaic
Matte 4501-0567-0

IMAGE VARIATIONS

This collection has a wide variety of tile facings by size to maximize the realism it can convey within a design space.

20 x 20 in / 50 x 50 cm
Actual: 497 x 497 x 8,5 mm
22 images

13 x 13 in / 33 x 33 cm
Actual: 330 x 330 x 7,6 mm
30 images

12 x 24 in / 30 x 60 cm
Actual: 300 x 600 x 8,4 mm
30 images




12 x 24 in / 30 x 60 cm image variations

Coliseo, *Platinum*



20 x 20 in / 50 x 50 cm
Pressed
Matte 4500-1038-0



13 x 13 in / 33 x 33 cm
Pressed
Matte 4500-1035-0



12 x 24 in / 30 x 60 cm
Pressed
Matte 4500-1027-0



12 x 24 in / 30 x 60 cm
Pressed
Strati Texture 4500-1031-0

Mosaic



2 x 2 in / 5 x 5 cm
Mosaic
Matte 4501-0568-0


IMAGE VARIATIONS

This collection has a wide variety of tile facings by size to maximize the realism it can convey within a design space.

20 x 20 in / 50 x 50 cm
Actual: 497 x 497 x 8,5 mm
22 images

13 x 13 in / 33 x 33 cm
Actual: 330 x 330 x 7,6 mm
30 images

12 x 24 in / 30 x 60 cm
Actual: 300 x 600 x 8,4 mm
30 images



12 x 24 in / 30 x 60 cm image variations

Coliseo, Graphite



20 x 20 in / 50 x 50 cm
Pressed
Matte 4500-1037-0



13 x 13 in / 33 x 33 cm
Pressed
Matte 4500-1036-0



12 x 24 in / 30 x 60 cm
Pressed
Matte 4500-1028-0



12 x 24 in / 30 x 60 cm
Pressed
Strati Texture 4500-1032-0

Mosaic



2 x 2 in / 5 x 5 cm
Mosaic
Matte 4501-0569-0

IMAGE VARIATIONS

This collection has a wide variety of tile facings by size to maximize the realism it can convey within a design space.

20 x 20 in / 50 x 50 cm
Actual: 497 x 497 x 8,5 mm
22 images

13 x 13 in / 33 x 33 cm
Actual: 330 x 330 x 7,6 mm
30 images

12 x 24 in / 30 x 60 cm
Actual: 300 x 600 x 8,4 mm
30 images



12 x 24 in / 30 x 60 cm image variations

Packaging information

Key logistical details including item codes and product specifications.










Coliseo Product & Packaging Information

	ACTUAL DIMENSIONS	THICKNESS	PEARL ITEM CODE	DESERT ITEM CODE	PLATINUM ITEM CODE	GRAPHITE ITEM CODE	LBS BOX	KGS BOX	PCS BOX	SOFT BOX	M² BOX	BXS SKID	SOFT SKID	M² SKID
20 x 20 in / 50 x 50 cm COLISEO PRESSED GLAZED PORCELAIN TILE	497 x 497 mm	8.5 mm	4500-1040-0	4500-1039-0	4500-1038-0	4500-1037-0	63.55	28.83	6	15.93	1.48	24	382.32	35.52
13 x 13 in / 33 x 33 cm COLISEO MATTE PRESSED GLAZED PORCELAIN TILE	330 x 330 mm	7.6 mm	4500-1033-0	4500-1034-0	4500-1035-0	4500-1036-0	44.97	20.40	11	12.92	1.2	54	697.68	64.8
12 x 24 in / 30 x 60 cm COLISEO MATTE PRESSED GLAZED PORCELAIN TILE	300 x 600 mm	8.4 mm	4500-1025-0	4500-1026-0	4500-1027-0	4500-1028-0	59.45	26.97	8	15.5	1.44	32	496	46.08
12 x 24 in / 30 x 60 cm COLISEO STRATI TEXTURE PRESSED GLAZED PORCELAIN TILE	300 x 600 mm	8.4 mm	4500-1029-0	4500-1030-0	4500-1031-0	4500-1032-0	59.45	26.97	8	15.5	1.44	32	496	46.08
MOSAIC														
2 x 2 in / 5 x 5 cm COLISEO MATTE GLAZED PORCELAIN MOSAIC	299 x 299 mm	8.4 mm	4501-0566-0	4501-0567-0	4501-0568-0	4501-0569-0	38.44	17.44	10	9.58	0.89	48	459.84	42.72

Technical information

Tile collection performance based on industry standards.

Technical Information

	WATER ABSORPTION	ANSI / ISO - (%)	<0.5%	
	ABRASION RESISTANCE	ANSI / ISO	CLASS 4	
	SCRATCH HARDNESS	ANSI / ISO - (Mohs)	MATTE 8	STRATI TEXTURE 6
	BREAKING STRENGTH	ANSI - (lbf) ISO - (N)	> 350 > 1600	
	SHADE VARIATION		V3	
	SLIP RESISTANCE	ANSI - DCOF (WET) ISO - R VALUE	MATTE ≥0.70 (ID, IW, IW+, EW*, O/G*) MATTE R11	STRATI TEXTURE ≥0.60 (ID, IW, IW+, EW*, O/G*) STRATI TEXTURE R10
	CHEMICAL RESISTANCE	ANSI / ISO	CLASS A	
	STAIN RESISTANCE	ANSI ISO	CLASS A CLASS 5	
	FROST RESISTANCE	ANSI / ISO	PASS	

Test values are based on ANSI / ISO standards according to: ANSI A137.1 - Porcelain tile P1 Class, ISO 13006 - G - Bia Group, En 14411 - G - Bia Group. Variances in test values can occur in different production lots.

Usage recommendations

recommendations for suitable applications.

Usage Recommendations**

MATTE + STRATI TEXTURE GLAZED PORCELAIN

APPLICATION		WALL	FLOOR
INTERIOR	RESIDENTIAL	•	ID, IW, IW+, EW*, O/G*
	COMMERCIAL	•	ID, IW, IW+, EW*, O/G*
	HEAVY COMMERCIAL	•	
EXTERIOR	RESIDENTIAL / COMMERCIAL	•	ID, IW, IW+, EW*, O/G*

** These recommendations are not defined by ANSI/ISO standards.

DCOF Classifications per ANSI A326.3: (ID): Interior, Dry (IW): Interior, Wet (IW+): Interior, Wet Plus (EW): Exterior, Wet (O/G): Oils/Greases

* Factors other than the noted DCOF result must also be taken into consideration. Such factors include, but are not limited to, expected contaminants, drainage, surface texture, effect of structure on the DCOF measurement, number of grout joints, traction-enhancing features, and intended use in addition to the other criteria noted in standard ANSI A326.3